



Date <b>11/01/2016</b>	PSC Device Code <b>5V</b>	No. of Sections <b>5</b>	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business <b>Ballantyne Agri</b>			<input checked="" type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address <b>10050 County Road 17A Westhope ND 58793</b>			<input checked="" type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
Device Location <b>Westhope 10050 Co. Rd 17A</b>			<input checked="" type="checkbox"/> Replaced Existing Equipment	<input checked="" type="checkbox"/> Non-Commercial
City <b>Westhope</b>	State <b>ND</b>	Zip Code <b>58793</b>	<input checked="" type="checkbox"/> Variance Permit Posted; Expiration Date: <b>09/30/2017</b>	
County			<input checked="" type="checkbox"/> Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	<input checked="" type="checkbox"/> Scale Indoors
Device Contact/Manager <b>null</b>			<input checked="" type="checkbox"/> Software is NTEP Approved	
Email Address <b>null</b>			<input checked="" type="checkbox"/> Built-In Standards; Date Certified:	
Telephone Number <b>null</b>			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
Cell Number			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
			<input checked="" type="checkbox"/> In response to PSC Quality Assurance Inspection	


**Scale Information - OTR ID - 015219**

Scale Manufacturer <b>Rice Lake</b>	Indicator Manufacturer/Model <b>Rice Lake 720i</b>	Indicator Serial No. <b>1774200254</b>	Weighing Elements <b>10 cell DESB 75K</b>
Capacity/Divisions/Units <b>160,000 lbs x 20 lbs</b>	Legible Label <b>X Y _ N</b>	Class <b>III</b>	Printer Manufacturer/Model <b>Epson TM-295</b>
Deck Size <b>80' x 11'</b>	Clearance (inches) <b>12"</b>	Approach - 12' Concrete Level <b>good</b>	Printer Serial No.
SR or Discrimination Test Zero Load = Loaded =		Motion Detection Range =	Hard Surface Approach (Length/Slope/Condition) <b>good</b>
			AZSM (Auto Zero) Range =

**Test Data**

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description:					Description:				
1	20,000 lbs		-	0	1	10,000 lbs		-	0
2	20,000 lbs		-	0	2	10,000 lbs		-	0
3	20,000 lbs		-	0	3	10,000 lbs		-	0
4	20,000 lbs		-	0	4	10,000 lbs		-	0
5	20,000 lbs		-	0	5	10,000 lbs		-	0
					6	10,000 lbs		-	0
					7	10,000 lbs		-	0
					8	10,000 lbs		-	0
					9	10,000 lbs		-	0
					10	10,000 lbs		-	0

**Strain Load Test**

Section (Increasing or Decreasing)	<b>1 Increasing</b>	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary.  <b>Installed calibrated and tested new OTR scale on floating slab. Variance permit is posted next to the indicator. Approaches are not finished at this time. Returned and verified approaches are finished 11/9/16 - CA.</b>
Full Truck Weight	<b>60,420 lbs</b>	
Test Weight	<b>20,000 lbs</b>	
Empty Truck Weight	<b>40,400/20 lbs</b>	
Errors	<b>0/+</b>	
Physical Seal <input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	Electronic Audit Trail: <input type="checkbox"/> Y <input type="checkbox"/> N	
Seal Date: 11/01/2016	Audit Trail Information:	
Seal Type: Lead		
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance		
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied		
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.		
	1768	
Permit Holder Signature	Permit Number	
	11/01/2016	
Operator Signature	Date	