

Invoice

North Dakota Public Service Commission - Tax ID 450309764

Testing and Safety Division

SFN 19242 (5/2002)

Invoice# **WG 59198**

Operator# 9333

Ballantyne Agri

10050 Co Rd 17A

Westhope ND 58793

Phone: 701-263-1454

Contact:

E Mail: opdahl97@gmail.com

Billed To: 9333

Ballantyne Agri

10050 Co Rd 17A

Westhope ND 58793

Phone: 701-263-1454

Contact:

E Mail: opdahl97@gmail.com

Time In: 10/24/2017 11:23 am Out: 1:39 pm

Approval Seals:

Inspection Record					Device Comments		
	Status	Fee	Qty.	Fee Total		Serial Number:	Seal Number:
Vehicle 5 Section	W	0.00	1	\$0.00	Vehicle 5 Section	1774200254	W
				\$0.00		Red Tag: Cannot be used commercially until repaired (>1D out of tol.)	

Amount Due: \$0.00

Accounts are due in thirty days. This account is due on November 23, 2017.

Note: Special, Red Tag: Cannot be used commercially until repaired (>1D out of tol.), var. has expired operator has instructions to get a new one

Inspected By: **Grangaard**

7 WM-16-633 Filed: 10/24/2017 Pages: 3
Test report

Public Service Commission

Please remit payment to : Public Service Commission
600 E. Boulevard Ave Dept 408
Bismarck ND 58505-0480

Scale Test Report

North Dakota Public Service Commission
Testing and Safety Division
SFN 19243 (5/2002)

Invoice# **WG 59198**

Operator# 9333

Inspected Date: 10/24/2017 12:57:16

Date Last Tested: 4/5/2017

Ballantyne Agri
10050 Co Rd 17A

Westhope ND 58793

Phone: 701-263-1454

Variance Posted: **Yes temp. var. is EXPIRED**

Contact:

E Mail: opdahl97@gmail.com

Item Code: 3V5 1

Location Of Device:

Manufacturer: Rice Lake

Indicating Element: 720i

Capacity: 160,000 x 20

Serial #: **1774200254**

Class: IIIIL

Lever System/Weighing Elements: 10 Cell

Platform Size: 11 x 80

Pit Depth: 12"

Approaches: 12' conc., h/s ok

Printer: Epson TM-295

Printer SN: NA

Environmental Conditions:

Test Results

Initial Zero Test: 0

Section Test

Section	Test Weight	Error
1	20,000	0
2	20,000	-120
3	20,000	20/40
4	20,000	20/40
5	20,000	

Balance Check: 0

Sensitivity Response OR Discrimination Test

ZeroLoad	NA
Loaded	NA

Strain Test

Shift Test

Load Pt.	Test Weight	Error
1	10,000	
2	10,000	
3	10,000	
4	10,000	
5	10,000	
6	10,000	
7	10,000	
8	10,000	
9	10,000	
10	10,000	

Balance Check: 0

	Wt Full	Test Weight	Wt Empty	Error
1	51640	20,000	31600	40
2		20,000		
3		20,000		
4		20,000		

Remarks: **Red Tag: Cannot be used commercially until repaired (>1D out of tol.)**

Scale is: **W**

Scale Test Report

North Dakota Public Service Commission

Testing and Safety Division

SFN 19243 (5/2002)

Invoice# **WG 59198**

Inspected By **Grangaard**