

**Bauske, Shelly A.**

---

**From:** Steve Ketterling <steve@drtel.net>  
**Sent:** Thursday, September 29, 2016 3:23 PM  
**To:** Bauske, Shelly A.  
**Cc:** Erickson, Kyle W.  
**Subject:** Variance

Shelly and Public Service Commission

I am requesting for a variance to sell clear diesel from a bulk truck. The reason for my request is as follows : Caseys Convenience Store began replacing their diesel and gas pumps and lines and will not be selling diesel until October 24 2016. This has put a hardship on our local farmers because they are unable to buy truck fuel and our location is overwhelmed. Most anytime this would not be a problem, but farmers are busy harvesting soybeans and will soon start corn. We are accommodating them as best we can with our retail pump and our delivery truck. I understand that a complaint has been filed against Farmland Coop for selling fuel in an non approved pump. Kyle Erickson from Weights and Measure has informed me of the infraction and suggested I notify the State PSC and ask for a temporary variance to sell diesel from a bulk delivery truck. One of the truck that I'm requesting a variance for is unit 660 Binstock Oct 2015 weight and measures number and Liquid Control Meter model M-10-1 and serial number 523140. Please consider my request for a variance, it will be for a short time as we expect harvest to be completed in 3 weeks and Caseys remodel finished.

Thank you for your Consideration

Steve Ketterling  
Farmland Coop  
617 Main Ave  
Oakes ND 58474  
742-2667  
Steve's Cell 710-0005

*Approved  
through  
Nov 30th  
2016*

Steve Ketterling