



APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY

Public Service Commission
SFN 51277 (2/2014)



TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED

Name of Company RDS of Minnesota	Email Address rshoutz@rdspos.com	Application Date 12-22-16	
Mailing Address 6566 Edenvalz Blvd	City Eden Prairie	State MN	Zip Code 55346
Telephone Number 952 934 4002	Cell Phone Number 763 218 8964	Fax Number 952 934 4830	

Select below all device types your company will certify:

Scales (include maximum capacity, if applicable)	Liquid (include maximum flow rate, if applicable)
<input type="checkbox"/> 1. Rail <input type="checkbox"/> 2. Truck <input type="checkbox"/> 3. Livestock <input type="checkbox"/> 4. Hopper: Max. Capacity: _____ <input type="checkbox"/> 5. Belt <input type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: _____ <input checked="" type="checkbox"/> 7. 30 lbs. or less <input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified) <input type="checkbox"/> 9. Other: Please List:	<input type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: _____ <input type="checkbox"/> 4. Stationary Bulk (fuel or oil): Max. Flow Rate: _____ <input type="checkbox"/> 5. LPG <input type="checkbox"/> 6. Stationary LPG <input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____ <input type="checkbox"/> 8. Chemical <input type="checkbox"/> 9. Anhydrous <input type="checkbox"/> 10. Loading Rack <input type="checkbox"/> 11. Other: Please List:

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

Permit No.	Employee	Device Types Registered to Certify (list using device type numbers from above)
e.g. 1001	e.g. John Doe	e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6
1803	Evans Henderson	Scales 7
1803	Geoff Pitman	Scales 7
	Auddi-Cox ISN'T with Retail Data Systems	



List below all field standards (attach current calibration reports):

30 lb Kit	
335647	
335630	

Additional Application Items (initial where appropriate):

Standardized Test Report	<input checked="" type="checkbox"/> Copy enclosed <input type="checkbox"/> No change in report filed previously
Tested and Approved Sticker	<input checked="" type="checkbox"/> Copy enclosed <input type="checkbox"/> No change in sticker filed previously
Photocopy of Crimped Lead Wire Seal	<input type="checkbox"/> Copy enclosed <input checked="" type="checkbox"/> No change in crimped lead wire seal filed previously

Public Company Listing:

Include my company information on your registered service company list for public contact.
 Yes No

I am Randy Shoutz, and have authority to represent this company.
By signing this application, I declare that I have examined this form and accompanying documentation, and to the best of my knowledge and belief, the facts stated and documentation provided is true, correct, and complete.


Randy Shoutz
Signature

Send Completed Application and Related Documents To:

Public Service Commission
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480
Telephone: (701) 328-2400
Fax: (701) 328-2410

North Dakota

nd.gov Official Portal for North Dakota State Government



SECRETARY OF STATE NORTH DAKOTA



[Home](#) | [Business Records Search](#)

RDS OF MINNESOTA

Trade Name

System ID: 25752000	Phone: (402) 553-6220
Status: Active	
Original File Date: 07/10/2009	Last Renewal Date: 07/10/2014

Nature of Business

SALES & SERVICE OF GROCERY POINT OF SALE SYSTEMS

Owners

DATA SYSTEMS, INC.
6515 S 118TH ST
OMAHA, NE 68137-3588

[Return to Search Results](#)

[Contact Us](#)

[Disclaimer](#) | [Privacy Policy](#)


We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.

North Dakota

nd.gov Official Portal for North Dakota State Government



SECRETARY OF STATE NORTH DAKOTA



[Home](#) | [Business Records Search](#)

DATA SYSTEMS, INC.

Corporation Details

System ID: 25751900	Phone: (402) 553-6220
Type: FOREIGN BUSINESS CORPORATION	
Status: Active & Good Standing	
Original File Date: 07/10/2009	Effective Date: 07/10/2009
State of Origin: Nebraska	

Nature of Business

SALES & SERVICE OF GROCERY POS EQUIPMENT

Principal Office

6515 S 118TH ST OMAHA, NE 68137-3588

Registered Agent

JASON HENSEL
 5440 38TH AVE S APT 305
 FARGO, ND 58104-8993
 Established Date: Sep 23, 2015

Generate an Annual Report To File

To Generate a Annual Report form to be filed with the Secretary of State, select the appropriate year of the report you intend to file. This report does not contain details of a report previously filed with the Secretary of State. The annual report years reflected are an indication of the various report forms available in this site and is not an indication that an entity needs to file reports for all years. Missing years indicate that the forms for the missing year have not yet been deployed to the website, or have already been removed, and can be obtained by contacting the Secretary of State.

[2016](#) (generates a forms-fillable pdf in a new pop-up window)

[Return to Search Results](#)

[Contact Us](#)

[Disclaimer](#)

[Privacy Policy](#)

We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



Receipt Date: February 26, 2016
Test Date: February 26, 2016
Report Date: March 1, 2016

State Test No.: 335630
Set Serial No.: None
Barcode: 018774


Calibration Report


RETAIL DATA SYSTEMS
6566 EDENVALE BLVD
EDEN PRAIRIE, MN 55346
Contact: RANDY SHOUTZ
Phone: 952-934-4001
PO Number: NONE
SOP: 12
Technician ID: 07

Item(s) Submitted: 30 lb Weight Kit w/ Fractions
Manufacturer: Rice Lake
ASTM E617 Type: I & II
Equipment ID#: None
Condition: Good
Temperature: 20.5 °C
Pressure: 736.5 mmHg
Relative Humidity: 45.8 %

Nominal Value	Serial No.	Correction (mg)		NIST HB105-1 Class		Uncertainty (mg) (k = 2)
		As Found	As Left	As Found	As Left	
10 lb		127	127	F	F	15
10 lb		118	118	F	F	15
5 lb		26	26	F	F	12
1 lb		19.8	19.8	F	F	2.8
1 lb		20.0	20.0	F	F	2.8
1 lb		20.9	20.9	F	F	2.8
1 lb		24.2	24.2	F	F	2.8
1 lb		13.5	13.5	F	F	2.8
4 oz		6.89	6.89	F	F	0.60
4 oz		5.20	5.20	F	F	0.60
4 oz		9.78	9.78	F	F	0.60
1 oz		2.14	2.14	F	F	0.30
1 oz		2.71	2.71	F	F	0.30
1 oz		2.34	2.34	F	F	0.30
1/2 oz		0.91	0.91	F	F	0.24
1/2 oz		1.58	1.58	F	F	0.24
1/4 oz		0.54	0.54	F	F	0.12
1/4 oz		0.10	0.10	F	F	0.12

The resulting tolerance class of the weight is determined by combining the correction of the weight and the uncertainty of the measurement. The corrections given above correlate to a conventional mass scale versus 8.0 g/cm³ density and an air density of 1.2 mg/cm³. The items listed above have been compared to the Standards of the State of Minnesota which are currently in control. These standards are traceable to the SI through NIST. Calibration processes were monitored and found to be in control. All of the tolerances and specifications were evaluated according to NIST Handbook 105-1 (1990). Uncertainty calculations contain the components in NIST SOP 8 and conform to the ISO/IEC Guide to the Expression of Uncertainty in Measurement (2008). Results apply to items identified in this report only.

Mark Nicollet

Quality Manager

Reviewed by:
Erik Alfvin

Metrologist



Receipt Date: March 1, 2016
Test Date: March 2, 2016
Report Date: March 3, 2016

State Test No.: 335647
Set Serial No.: None
Barcode: 200424

Calibration Report


RETAIL DATA SYSTEMS
6566 EDENVALE BLVD
EDEN PRAIRIE, MN 55346
Contact: RANDY SHOUTZ
Phone: 952-934-4001
PO Number: NONE
SOP: 12
Technician ID: 07

Item(s) Submitted: 30 lb Weight Kit
Manufacturer: Rice Lake
ASTM E617 Type: II
Equipment ID#: None
Condition: Good
Temperature: 20.5 °C
Pressure: 736.7 mmHg
Relative Humidity: 49.1 %

Nominal Value	Serial No.	Correction (mg)		NIST HB105-1 Class		Uncertainty (mg) (k = 2)
		As Found	As Left	As Found	As Left	
10 lb		125	125	F	F	15
10 lb		46	46	F	F	15
5 lb		66	66	F	F	12
2 lb		26.0	26.0	F	F	4.8
2 lb		33.5	33.5	F	F	4.8
1 lb		17.1	17.1	F	F	2.8
0.5 lb		0.2	0.2	F	F	2.3

The resulting tolerance class of the weight is determined by combining the correction of the weight and the uncertainty of the measurement. The corrections given above correlate to a conventional mass scale versus 8.0 g/cm³ density and an air density of 1.2 mg/cm³. The items listed above have been compared to the Standards of the State of Minnesota which are currently in control. These standards are traceable to the SI through NIST. Calibration processes were monitored and found to be in control. All of the tolerances and specifications were evaluated according to NIST Handbook 105-1 (1990). Uncertainty calculations contain the components in NIST SOP 8 and conform to the ISO/IEC Guide to the Expression of Uncertainty in Measurement (2008). Results apply to items identified in this report only.


Mark Nicollet



Quality Manager

Reviewed by:

Erik Alfvin



Metrologist

United States Department of Commerce

National Institute of Standards and Technology

Certificate of Metrological Traceability For:

Minnesota

This laboratory has demonstrated evidence of an unbroken chain of metrological traceability of its standards to the international system of units (SI), documented measurement uncertainties, uses documented measurement procedures, successfully completed training and proficiency tests, documented calibration intervals, submitted a quality management system, and demonstrated suitable measurement assurance for the Scope listed on this certificate.

The Office of Weights and Measures Program assesses laboratories to NIST Handbook 143 - Program Handbook for State Weights and Measures Laboratories and ISO/IEC 17025:2005.

Scope

Mass Echelon II
50 kg to 1 mg
1000 lb to 0.001 lb
4 oz to 0.03125 oz

Mass Echelon III
50 kg to 1 mg
5000 lb to 0.001 lb
4 oz to 0.03125 oz

Weight Carts
10 000 lb to 2000 lb

Wheel Load Weighers
20 000 lb to 2000 lb

Railroad Test Cars
110 000 lb to 80 000 lb

Volume Gravimetric, I
20 L to 10 mL
100 gal to 0.25 qt

Volume Transfer, II
1500 gal to 5 gal
100 gal to 25 gal LPG

2016 to 2017



Carol T. Hockett, Chief
NIST Office of Weights and Measures

Effective Dates: 2016-01-01 to 2017-12-31

