

Bauske, Shelly A.

From: Bauske, Shelly A.
Sent: Tuesday, June 27, 2017 3:28 PM
To: 'joanfults@yahoo.com'
Subject: FW: Metrology Extension Request

The 3 month extension has been granted.

If you have any questions, please contact me. Thank you!

Shelly Bauske
Public Service Commission
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480
701-328-4070
701-328-2410 (fax)
sbauske@nd.gov

From: Crockford, Konrad S.
Sent: Tuesday, June 27, 2017 3:06 PM
To: Bauske, Shelly A.
Subject: RE: Metrology Extension Request

No problem on the 3 month extension.

Thanks,

Konrad Crockford
Director of Compliance
North Dakota Public Service Commission
701-328-4097 kcrockford@nd.gov



From: Bauske, Shelly A.
Sent: Tuesday, June 27, 2017 15:01
To: Crockford, Konrad S. <kcrockford@nd.gov>
Subject: Metrology Extension Request

5 **WM-16-735** Filed: 6/27/2017 Pages: 5
Metrology extension request / approval

RJT Testing and Services LLC

RJT has an appointment for July 5 in Minnesota. The calibration report currently on file for his LPG prover is dated April 29, 2017.

From: Joan Fults [<mailto:joanfults@yahoo.com>]
Sent: Tuesday, June 27, 2017 2:38 PM
To: Bauske, Shelly A.
Subject: RE: FW: North Dakota Metrology Due

CAUTION: This email originated from an outside source. Do not click links or open attachments unless you know they are safe.

Good afternoon,

Randy has an appt for lp prover set up July 5th and wondering if can get a 3 month extension.

Thank you
Joan
ROY Testing and Service, LLC

[Sent from Yahoo Mail on Android](#)

On Tue, Jun 27, 2017 at 12:26 PM, Bauske, Shelly A.
<sbauske@nd.gov> wrote:

Thank you for the update. Yes, I have the metrology for the fuel prover.

When you email me the metrology date for the LPG prover, please ask for a metrology extension since you are past the 12 month requirement. The Weights and Measures rules allow up to a three month extension from the last metrology date, if approved by the director.

Thank you.

From: Joan Fults [<mailto:joanfults@yahoo.com>]
Sent: Tuesday, June 27, 2017 11:57 AM
To: Bauske, Shelly A.
Subject: RE: FW: North Dakota Metrology Due

CAUTION: This email originated from an outside source. Do not click links or open attachments unless you know they are safe.

Morning

Ok so from what I understand you should have the calibration report for fuel but he has not gotten the lp prover in yet so he is right now making appt and he may call you w date or I will let you know.

THANKS, Joan

[Sent from Yahoo Mail on Android](#)

On Tue, Jun 27, 2017 at 9:37 AM, Bauske, Shelly A.

[<sbauske@nd.gov>](mailto:sbauske@nd.gov) wrote:

Good Morning Joan

Do you have any updated information regarding the metrology?

Thank you!

From: joanfults [<mailto:joanfults@yahoo.com>]
Sent: Friday, June 16, 2017 1:22 PM
To: Bauske, Shelly A.
Subject: Re: FW: North Dakota Metrology Due

CAUTION: This email originated from an outside source. Do not click links or open attachments unless you know they are safe.

I will check with Randy tonight!

Thank you

Joan

Sent from my Sprint Samsung Galaxy S8+.

----- Original message -----

From: "Bauske, Shelly A." <sbauske@nd.gov>

Date: 6/16/17 12:55 PM (GMT-06:00)

To:

Subject: FW: North Dakota Metrology Due

Good Afternoon

What is the status of the request (included in this email) sent to you on May 2, 2017?

If you have any questions, please contact me. Thank you!

Shelly Bauske

Public Service Commission

600 E Boulevard Ave Dept 408

Bismarck ND 58505-0480

701-328-4070

701-328-2410 (fax)

sbauske@nd.gov

From: Bauske, Shelly A.
Sent: Tuesday, May 02, 2017 4:41 PM
Subject: North Dakota Metrology Due

Good Afternoon

According to our records, the metrology for all or some of the standards your company uses in North Dakota has expired. To date, we have not received the 2017 calibration reports for those standards.

If your standards have been recertified, please email me a copy of the calibration report. If the standards have not been recertified, please email me the name of the lab and the appointment date.

Please contact me if you have any questions. Thank you!

Shelly Bauske

Public Service Commission

600 E Boulevard Ave Dept 408

Bismarck ND 58505-0480

701-328-4070

701-328-2410 (fax)

sbauske@nd.gov

This transmission, email and any files transmitted with it, may be: (1) subject to the Attorney-Client Privilege, (2) an attorney work product, or (3) strictly confidential under federal or state law. If you are not the intended recipient of this message, you may not use, disclose, print, copy or disseminate this information. If you have received this transmission in error, notify the sender (only) and delete the message. This message may also be subject to disclosure under the North Dakota Open Records Laws.