



# Public Service Commission

State of North Dakota

COMMISSIONERS

Julie Fedorchak  
Randy Christmann  
Brian P. Kalk

January 12, 2017

Executive Secretary  
Darrell Nitschke

600 East Boulevard, Dept. 408  
Bismarck, North Dakota 58505-0480  
Web: www.psc.nd.gov  
E-mail: ndpsc@nd.gov  
Phone: 701-328-2400  
ND Toll Free: 1-877-245-6685  
Fax: 701-328-2410  
TDD: 800-366-6888 or 711

Mr. Craig Forsander, Vice President  
ONEOK Rockies Midstream Operations  
896 25<sup>th</sup> St. SE  
Sidney, MT 59270

Re: November 1, 2016 NOPV: Case No. GS-16-749

Dear Mr. Forsander:

On December 7, 2016, ONEOK Rockies Midstream, L.L.C. (ORM) filed a response to the November 18, 2016 NOPV.

In the response, ORM stated that the following thirteen devices are not currently installed on any system. Therefore, I agree these devices are not currently subject to regulation under Part 192.

- PSV-8060
- PSV-8155
- PSV-8154
- PSV-8161
- PSV-8162-1
- PSV-8160
- PSV-8163
- PSV-8164-1
- PSV-6511
- PSV-8157
- (Serial#1039887)
- (Serial#1039896)
- PSV-8158
- (Serial#85/08958)

In the response, ORM provided a copy of the design/testing documentation associated with the installed relief devices listed below.

- PSV-6280
- PSV-6320
- PSV-6321
- PSV-6148
- PSV-8156
- PSV-6146
- PSV-8153
- PSV-6150
- PSV-6147
- PSV-8158
- (Serial#85/08959)

In the response, ORM also filed a copy of the completed relieve inspection form for PSV-8166. ORM stated this device is redundant to the main control valve and is for the protection of the inlet scrubber.

Upon review of the documentation provided, I am writing to confirm that ORM's response to the November 18, 2016 NOPV is adequate and no further response is required.

Thank you for your rapid response to this issue.

Sincerely,

A handwritten signature in black ink, appearing to be 'CR' followed by a long horizontal flourish.

Craig Reamann, Manager  
Gas Pipeline Safety