

MDSS MONTANA DAKOTA SCALE SERVICE

Test Report

13217 Hwy 200 - Fairview, Montana 59221 • Phone: (406) 742-5944

Date <i>3-20-16</i>	PSC Device Code <i>3V4</i>	No. of Sections <i>4</i>	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business <i>Red River Oilfield Services</i>			<input checked="" type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address <i>12025 Broadway</i>			<input checked="" type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
City <i>Williston ND</i>	State <i>ND</i>	Zip Code <i>58801</i>	<input checked="" type="checkbox"/> Replaced Existing Equipment	<input checked="" type="checkbox"/> Non-Commercial
County	Telephone Number		<input checked="" type="checkbox"/> Variance Permit Posted; Expiration Date: <i>June 30, 2017</i>	<input checked="" type="checkbox"/> Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24
Device Contact/Manager	Cell Number		<input checked="" type="checkbox"/> Software is NTEP Approved	<input checked="" type="checkbox"/> Built-In Standards; Date Certified: _____
Email Address			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
Device Location <i>Stony Creek Basal Yard 13217 Hwy 200 NW</i>			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
			<input checked="" type="checkbox"/> In Response to PSC Quality Assurance Inspection	

Scale Information

Scale Manufacturer <i>Weight Watchers</i>	Indicator Manufacturer/Model <i>1120</i>	Indicator Serial No. <i>1406161411</i>	Weighing Elements <i>Cell Cell</i>
Capacity/Divisions/Units <i>120000 X 20 Lb</i>	Legible Label <input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	Class <i>III</i>	Printer Manufacturer/Model <i>3860N</i>
Deck Size <i>11 X 75'</i>	Clearance (inches) <i>Probable</i>	Approach - 12' Concrete Level <i>Yes</i>	Printer Serial No. <i>896E115992</i>
SR or Discrimination Test Zero Load = _____ lb. Loaded = _____ lb.		Motion Detection Range = <i>28</i> lb.	Hard Surface Approach (Length/Slope/Condition) <i>Yes</i>
		AZSM (Auto Zero) Range = <i>38</i> lb.	

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Errors +/-	
		As Found	As Left			As Found	As Left
<i>LBP #1</i>	<i>10000</i>		<i>0/-20</i>	<i>Section #1</i>	<i>20000</i>		<i>-20</i>
<i>2</i>	<i>11</i>		<i>0/-20</i>	<i>2</i>	<i>11</i>		<i>0/-20</i>
<i>3</i>	<i>11</i>		<i>0/-20</i>	<i>3</i>	<i>11</i>		<i>0/-20</i>
<i>4</i>	<i>11</i>		<i>0/-20</i>	<i>4</i>	<i>11</i>		<i>0/-20</i>
<i>5</i>	<i>11</i>		<i>0</i>	<i>5L</i>	<i>0</i>	<i>0</i>	<i>0</i>
<i>6</i>	<i>11</i>		<i>0</i>				
<i>7</i>	<i>11</i>		<i>0/-20</i>				
<i>8</i>	<i>11</i>		<i>0</i>				
<i>3L</i>	<i>0</i>		<i>0</i>				

Strain Load Test

Section (Increasing or Decreasing)	<i>2</i>			Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. <i>Next Test 3-20-16</i>
Full Truck Weight	<i>44000</i>			
Test Weight	<i>20000</i>	<i>(-20)</i>		
Empty Truck Weight	<i>23020</i>			
Errors				
<input checked="" type="checkbox"/> Physical Seal <input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N	<input checked="" type="checkbox"/> Electronic Audit Trail: <input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N			
Seal Date:	Audit Trail Information:			
Seal Type:				

Meets tolerances in PSC adopted NIST Handbook 44? Maintenance Acceptance
 Approved Rejected Taken out of Service Sticker Applied

By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.

Permit Holder Signature: _____ Permit No.: *1454*
 Operator Signature: _____ Date: _____

5 WM-16-751 Filed: 7/7/2017 Pages: 5
Test reports
 Red River Oilfield Services, Inc.

MDSS MONTANA DAKOTA SCALE SERVICE

Test Report

13217 Hwy 200 - Fairview, Montana 59221 • Phone: (406) 742-5944

Date 6-30-17	PSC Device Code 63000914 4	No. of Sections 4	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business Red River Oilfield Services	Mailing Address 1202 E Broadway		<input checked="" type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
City Williston ND	State ND	Zip Code 58901	<input checked="" type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
County Williams	Telephone Number		<input checked="" type="checkbox"/> Replaced Existing Equipment	<input checked="" type="checkbox"/> Non-Commercial
Device Contact/Manager	Cell Number		<input checked="" type="checkbox"/> Variance Permit Posted; Expiration Date: 6-30-17	<input checked="" type="checkbox"/> Stored/Recalled Weights Meet NDAC §§ 69-10-02-23 & 69-10-02-24
Email Address			<input checked="" type="checkbox"/> Software is NTEP Approved	<input checked="" type="checkbox"/> Built-In Standards; Date Certified: _____
Device Location Stoney Creek rail yard 13314 50th Rd NW Williston ND 58901			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
<input type="checkbox"/> In Response to PSC Quality Assurance Inspection				

Scale Information

Scale Manufacturer Weigh-Tronix	Indicator Manufacturer/Model Weigh-Tronix 1310	Indicator Serial No. 806001100-0790	Weighing Elements Full Cell
Capacity/Divisions/Units 120000 x 20 LBS	Legible Label Y N	Class III	Printer Manufacturer/Model Printer Serial No.
Deck Size 11 x 70"	Clearance (inches) portable	Approach - 12' Concrete Level yes	Hard Surface Approach (Length/Slope/Condition) concrete
SR or Discrimination Test Zero Load = _____ lb. Loaded = _____ lb.	Motion Detection Range = 2d - lb.	AZSM (Auto Zero) Range = 3d - lb.	

Test Data

LBP / Section / Product Wt.	Value of Test Weights Used	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Errors +/-	
		As Found	As Left			As Found	As Left
h1BP #1	10000		0-20				
2			0				
3			0				
4			0				
5			0				
6			0				
7			0				
8			0				
BC	0	0	0				
500# 1	20000		-20				
2	11		0				
3	11		0-20				
4	11		0				
BC	0	0	0				

Strain Load Test

Section (Increasing or Decreasing)	4		Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary. Scale had been broke down and not being used. Tested and calibrated scale after repair. Temp Variance permit # 514
Full Truck Weight	42580		
Test Weight	20000		
Empty Truck Weight	22580		
Errors			
<input checked="" type="checkbox"/> Physical Seal <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Seal Date: _____ Seal Type: level	<input checked="" type="checkbox"/> Electronic Audit Trail: <input type="checkbox"/> Y <input type="checkbox"/> N Audit Trail Information: _____		
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance			
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied			
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.			
Permit Holder Signature <i>[Signature]</i>	1454	Permit No.	
Operator Signature		Date	

Bauske, Shelly A.

From: Chris Lund <chris@redriversupply.us>
Sent: Friday, July 07, 2017 3:07 PM
To: Bauske, Shelly A.; Curtis E. Shuck, Jr.
Cc: Crockford, Konrad S.
Subject: RE: Temporary Variance Permit #514 Extension - Action Required
Attachments: RedRiverSupply_20170707_141926.pdf

CAUTION: This email originated from an outside source. Do not click links or open attachments unless you know they are safe.

See attached:

Chris Lund
Operations Director
Red River Oilfield Services, Inc.
1202 East Broadway
Williston, North Dakota 58801
(701) 580-1722 mobile
www.redriversupply.us



From: Bauske, Shelly A. [<mailto:sbauske@nd.gov>]
Sent: Friday, July 07, 2017 1:54 PM
To: Chris Lund <chris@redriversupply.us>; Curtis E. Shuck, Jr. <curtis@redriversupply.us>
Cc: Crockford, Konrad S. <kcrockford@nd.gov>
Subject: RE: Temporary Variance Permit #514 Extension - Action Required

Do you have any reports dated prior to June 30, 2017?

From: Chris Lund [<mailto:chris@redriversupply.us>]
Sent: Friday, July 07, 2017 1:44 PM
To: Curtis E. Shuck, Jr.; Bauske, Shelly A.
Cc: Crockford, Konrad S.
Subject: RE: Temporary Variance Permit #514 Extension - Action Required

CAUTION: This email originated from an outside source. Do not click links or open attachments unless you know they are safe.

All,

Attached is a better scan.

Thanks.

From: Curtis E. Shuck, Jr.
Sent: Friday, July 07, 2017 1:07 PM
To: Bauske, Shelly A. <sbauske@nd.gov>
Cc: Crockford, Konrad S. <kcrockford@nd.gov>; Chris Lund <chris@redriversupply.us>
Subject: RE: Temporary Variance Permit #514 Extension - Action Required
Importance: High

Shelly,

Thanks for the response. I will get with our team to see what we can come up with. We may end up having to go directly to Lance at MDSS.

More to come.

Curtis Shuck,
President
Red River Oilfield Services, Inc.

1202 East Broadway
Williston, North Dakota 58801
(701) 570-4778 mobile
www.redriversupply.us



From: Bauske, Shelly A. [<mailto:sbauske@nd.gov>]
Sent: Friday, July 7, 2017 12:45 PM
To: Curtis E. Shuck, Jr. <curtis@redriversupply.us>
Cc: Crockford, Konrad S. <kcrockford@nd.gov>
Subject: RE: Temporary Variance Permit #514 Extension - Action Required

Good Afternoon Curtis

The test reports from Montana Dakota Scale Service are not legible. Prior to making a decision on the variance permit extension request, we will need to have legible copies of the test reports.

If you have any questions, please contact me. Thank you!

Shelly Bauske
Public Service Commission
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480

701-328-4070
701-328-2410 (fax)
sbauske@nd.gov

From: Curtis E. Shuck, Jr. [<mailto:curtis@redriversupply.us>]
Sent: Monday, July 03, 2017 2:11 PM
To: Bauske, Shelly A.
Cc: Curtis E. Shuck, Jr.; Chris Lund
Subject: Temporary Variance Permit #514 Extension

CAUTION: This email originated from an outside source. Do not click links or open attachments unless you know they are safe.

Shelly,

Thank you for your time on the phone this morning. As discussed, Red River Oilfield Services, Inc. is applying for an extension to the Temporary Variance Permit #514 for our Weightronix Model W/T E1310, Serial Number 140615144, 120,000 lb. capacity, 11' x 75' Truck Scale until September 30, 2017.

Based on operational requirements, Red River did not operate the scale during Q2-2017 and therefore we took the scale out of service. Additionally, our capital project to relocate the scale to its permanent position had to be delayed due to economic reasons.

I have attached our Test Reports from Montana Dakota Scale Service for your records and apologize in advance for the copy quality.

Please let me know if you have any questions.

Thanks!

Curtis Shuck,

President

Red River Oilfield Services, Inc.

1202 East Broadway
Williston, North Dakota 58801
(701) 570-4778 mobile
www.redriversupply.us



This transmission, email and any files transmitted with it, may be: (1) subject to the Attorney-Client Privilege, (2) an attorney work product, or (3) strictly confidential under federal or state law. If you are not the intended recipient of this message, you may not use, disclose, print, copy or disseminate this information. If you have received this transmission in error, notify the sender (only) and delete the message. This message may also be subject to disclosure under the North Dakota Open Records Laws.