

Exam Date: 11/06/2017

Central Plains Ag Services, LLC

Page: 1

Examiner: 2

10810 7th Street SE

Hannaford, ND

County:

Phone: 701-769-2665

CCC Number:

Location/Container Numbers/Comments	Section	Capacity
<b>PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE</b>		
018	A	588,594
019	A	809,279
Bunker 2	A	1,708,972
Bunk2Bin	A	5,043
	<b>Total:</b>	<b>3,111,888</b>

**PART B - SPACE TO BE DELETED UNDER LICENSE**

&lt;NO BINS DELETED&gt;

**Total: 0****PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE**

A	8,162,000
B	1,359,000
C	686,000
LA	267,000
LB	84,000
LD	7,000
LE	150,000
LF	16,000
<b>Total:</b>	<b>10,731,000</b>

**PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT**

Courtenay 1215	C	686,000
Hannaford 2225	A B	9,521,000
Luverne 335	LA LB LD LE LF	524,000
	<b>Total:</b>	<b>10,731,000</b>

Exam Date:11/06/2017

Central Plains Ag Services, LLC  
 10810 7th Street SE  
 Hannaford , ND  
 County:

Page: 1

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Courtenay

### Section: C

C	001		Irregular	work floor	32.400	6.349	6.349	51.00	0.00	0.00	51.000	0.000	51.0	32.4	2.50	1,693
C	004		Irregular	work floor	25.600	5.643	5.643	33.00	0.00	0.00	33.000	0.000	33.0	25.6	2.50	866
C	005 T		Irregular	work floor	31.400	6.250	6.250	33.00	0.00	0.00	33.000	0.000	33.0	31.4	2.50	1,062
C	005 B		Irregular	work floor - top 33'	57.900	8.487	8.487	22.00	0.00	0.00	22.000	0.000	22.0	57.9	4.80	1,335
C	006 T		Irregular	work floor	57.900	8.487	8.487	55.00	0.00	0.00	55.000	0.000	55.0	57.9	4.80	3,338
C	006 B		Irregular	work floor- top 55'	115.80	12.00	12.00	15.50	0.00	0.00	15.500	0.000	15.5	115.8	6.20	1,906
C	007		Irregular	work floor	31.500	6.260	6.260	51.00	0.00	0.00	51.000	0.000	51.0	31.5	2.50	1,647
C	008		Irregular	work floor	29.700	6.078	6.078	51.00	0.00	0.00	51.000	0.000	51.0	29.7	2.50	1,553
C	009		Irregular	work floor	32.600	6.368	6.368	51.00	0.00	0.00	51.000	0.000	51.0	32.6	2.50	1,705
C	010		Irregular	work floor	46.300	7.589	7.589	51.00	0.00	0.00	51.000	0.000	51.0	46.3	4.00	2,455
C	011		Irregular	work floor	30.800	6.190	6.190	51.00	0.00	0.00	51.000	0.000	51.0	30.8	2.50	1,610
C	012		Irregular	work floor	115.80	12.00	12.00	70.50	0.00	0.00	70.500	0.000	70.5	115.8	6.20	8,670
C	013		Irregular	work floor	63.700	8.902	8.902	49.00	0.00	0.00	49.000	0.000	49.0	63.7	5.00	3,277
C	014		Irregular	work floor	69.500	9.298	9.298	49.00	0.00	0.00	49.000	0.000	49.0	69.5	5.20	3,583
C	016		Irregular	work floor	115.80	12.00	12.00	70.50	0.00	0.00	70.500	0.000	70.5	115.8	6.20	8,670
C	017 T		Irregular	work floor	7.000	2.951	2.951	16.00	0.00	0.00	16.000	0.000	16.0	7.0	2.00	114
C	017 B		Irregular	work floor-top 16'	33.600	6.465	6.465	35.00	0.00	0.00	35.000	0.000	35.0	33.6	2.50	1,205
C	018		Irregular	work floor	32.600	6.368	6.368	51.00	0.00	0.00	51.000	0.000	51.0	32.6	2.50	1,705
C	020		Irregular	work floor	31.500	6.260	6.260	51.00	0.00	0.00	51.000	0.000	51.0	31.5	2.50	1,647
C	021 T		Irregular	work floor	57.900	8.487	8.487	55.00	0.00	0.00	55.000	0.000	55.0	57.9	4.80	3,338
C	021 B		Irregular	work floor- top 55'	115.80	12.00	12.00	15.50	0.00	0.00	15.500	0.000	15.5	115.8	6.20	1,906

Exam Date:11/06/2017

Central Plains Ag Services, LLC  
 10810 7th Street SE  
 Hannaford , ND  
 County:

Page: 2

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Courtenay

### Section: C

C	022		Irregular	work floor	57.900	8.487	8.487	55.00	0.00	0.00	55.000	0.000	55.0	57.9	4.80	3,338
C	023		Irregular	work floor	46.300	7.589	7.589	51.00	0.00	0.00	51.000	0.000	51.0	46.3	4.00	2,455
C	024		Irregular	work floor	35.700	6.664	6.664	48.00	0.00	0.00	48.000	0.000	48.0	35.7	3.00	1,765
C	101 T		Irregular	work floor	115.40	11.98	11.98	61.00	0.00	0.00	61.000	0.000	61.0	115.4	6.20	7,475
C	101 B		Irregular	work floor-top 61'	142.60	13.32	13.32	6.000	0.00	0.00	6.000	0.000	6.0	142.6	6.80	914
C	102 T		Irregular	work floor	122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	102 B		Irregular	work floor-top 61'	145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	103		Irregular	work floor-	99.900	11.15	11.15	59.00	0.00	0.00	59.000	0.000	59.0	99.9	6.00	6,248
C	104		Irregular	work floor-	105.20	11.44	11.44	59.00	0.00	0.00	59.000	0.000	59.0	105.2	6.20	6,592
C	105 T		Irregular	work floor-	115.40	11.98	11.98	61.00	0.00	0.00	61.000	0.000	61.0	115.4	6.20	7,475
C	105 B		Irregular	work floor-top 61'	142.60	13.32	13.32	6.000	0.00	0.00	6.000	0.000	6.0	142.6	6.80	914
C	106 T		Irregular	work floor-	122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	106 B		Irregular	work floor-top 61'	145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	107 T		Irregular	work floor	117.40	12.09	12.09	61.00	0.00	0.00	61.000	0.000	61.0	117.4	6.20	7,605
C	107 B		Irregular	work floor-top 61'	145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	108 T		Irregular	work floor-	122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	108 B		Irregular	work floor-top 61'	145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	109		Irregular	work floor-	101.70	11.25	11.25	59.00	0.00	0.00	59.000	0.000	59.0	101.7	6.00	6,360
C	110		Irregular	work floor-	104.30	11.39	11.39	59.00	0.00	0.00	59.000	0.000	59.0	104.3	6.00	6,523
C	111 T		Irregular	work floor-	117.40	12.09	12.09	61.00	0.00	0.00	61.000	0.000	61.0	117.4	6.20	7,605
C	111 B		Irregular	work floor-top 61'	145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930

Exam Date:11/06/2017

Central Plains Ag Services, LLC  
 10810 7th Street SE  
 Hannaford , ND  
 County:

Page: 3

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)   Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	--	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Courtenay

### Section: C

C	112 T	Irregular	work floor-		122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	112 B	Irregular	work floor-top 61'		145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	113 T	Irregular	work floor-		118.40	12.14	12.14	61.00	0.00	0.00	61.000	0.000	61.0	118.4	6.20	7,670
C	113 B	Irregular	work floor-top 61'		145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	114 T	Irregular	work floor-		118.40	12.14	12.14	61.00	0.00	0.00	61.000	0.000	61.0	118.4	6.20	7,670
C	114 B	Irregular	work floor-top 61'		145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	115	Irregular	work floor-		102.60	11.30	11.30	59.00	0.00	0.00	59.000	0.000	59.0	102.6	6.00	6,416
C	116 T	Irregular	work floor-		122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	116 B	Irregular	work floor-top 61'		145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	117	Irregular	work floor-		104.30	11.39	11.39	59.00	0.00	0.00	59.000	0.000	59.0	104.3	6.00	6,523
C	118 T	Irregular	work floor-		122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	118 B	Irregular	work floor-top 61'		145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	119	Irregular	work floor-		101.70	11.25	11.25	59.00	0.00	0.00	59.000	0.000	59.0	101.7	6.00	6,360
C	120 T	Irregular	work floor-		117.40	12.09	12.09	13.00	0.00	0.00	13.000	0.000	13.0	117.4	6.20	1,621
C	120 M	Irregular	work floor-top 13'		117.40	12.09	12.09	11.00	0.00	0.00	11.000	0.000	11.0	117.4	6.20	1,371
C	120 B	Irregular	work floor-top 13'-middle 11'		142.60	13.32	13.32	6.000	0.00	0.00	6.000	0.000	6.0	142.6	6.80	914
C	121 T	Irregular	work floor-		118.40	12.14	12.14	61.00	0.00	0.00	61.000	0.000	61.0	118.4	6.20	7,670
C	121 B	Irregular	work floor-top 61'		142.60	13.32	13.32	6.000	0.00	0.00	6.000	0.000	6.0	142.6	6.80	914
C	200	Quonset	low point roof 18.5'		0.000	179.0	52.20	9.800	0.00	0.00	9.800	0.000	9.8	7330.6	10.0	79,024
C	201	Peaked	top of sidewall		16.000	0.000	0.000	15.00	2.50	0.00	17.500	1.000	18.5	161.6	5.80	3,163
C	202	Peaked	top of sidewall		16.000	0.000	0.000	15.00	2.50	0.00	17.500	1.000	18.5	161.6	5.80	3,163

Client ID: 3864

### NDPSC Bin Capacity Chart

05/08/2018 04:49:21 PM

Exam Date:11/06/2017

Central Plains Ag Services, LLC  
10810 7th Street SE  
Hannaford , ND  
County:

Page: 4

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)   Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	--	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Courtenay

### Section: C

C	Ground		Temporary	top of sidewall	16.200	296.0	104.0	7.500	0.00	0.00	7.500	7.500	15.0	22880.1	10.0	377,522
Bin count:		64											Facility: Courtenay Section: C Total:		<b>685,609</b>	
													To Even:	<b>686,000</b>		

Exam Date:11/06/2017

Central Plains Ag Services, LLC  
 10810 7th Street SE  
 Hannaford , ND  
 County:

Page: 5

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Hannaford

### Section: A

	A	001	Irregular	top of slab	255.60	17.83	17.83	38.40	2.50	0.00	40.900	0.000	40.9	255.6	7.00	11,186
	A	002	Irregular	top of slab	74.860	9.650	9.650	96.70	1.80	0.00	98.500	0.000	98.5	74.8	5.50	7,780
	A	003	Irregular	top of slab	74.860	9.650	9.650	96.70	1.80	0.00	98.500	0.000	98.5	74.8	5.50	7,780
	A	004	Irregular	top of slab	74.860	9.650	9.650	96.70	1.80	0.00	98.500	0.000	98.5	74.8	5.50	7,780
	A	005	Irregular	top of slab	74.860	9.650	9.650	96.70	1.80	0.00	98.500	0.000	98.5	74.8	5.50	7,780
	A	006	Irregular	top of slab	46.900	7.638	7.638	98.00	3.00	0.00	101.00	0.000	101.0	46.9	4.00	4,926
	A	007	Irregular	top of slab	70.710	9.379	9.379	136.6	1.10	0.00	137.70	0.000	137.7	70.7	5.20	10,243
	A	008	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
	A	009	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
	A	010	Irregular	top of slab	206.35	16.02	16.02	131.0	3.00	0.00	134.00	0.000	134.0	206.3	7.00	29,587
	A	011	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
	A	012	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
	A	013	Irregular	top of slab	206.35	16.02	16.02	131.0	3.00	0.00	134.00	0.000	134.0	206.3	7.00	29,587
	A	014	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
	A	015	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
	A	016	Irregular	top of slab	51.850	8.031	8.031	137.0	1.00	0.00	138.00	0.000	138.0	51.8	4.50	7,477
	A	017	Round	top of slab	76.000	0.000	0.000	140.0	0.00	0.10	139.90	0.000	139.9	3646.7	10.0	561,190
Added	A	018	Peaked	top of slab	89.800	0.000	0.000	98.80	0.00	0.00	98.800	6.300	105.1	5091.2	10.0	588,594
Added	A	019	Peaked	top of slab	104.80	0.000	0.000	98.80	0.00	0.00	98.800	7.300	106.1	6934.1	10.0	809,279
Added	A	Bunk2Bin	Peaked	top of sidewall	16.000	0.000	0.000	28.50	0.00	0.00	28.500	1.000	29.5	161.6	5.80	5,043
	A	Bunker	Peaked	top of sidewall	304.00	0.000	0.000	5.250	0.00	0.00	5.250	21.30	26.6	58346.7	10.0	1,707,224

### NDPSC Bin Capacity Chart

Exam Date:11/06/2017

Central Plains Ag Services, LLC  
 10810 7th Street SE  
 Hannaford , ND  
 County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)   Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	--	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Hannaford

### Section: A

Added	A	Bunker 2	Peaked	top of sidewall	315.00	0.000	0.000	2.700	0.00	0.00	2.700	22.10	24.8	62645.6	10.0	1,708,972
	A	ground	Temporary	top of sidewall	45.400	400.0	116.0	1.000	0.00	0.00	1.000	45.40	46.4	37299.0	10.0	1,903,741

Bin count: 23

Facility: Hannaford Section: A Total: **8,161,487**

To Even: **8,162,000**

### Section: B

B	001	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	002	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	003	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	004	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	005	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	006	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	007	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	008	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	009	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	010	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	011	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	012	Peaked	top of sidewall	48.000	0.000	0.000	53.00	0.00	0.00	53.000	3.400	56.4	1454.6	10.0	90,243
B	013	Peaked	top of sidewall	60.000	0.000	0.000	51.00	0.00	0.00	51.000	4.200	55.2	2272.9	10.0	138,010
B	014	Peaked	top of sidewall	60.000	0.000	0.000	51.00	0.00	0.00	51.000	4.200	55.2	2272.9	10.0	138,010

Client ID: 3864

### NDPSC Bin Capacity Chart

05/08/2018 04:49:21 PM

Exam Date: 11/06/2017

Central Plains Ag Services, LLC  
10810 7th Street SE  
Hannaford, ND  
County:

Page: 7

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

**Bin count: 14**

**Facility: Hannaford Section: B Total: 1,358,936**

**To Even: 1,359,000**

Exam Date:11/06/2017

Central Plains Ag Services, LLC  
 10810 7th Street SE  
 Hannaford , ND  
 County:

Page: 8

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Luverne

### Section: LA

	LA	001	Square	bin floor	0.000	5.700	3.500	49.50	0.00	0.00	49.500	0.000	49.5	16.0	2.00	808
	LA	003	Square	bin floor	0.000	7.000	4.200	48.00	0.00	0.00	48.000	0.000	48.0	23.6	2.00	1,156
	LA	004	Square	bin floor	0.000	10.70	4.200	45.00	0.00	0.00	45.000	0.000	45.0	36.1	3.00	1,674
	LA	005 T	Square	bin floor	0.000	10.70	6.400	48.00	0.00	0.00	48.000	0.000	48.0	55.0	4.50	2,759
	LA	005 B	Square	bin floor - top 48'	0.000	10.90	10.70	20.00	0.00	0.00	20.000	0.000	20.0	93.8	5.80	1,985
	LA	006	Square	bin floor	0.000	7.000	5.700	49.50	0.00	0.00	49.500	0.000	49.5	32.1	2.50	1,629
	LA	007	Square	bin floor	0.000	10.70	5.700	48.00	0.00	0.00	48.000	0.000	48.0	49.0	4.20	2,451
	LA	008	Square	bin floor	0.000	10.70	5.700	48.00	0.00	0.00	48.000	0.000	48.0	49.0	4.20	2,451
	LA	009	Square	bin floor	0.000	7.000	5.700	49.50	0.00	0.00	49.500	0.000	49.5	32.1	2.50	1,629
	LA	010	Square	bin floor	0.000	10.90	10.70	68.00	0.00	0.00	68.000	0.000	68.0	93.8	5.80	6,748
	LA	011	Square	bin floor	0.000	10.90	7.000	48.00	0.00	0.00	48.000	0.000	48.0	61.3	4.80	3,083
	LA	012 T	Square	bin floor	0.000	7.200	6.200	12.00	0.00	0.00	12.000	0.000	12.0	35.9	3.00	444
	LA	012 B	Square	bin floor - top 12'	0.000	10.90	7.200	36.00	0.00	0.00	36.000	0.000	36.0	63.1	5.00	2,386
	LA	013	Square	bin floor	0.000	7.200	5.700	49.50	0.00	0.00	49.500	0.000	49.5	33.0	2.50	1,675
	LA	015	Square	bin floor	0.000	10.90	10.60	68.00	0.00	0.00	68.000	0.000	68.0	92.9	5.80	6,683
	LA	016	Square	bin floor	0.000	10.60	5.700	48.00	0.00	0.00	48.000	0.000	48.0	48.6	4.20	2,431
	LA	018	Square	bin floor	0.000	5.300	5.200	20.00	0.00	0.00	20.000	0.000	20.0	22.2	2.00	453
	LA	019	Square	bin floor	0.000	5.300	5.200	20.00	0.00	0.00	20.000	0.000	20.0	22.2	2.00	453
	LA	020 T	Square	bin floor	0.000	5.300	5.200	20.00	0.00	0.00	20.000	0.000	20.0	22.2	2.00	453
	LA	020 B	Square	bin floor - top 20'	0.000	10.60	5.300	27.50	0.00	0.00	27.500	0.000	27.5	45.2	4.00	1,293
	LA	021	Square	bin floor	0.000	5.700	3.500	49.50	0.00	0.00	49.500	0.000	49.5	16.0	2.00	808

Exam Date:11/06/2017

Central Plains Ag Services, LLC  
 10810 7th Street SE  
 Hannaford , ND  
 County:

Page: 9

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Luverne

### Section: LA

LA	022 T		Square	bin floor	0.000	5.300	5.200	20.00	0.00	0.00	20.000	0.000	20.0	22.2	2.00	453
LA	022 M		Square	bin floor-top 20'	0.000	10.60	5.300	27.00	0.00	0.00	27.000	0.000	27.0	45.2	4.00	1,269
LA	022B		Square	bin floor-top & middle 47'	0.000	10.90	10.60	21.00	0.00	0.00	21.000	0.000	21.0	92.9	5.80	2,064
LA	023		Square	bin floor	0.000	7.200	4.200	48.00	0.00	0.00	48.000	0.000	48.0	24.3	2.50	1,195
LA	024		Square	bin floor	0.000	10.60	5.700	48.00	0.00	0.00	48.000	0.000	48.0	48.6	4.20	2,431
LA	101 T		Square	bin floor	0.000	17.00	14.20	62.00	0.00	0.00	62.000	0.000	62.0	194.1	7.00	12,876
LA	101 B		Square	bin floor - top 62'	0.000	14.80	14.20	7.500	0.00	0.00	7.500	0.000	7.5	168.9	7.00	1,356
LA	102 T		Square	bin floor	0.000	17.00	14.20	62.00	0.00	0.00	62.000	0.000	62.0	194.1	7.00	12,876
LA	102 B		Square	bin floor - top 62'	0.000	14.80	14.20	7.500	0.00	0.00	7.500	0.000	7.5	168.9	7.00	1,356
LA	103 T		Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
LA	103 B		Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
LA	104 T		Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
LA	104 B		Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
LA	105 T		Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
LA	105 B		Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
LA	106 T		Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
LA	106 B		Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
LA	107 T		Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
LA	107 B		Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
LA	108 T		Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
LA	108 B		Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385

Exam Date:11/06/2017

Central Plains Ag Services, LLC  
10810 7th Street SE  
Hannaford , ND  
County:

Page: 10

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Luverne

### Section: LA

LA	109 T	Square	bin floor		0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
LA	109 B	Square	bin floor - top 62'		0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
LA	110 T	Square	bin floor		0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
LA	110 B	Square	bin floor - top 62'		0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
LA	111 T	Square	bin floor		0.000	17.00	14.20	62.00	0.00	0.00	62.000	0.000	62.0	194.1	7.00	12,876
LA	111 B	Square	bin floor - top 62'		0.000	14.80	14.20	7.500	0.00	0.00	7.500	0.000	7.5	168.9	7.00	1,356
LA	112 T	Square	bin floor		0.000	17.00	14.20	62.00	0.00	0.00	62.000	0.000	62.0	194.1	7.00	12,876
LA	112 B	Square	bin floor - top 62'		0.000	14.80	14.20	7.500	0.00	0.00	7.500	0.000	7.5	168.9	7.00	1,356
LA	201 T	Square	catwalk		0.000	12.50	12.00	34.00	0.00	0.00	34.000	0.000	34.0	120.6	6.50	4,367
LA	201 B	Square	catwalk - top 34'		0.000	11.80	10.80	9.000	0.00	0.00	9.000	0.000	9.0	102.4	6.00	977
LA	202 T	Square	catwalk		0.000	12.50	12.00	33.00	0.00	0.00	33.000	0.000	33.0	120.6	6.50	4,239
LA	202 B	Square	catwalk - top 33'		0.000	11.80	9.800	10.00	0.00	0.00	10.000	0.000	10.0	93.0	5.80	984
LA	203 T	Square	catwalk		0.000	12.50	12.10	34.00	0.00	0.00	34.000	0.000	34.0	121.6	6.50	4,403
LA	203 B	Square	catwalk- top 34'		0.000	12.00	10.80	9.000	0.00	0.00	9.000	0.000	9.0	104.2	6.00	994
LA	204 T	Square	catwalk		0.000	12.50	12.10	33.00	0.00	0.00	33.000	0.000	33.0	121.6	6.50	4,274
LA	204 B	Square	catwalk - top 33'		0.000	12.00	9.800	10.00	0.00	0.00	10.000	0.000	10.0	94.5	6.00	1,002
LA	205 T	Square	catwalk		0.000	12.50	12.10	34.00	0.00	0.00	34.000	0.000	34.0	121.6	6.50	4,403
LA	205 B	Square	catwalk- top 34'		0.000	12.00	10.80	9.000	0.00	0.00	9.000	0.000	9.0	104.2	6.00	994
LA	206 T	Square	CATWALK		0.000	12.50	12.10	33.00	0.00	0.00	33.000	0.000	33.0	121.6	6.50	4,274
LA	206 B	Square	catwalk - top 33'		0.000	12.00	9.800	10.00	0.00	0.00	10.000	0.000	10.0	94.5	6.00	1,002
LA	207 T	Square	catwalk		0.000	12.50	12.00	34.00	0.00	0.00	34.000	0.000	34.0	120.6	6.50	4,367

## NDPSC Bin Capacity Chart

Exam Date: 11/06/2017

Central Plains Ag Services, LLC  
10810 7th Street SE  
Hannaford, ND  
County:

Page: 11

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

## Facility: Luverne

### Section: LA

LA	207 B	Square	catwalk - top 34'	0.000	11.80	10.80	9.000	0.00	0.00	9.000	0.000	9.0	102.4	6.00	977
LA	208 T	Square	catwalk	0.000	12.50	12.00	33.00	0.00	0.00	33.000	0.000	33.0	120.6	6.50	4,239
LA	208 B	Square	catwalk - top 33'	0.000	11.80	9.800	10.00	0.00	0.00	10.000	0.000	10.0	93.0	5.80	984

Bin count: 66

**Facility: Luverne Section: LA Total: 266,536**

To Even: 267,000

### Section: LB

LB	001	Square	catwalk	0.000	13.00	11.50	50.00	0.00	0.00	50.000	0.000	50.0	120.2	6.50	6,401
LB	002 T	Square	catwalk	0.000	13.50	11.50	40.00	0.00	0.00	40.000	0.000	40.0	124.8	6.50	5,316
LB	002 B	Square	catwalk- top 40'	0.000	11.50	9.300	10.00	0.00	0.00	10.000	0.000	10.0	86.0	5.80	910
LB	003	Square	catwalk	0.000	13.00	11.70	50.00	0.00	0.00	50.000	0.000	50.0	122.3	6.50	6,512
LB	004 T	Square	catwalk	0.000	13.50	11.70	40.00	0.00	0.00	40.000	0.000	40.0	127.0	6.50	5,410
LB	004 B	Square	catwalk -top 40'	0.000	11.70	9.300	10.00	0.00	0.00	10.000	0.000	10.0	87.5	5.80	926
LB	005	Square	catwalk	0.000	13.00	11.50	50.00	0.00	0.00	50.000	0.000	50.0	120.2	6.50	6,401
LB	006 T	Square	catwalk	0.000	13.50	11.50	40.00	0.00	0.00	40.000	0.000	40.0	124.8	6.50	5,316
LB	006 B	Square	catwalk- top 40'	0.000	11.50	9.300	10.00	0.00	0.00	10.000	0.000	10.0	86.0	5.80	910
LB	101	Peaked	top of sidewall	36.000	0.000	0.000	48.10	0.00	0.00	48.100	2.200	50.3	818.2	10.0	45,271

Bin count: 10

**Facility: Luverne Section: LB Total: 83,373**

To Even: 84,000

## NDPSC Bin Capacity Chart

Exam Date: 11/06/2017

Central Plains Ag Services, LLC  
10810 7th Street SE  
Hannaford, ND  
County:

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

# Facility: Luverne

## Section: LD

LD	001	Peaked	top of sidewall		15.000	0.000	0.000	21.00	0.00	0.00	21.000	0.900	21.9	142.1	5.50	3,283
LD	002	Peaked	top of sidewall		15.000	0.000	0.000	21.00	0.00	0.00	21.000	0.900	21.9	142.1	5.50	3,283

Bin count: 2

**Facility: Luverne Section: LD Total: 6,566**

To Even: 7,000

## Section: LE

LE	001	Peaked	top of sidewall		42.000	0.000	0.000	22.20	0.00	0.00	22.200	2.500	24.7	1113.7	10.0	30,259
LE	002	Peaked	top of sidewall		42.000	0.000	0.000	22.20	0.00	0.00	22.200	2.500	24.7	1113.7	10.0	30,259
LE	003	Peaked	top of sidewall		42.000	0.000	0.000	22.20	0.00	0.00	22.200	2.500	24.7	1113.7	10.0	30,259
LE	004	Peaked	top of sidewall		42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
LE	101	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
LE	102	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
LE	103	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
LE	104	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
LE	105	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
LE	106	Peaked	top of sidewall		16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000

Bin count: 10

**Facility: Luverne Section: LE Total: 149,569**

To Even: 150,000

Client ID: 3864

### NDPSC Bin Capacity Chart

05/08/2018 04:49:21 PM

Exam Date: 11/06/2017

Central Plains Ag Services, LLC  
10810 7th Street SE  
Hannaford, ND  
County:

Page: 13

Examiner: 2

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

## Facility: Luverne

### Section: LF

LF	SH1	Peaked	top of sidewall	15.500	0.000	0.000	17.00	2.50	0.00	19.500	0.900	20.4	151.7	5.50	3,265
LF	SH2	Peaked	top of sidewall	15.500	0.000	0.000	15.00	2.50	0.00	17.500	0.900	18.4	151.7	5.50	2,945
LF	SH3	Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.50	0.00	19.500	0.900	20.4	134.6	5.50	2,897
LF	SH5	Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.50	0.00	19.500	0.900	20.4	134.6	5.50	2,897
LF	SH6	Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.50	0.00	17.500	1.000	18.5	161.6	5.80	3,163

Bin count: 5

Facility: Luverne Section: LF Total: 15,167

To Even: 16,000

Overall Licensed Bin Capacity for:

Central Plains Ag Services, LLC

Bin count: 194

Licensed Capacity:  
(includes pack)

10,727,243 Bu.

Licensed Capacity (to even):  
(includes pack and section totals are  
rounded up to next highest 1000)

10,731,000 Bu.