

Exam Date:12/13/2018

Central Plains Ag Services, LLC
 10810 7th Street SE
 Hannaford , ND
 County:
 Phone: 701-769-2665
 CCC Number:

Page: 1

Examiner: 1

Location/Container Numbers/Comments	Section	Capacity
PART A - ADDITIONAL SPACE TO BE INCLUDED UNDER LICENSE		
ground	H-A	1,902,894
	Total:	1,902,894

PART B - SPACE TO BE DELETED UNDER LICENSE

<NO BINS DELETED>

Total: 0

PART C - ALL SPACE TO BE INCLUDED UNDER LICENSE

A	267,000
B	84,000
C	686,000
D	7,000
E	150,000
F	16,000
H-A	8,159,000
Total:	9,369,000

PART D - TOTAL CAPACITY BY FUNCTIONAL UNIT

Courtenay 1215	C	686,000
Hannaford 2225	H-A	8,159,000
Luverne 335	A B D E F	524,000
	Total:	9,369,000

Exam Date:12/13/2018

Central Plains Ag Services, LLC
10810 7th Street SE
Hannaford , ND
County:

Examiner: 1

Page: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Courtenay

Section: C

C	001		Irregular	work floor	32.400	6.349	6.349	51.00	0.00	0.00	51.000	0.000	51.0	32.4	2.50	1,693
C	004		Irregular	work floor	25.600	5.643	5.643	33.00	0.00	0.00	33.000	0.000	33.0	25.6	2.50	866
C	005 T		Irregular	work floor	31.400	6.250	6.250	33.00	0.00	0.00	33.000	0.000	33.0	31.4	2.50	1,062
C	005 B		Irregular	work floor - top 33'	57.900	8.487	8.487	22.00	0.00	0.00	22.000	0.000	22.0	57.9	4.80	1,335
C	006 T		Irregular	work floor	57.900	8.487	8.487	55.00	0.00	0.00	55.000	0.000	55.0	57.9	4.80	3,338
C	006 B		Irregular	work floor- top 55'	115.80	12.00	12.00	15.50	0.00	0.00	15.500	0.000	15.5	115.8	6.20	1,906
C	007		Irregular	work floor	31.500	6.260	6.260	51.00	0.00	0.00	51.000	0.000	51.0	31.5	2.50	1,647
C	008		Irregular	work floor	29.700	6.078	6.078	51.00	0.00	0.00	51.000	0.000	51.0	29.7	2.50	1,553
C	009		Irregular	work floor	32.600	6.368	6.368	51.00	0.00	0.00	51.000	0.000	51.0	32.6	2.50	1,705
C	010		Irregular	work floor	46.300	7.589	7.589	51.00	0.00	0.00	51.000	0.000	51.0	46.3	4.00	2,455
C	011		Irregular	work floor	30.800	6.190	6.190	51.00	0.00	0.00	51.000	0.000	51.0	30.8	2.50	1,610
C	012		Irregular	work floor	115.80	12.00	12.00	70.50	0.00	0.00	70.500	0.000	70.5	115.8	6.20	8,670
C	013		Irregular	work floor	63.700	8.902	8.902	49.00	0.00	0.00	49.000	0.000	49.0	63.7	5.00	3,277
C	014		Irregular	work floor	69.500	9.298	9.298	49.00	0.00	0.00	49.000	0.000	49.0	69.5	5.20	3,583
C	016		Irregular	work floor	115.80	12.00	12.00	70.50	0.00	0.00	70.500	0.000	70.5	115.8	6.20	8,670
C	017 T		Irregular	work floor	7.000	2.951	2.951	16.00	0.00	0.00	16.000	0.000	16.0	7.0	2.00	114
C	017 B		Irregular	work floor-top 16'	33.600	6.465	6.465	35.00	0.00	0.00	35.000	0.000	35.0	33.6	2.50	1,205
C	018		Irregular	work floor	32.600	6.368	6.368	51.00	0.00	0.00	51.000	0.000	51.0	32.6	2.50	1,705
C	020		Irregular	work floor	31.500	6.260	6.260	51.00	0.00	0.00	51.000	0.000	51.0	31.5	2.50	1,647
C	021 T		Irregular	work floor	57.900	8.487	8.487	55.00	0.00	0.00	55.000	0.000	55.0	57.9	4.80	3,338
C	021 B		Irregular	work floor- top 55'	115.80	12.00	12.00	15.50	0.00	0.00	15.500	0.000	15.5	115.8	6.20	1,906

Exam Date:12/13/2018

Central Plains Ag Services, LLC
10810 7th Street SE
Hannaford , ND
County:

Page: 2

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.) Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	---	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Courtenay

Section: C

C	022		Irregular	work floor	57.900	8.487	8.487	55.00	0.00	0.00	55.000	0.000	55.0	57.9	4.80	3,338
C	023		Irregular	work floor	46.300	7.589	7.589	51.00	0.00	0.00	51.000	0.000	51.0	46.3	4.00	2,455
C	024		Irregular	work floor	35.700	6.664	6.664	48.00	0.00	0.00	48.000	0.000	48.0	35.7	3.00	1,765
C	101 T		Irregular	work floor	115.40	11.98	11.98	61.00	0.00	0.00	61.000	0.000	61.0	115.4	6.20	7,475
C	101 B		Irregular	work floor-top 61'	142.60	13.32	13.32	6.000	0.00	0.00	6.000	0.000	6.0	142.6	6.80	914
C	102 T		Irregular	work floor	122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	102 B		Irregular	work floor-top 61'	145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	103		Irregular	work floor-	99.900	11.15	11.15	59.00	0.00	0.00	59.000	0.000	59.0	99.9	6.00	6,248
C	104		Irregular	work floor-	105.20	11.44	11.44	59.00	0.00	0.00	59.000	0.000	59.0	105.2	6.20	6,592
C	105 T		Irregular	work floor-	115.40	11.98	11.98	61.00	0.00	0.00	61.000	0.000	61.0	115.4	6.20	7,475
C	105 B		Irregular	work floor-top 61'	142.60	13.32	13.32	6.000	0.00	0.00	6.000	0.000	6.0	142.6	6.80	914
C	106 T		Irregular	work floor-	122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	106 B		Irregular	work floor-top 61'	145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	107 T		Irregular	work floor	117.40	12.09	12.09	61.00	0.00	0.00	61.000	0.000	61.0	117.4	6.20	7,605
C	107 B		Irregular	work floor-top 61'	145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	108 T		Irregular	work floor-	122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	108 B		Irregular	work floor-top 61'	145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	109		Irregular	work floor-	101.70	11.25	11.25	59.00	0.00	0.00	59.000	0.000	59.0	101.7	6.00	6,360
C	110		Irregular	work floor-	104.30	11.39	11.39	59.00	0.00	0.00	59.000	0.000	59.0	104.3	6.00	6,523
C	111 T		Irregular	work floor-	117.40	12.09	12.09	61.00	0.00	0.00	61.000	0.000	61.0	117.4	6.20	7,605
C	111 B		Irregular	work floor-top 61'	145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930

Exam Date:12/13/2018

Central Plains Ag Services, LLC
 10810 7th Street SE
 Hannaford, ND
 County:

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Courtenay

Section: C

C	112 T	Irregular	work floor-		122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	112 B	Irregular	work floor-top 61'		145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	113 T	Irregular	work floor-		118.40	12.14	12.14	61.00	0.00	0.00	61.000	0.000	61.0	118.4	6.20	7,670
C	113 B	Irregular	work floor-top 61'		145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	114 T	Irregular	work floor-		118.40	12.14	12.14	61.00	0.00	0.00	61.000	0.000	61.0	118.4	6.20	7,670
C	114 B	Irregular	work floor-top 61'		145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	115	Irregular	work floor-		102.60	11.30	11.30	59.00	0.00	0.00	59.000	0.000	59.0	102.6	6.00	6,416
C	116 T	Irregular	work floor-		122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	116 B	Irregular	work floor-top 61'		145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	117	Irregular	work floor-		104.30	11.39	11.39	59.00	0.00	0.00	59.000	0.000	59.0	104.3	6.00	6,523
C	118 T	Irregular	work floor-		122.50	12.35	12.35	61.00	0.00	0.00	61.000	0.000	61.0	122.5	6.50	7,959
C	118 B	Irregular	work floor-top 61'		145.10	13.44	13.44	6.000	0.00	0.00	6.000	0.000	6.0	145.1	6.80	930
C	119	Irregular	work floor-		101.70	11.25	11.25	59.00	0.00	0.00	59.000	0.000	59.0	101.7	6.00	6,360
C	120 T	Irregular	work floor-		117.40	12.09	12.09	13.00	0.00	0.00	13.000	0.000	13.0	117.4	6.20	1,621
C	120 M	Irregular	work floor-top 13'		117.40	12.09	12.09	11.00	0.00	0.00	11.000	0.000	11.0	117.4	6.20	1,371
C	120 B	Irregular	work floor-top 13'-middle 11'		142.60	13.32	13.32	6.000	0.00	0.00	6.000	0.000	6.0	142.6	6.80	914
C	121 T	Irregular	work floor-		118.40	12.14	12.14	61.00	0.00	0.00	61.000	0.000	61.0	118.4	6.20	7,670
C	121 B	Irregular	work floor-top 61'		142.60	13.32	13.32	6.000	0.00	0.00	6.000	0.000	6.0	142.6	6.80	914
C	200	Quonset	low point roof 18.5'		0.000	179.0	52.20	9.800	0.00	0.00	9.800	0.000	9.8	7330.6	10.0	79,024
C	201	Peaked	top of sidewall		16.000	0.000	0.000	15.00	2.50	0.00	17.500	1.000	18.5	161.6	5.80	3,163
C	202	Peaked	top of sidewall		16.000	0.000	0.000	15.00	2.50	0.00	17.500	1.000	18.5	161.6	5.80	3,163

Client ID: 3864

NDPSC Bin Capacity Chart

12/17/2018 11:17:34 AM

Exam Date:12/13/2018

Central Plains Ag Services, LLC
10810 7th Street SE
Hannaford , ND
County:

Page: 4

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Courtenay

Section: C

C	Ground		Temporary	top of sidewall	16.200	296.0	104.0	7.500	0.00	0.00	7.500	7.500	15.0	22880.1	10.0	377,522
---	--------	--	-----------	-----------------	--------	-------	-------	-------	------	------	-------	-------	------	---------	------	---------

Bin count: 64

Facility: Courtenay Section: C Total: **685,609**

To Even: **686,000**

Exam Date:12/13/2018

Central Plains Ag Services, LLC
10810 7th Street SE
Hannaford , ND
County:

Page: 5

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Hannaford

Section: H-A

H-A	001	Irregular	top of slab	255.60	17.83	17.83	38.40	2.50	0.00	40.900	0.000	40.9	255.6	7.00	11,186
H-A	002	Irregular	top of slab	74.860	9.650	9.650	96.70	1.80	0.00	98.500	0.000	98.5	74.8	5.50	7,780
H-A	003	Irregular	top of slab	74.860	9.650	9.650	96.70	1.80	0.00	98.500	0.000	98.5	74.8	5.50	7,780
H-A	004	Irregular	top of slab	74.860	9.650	9.650	96.70	1.80	0.00	98.500	0.000	98.5	74.8	5.50	7,780
H-A	005	Irregular	top of slab	74.860	9.650	9.650	96.70	1.80	0.00	98.500	0.000	98.5	74.8	5.50	7,780
H-A	006	Irregular	top of slab	46.900	7.638	7.638	98.00	3.00	0.00	101.00	0.000	101.0	46.9	4.00	4,926
H-A	007	Irregular	top of slab	70.710	9.379	9.379	136.6	1.10	0.00	137.70	0.000	137.7	70.7	5.20	10,243
H-A	008	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
H-A	009	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
H-A	010	Irregular	top of slab	206.35	16.02	16.02	131.0	3.00	0.00	134.00	0.000	134.0	206.3	7.00	29,587
H-A	011	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
H-A	012	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
H-A	013	Irregular	top of slab	206.35	16.02	16.02	131.0	3.00	0.00	134.00	0.000	134.0	206.3	7.00	29,587
H-A	014	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
H-A	015	Round	top of slab	36.000	0.000	0.000	137.0	3.00	0.50	139.50	0.000	139.5	818.2	10.0	125,553
H-A	016	Irregular	top of slab	51.850	8.031	8.031	137.0	1.00	0.00	138.00	0.000	138.0	51.8	4.50	7,477
H-A	017	Round	top of slab	76.000	0.000	0.000	140.0	0.00	0.10	139.90	0.000	139.9	3646.7	10.0	561,190
H-A	018	Peaked	top of slab	89.800	0.000	0.000	98.80	0.00	0.00	98.800	6.300	105.1	5091.2	10.0	588,594
H-A	019	Peaked	top of slab	104.80	0.000	0.000	98.80	0.00	0.00	98.800	7.300	106.1	6934.1	10.0	809,279
H-A	Bunker 2	Peaked	top of sidewall	320.00	0.000	0.000	2.400	0.00	0.00	2.400	22.40	24.8	64650.1	10.0	1,763,654
H-A	Bunker1	Peaked	top of sidewall	300.00	0.000	0.000	5.400	0.00	0.00	5.400	21.00	26.4	56821.4	10.0	1,650,094

Client ID: 3864

NDPSC Bin Capacity Chart

12/17/2018 11:17:34 AM

Exam Date:12/13/2018

Central Plains Ag Services, LLC
10810 7th Street SE
Hannaford , ND
County:

Page: 6

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Hannaford

Section: H-A

	H-A	Bunkerbin	Peaked	top of sidewall	16.000	0.000	0.000	28.50	0.00	0.00	28.500	1.000	29.5	161.6	5.80	5,043
Added	H-A	ground	Temporary	top of sidewall	30.000	500.0	160.0	10.00	0.00	0.00	10.000	16.90	26.9	64308.7	10.0	1,902,894

Bin count: 23

Facility: Hannaford Section: H-A Total: 8,158,192

To Even: 8,159,000

Exam Date: 12/13/2018

Central Plains Ag Services, LLC
10810 7th Street SE
Hannaford, ND
County:

Page: 7

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Luverne

Section: A

A	001		Square	bin floor	0.000	5.700	3.500	49.50	0.00	0.00	49.500	0.000	49.5	16.0	2.00	808
A	003		Square	bin floor	0.000	7.000	4.200	48.00	0.00	0.00	48.000	0.000	48.0	23.6	2.00	1,156
A	004		Square	bin floor	0.000	10.70	4.200	45.00	0.00	0.00	45.000	0.000	45.0	36.1	3.00	1,674
A	005 T		Square	bin floor	0.000	10.70	6.400	48.00	0.00	0.00	48.000	0.000	48.0	55.0	4.50	2,759
A	005 B		Square	bin floor - top 48'	0.000	10.90	10.70	20.00	0.00	0.00	20.000	0.000	20.0	93.8	5.80	1,985
A	006		Square	bin floor	0.000	7.000	5.700	49.50	0.00	0.00	49.500	0.000	49.5	32.1	2.50	1,629
A	007		Square	bin floor	0.000	10.70	5.700	48.00	0.00	0.00	48.000	0.000	48.0	49.0	4.20	2,451
A	008		Square	bin floor	0.000	10.70	5.700	48.00	0.00	0.00	48.000	0.000	48.0	49.0	4.20	2,451
A	009		Square	bin floor	0.000	7.000	5.700	49.50	0.00	0.00	49.500	0.000	49.5	32.1	2.50	1,629
A	010		Square	bin floor	0.000	10.90	10.70	68.00	0.00	0.00	68.000	0.000	68.0	93.8	5.80	6,748
A	011		Square	bin floor	0.000	10.90	7.000	48.00	0.00	0.00	48.000	0.000	48.0	61.3	4.80	3,083
A	012 T		Square	bin floor	0.000	7.200	6.200	12.00	0.00	0.00	12.000	0.000	12.0	35.9	3.00	444
A	012 B		Square	bin floor - top 12'	0.000	10.90	7.200	36.00	0.00	0.00	36.000	0.000	36.0	63.1	5.00	2,386
A	013		Square	bin floor	0.000	7.200	5.700	49.50	0.00	0.00	49.500	0.000	49.5	33.0	2.50	1,675
A	015		Square	bin floor	0.000	10.90	10.60	68.00	0.00	0.00	68.000	0.000	68.0	92.9	5.80	6,683
A	016		Square	bin floor	0.000	10.60	5.700	48.00	0.00	0.00	48.000	0.000	48.0	48.6	4.20	2,431
A	018		Square	bin floor	0.000	5.300	5.200	20.00	0.00	0.00	20.000	0.000	20.0	22.2	2.00	453
A	019		Square	bin floor	0.000	5.300	5.200	20.00	0.00	0.00	20.000	0.000	20.0	22.2	2.00	453
A	020 T		Square	bin floor	0.000	5.300	5.200	20.00	0.00	0.00	20.000	0.000	20.0	22.2	2.00	453
A	020 B		Square	bin floor - top 20'	0.000	10.60	5.300	27.50	0.00	0.00	27.500	0.000	27.5	45.2	4.00	1,293
A	021		Square	bin floor	0.000	5.700	3.500	49.50	0.00	0.00	49.500	0.000	49.5	16.0	2.00	808

Exam Date:12/13/2018

Central Plains Ag Services, LLC
10810 7th Street SE
Hannaford , ND
County:

Page: 8

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Luverne

Section: A

A	022 T	Square	bin floor	0.000	5.300	5.200	20.00	0.00	0.00	20.000	0.000	20.0	22.2	2.00	453
A	022 M	Square	bin floor-top 20'	0.000	10.60	5.300	27.00	0.00	0.00	27.000	0.000	27.0	45.2	4.00	1,269
A	022B	Square	bin floor-top & mddle 47'	0.000	10.90	10.60	21.00	0.00	0.00	21.000	0.000	21.0	92.9	5.80	2,064
A	023	Square	bin floor	0.000	7.200	4.200	48.00	0.00	0.00	48.000	0.000	48.0	24.3	2.50	1,195
A	024	Square	bin floor	0.000	10.60	5.700	48.00	0.00	0.00	48.000	0.000	48.0	48.6	4.20	2,431
A	101 T	Square	bin floor	0.000	17.00	14.20	62.00	0.00	0.00	62.000	0.000	62.0	194.1	7.00	12,876
A	101 B	Square	bin floor - top 62'	0.000	14.80	14.20	7.500	0.00	0.00	7.500	0.000	7.5	168.9	7.00	1,356
A	102 T	Square	bin floor	0.000	17.00	14.20	62.00	0.00	0.00	62.000	0.000	62.0	194.1	7.00	12,876
A	102 B	Square	bin floor - top 62'	0.000	14.80	14.20	7.500	0.00	0.00	7.500	0.000	7.5	168.9	7.00	1,356
A	103 T	Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
A	103 B	Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
A	104 T	Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
A	104 B	Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
A	105 T	Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
A	105 B	Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
A	106 T	Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
A	106 B	Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
A	107 T	Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
A	107 B	Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
A	108 T	Square	bin floor	0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
A	108 B	Square	bin floor - top 62'	0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385

Exam Date:12/13/2018

Central Plains Ag Services, LLC
10810 7th Street SE
Hannaford , ND
County:

Page: 9

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg).		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Luverne

Section: A

A	109 T	Square	bin floor		0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
A	109 B	Square	bin floor - top 62'		0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
A	110 T	Square	bin floor		0.000	17.00	14.50	62.00	0.00	0.00	62.000	0.000	62.0	198.2	7.00	13,148
A	110 B	Square	bin floor - top 62'		0.000	14.80	14.50	7.500	0.00	0.00	7.500	0.000	7.5	172.5	7.00	1,385
A	111 T	Square	bin floor		0.000	17.00	14.20	62.00	0.00	0.00	62.000	0.000	62.0	194.1	7.00	12,876
A	111 B	Square	bin floor - top 62'		0.000	14.80	14.20	7.500	0.00	0.00	7.500	0.000	7.5	168.9	7.00	1,356
A	112 T	Square	bin floor		0.000	17.00	14.20	62.00	0.00	0.00	62.000	0.000	62.0	194.1	7.00	12,876
A	112 B	Square	bin floor - top 62'		0.000	14.80	14.20	7.500	0.00	0.00	7.500	0.000	7.5	168.9	7.00	1,356
A	201 T	Square	catwalk		0.000	12.50	12.00	34.00	0.00	0.00	34.000	0.000	34.0	120.6	6.50	4,367
A	201 B	Square	catwalk - top 34'		0.000	11.80	10.80	9.000	0.00	0.00	9.000	0.000	9.0	102.4	6.00	977
A	202 T	Square	catwalk		0.000	12.50	12.00	33.00	0.00	0.00	33.000	0.000	33.0	120.6	6.50	4,239
A	202 B	Square	catwalk - top 33'		0.000	11.80	9.800	10.00	0.00	0.00	10.000	0.000	10.0	93.0	5.80	984
A	203 T	Square	catwalk		0.000	12.50	12.10	34.00	0.00	0.00	34.000	0.000	34.0	121.6	6.50	4,403
A	203 B	Square	catwalk- top 34'		0.000	12.00	10.80	9.000	0.00	0.00	9.000	0.000	9.0	104.2	6.00	994
A	204 T	Square	catwalk		0.000	12.50	12.10	33.00	0.00	0.00	33.000	0.000	33.0	121.6	6.50	4,274
A	204 B	Square	catwalk - top 33'		0.000	12.00	9.800	10.00	0.00	0.00	10.000	0.000	10.0	94.5	6.00	1,002
A	205 T	Square	catwalk		0.000	12.50	12.10	34.00	0.00	0.00	34.000	0.000	34.0	121.6	6.50	4,403
A	205 B	Square	catwalk- top 34'		0.000	12.00	10.80	9.000	0.00	0.00	9.000	0.000	9.0	104.2	6.00	994
A	206 T	Square	CATWALK		0.000	12.50	12.10	33.00	0.00	0.00	33.000	0.000	33.0	121.6	6.50	4,274
A	206 B	Square	catwalk - top 33'		0.000	12.00	9.800	10.00	0.00	0.00	10.000	0.000	10.0	94.5	6.00	1,002
A	207 T	Square	catwalk		0.000	12.50	12.00	34.00	0.00	0.00	34.000	0.000	34.0	120.6	6.50	4,367

Client ID: 3864

NDPSC Bin Capacity Chart

12/17/2018 11:17:34 AM

Exam Date: 12/13/2018

Central Plains Ag Services, LLC
 10810 7th Street SE
 Hannaford, ND
 County:

Page: 10

Examiner: 1

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)		Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
					Length	Width									

Facility: Luverne

Section: A

A	207 B	Square	catwalk - top 34'	0.000	11.80	10.80	9.000	0.00	0.00	9.000	0.000	9.0	102.4	6.00	977
A	208 T	Square	catwalk	0.000	12.50	12.00	33.00	0.00	0.00	33.000	0.000	33.0	120.6	6.50	4,239
A	208 B	Square	catwalk - top 33'	0.000	11.80	9.800	10.00	0.00	0.00	10.000	0.000	10.0	93.0	5.80	984

Bin count: 66

Facility: Luverne Section: A Total: 266,536

To Even: 267,000

Section: B

B	001	Square	catwalk	0.000	13.00	11.50	50.00	0.00	0.00	50.000	0.000	50.0	120.2	6.50	6,401
B	002 T	Square	catwalk	0.000	13.50	11.50	40.00	0.00	0.00	40.000	0.000	40.0	124.8	6.50	5,316
B	002 B	Square	catwalk- top 40'	0.000	11.50	9.300	10.00	0.00	0.00	10.000	0.000	10.0	86.0	5.80	910
B	003	Square	catwalk	0.000	13.00	11.70	50.00	0.00	0.00	50.000	0.000	50.0	122.3	6.50	6,512
B	004 T	Square	catwalk	0.000	13.50	11.70	40.00	0.00	0.00	40.000	0.000	40.0	127.0	6.50	5,410
B	004 B	Square	catwalk -top 40'	0.000	11.70	9.300	10.00	0.00	0.00	10.000	0.000	10.0	87.5	5.80	926
B	005	Square	catwalk	0.000	13.00	11.50	50.00	0.00	0.00	50.000	0.000	50.0	120.2	6.50	6,401
B	006 T	Square	catwalk	0.000	13.50	11.50	40.00	0.00	0.00	40.000	0.000	40.0	124.8	6.50	5,316
B	006 B	Square	catwalk- top 40'	0.000	11.50	9.300	10.00	0.00	0.00	10.000	0.000	10.0	86.0	5.80	910
B	101	Peaked	top of sidewall	36.000	0.000	0.000	48.10	0.00	0.00	48.100	2.200	50.3	818.2	10.0	45,271

Bin count: 10

Facility: Luverne Section: B Total: 83,373

To Even: 84,000

NDPSC Bin Capacity Chart

Exam Date: 12/13/2018
 Examiner: 1

Central Plains Ag Services, LLC
 10810 7th Street SE
 Hannaford, ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	----------------------------	--------	-------	-----------	----------------	----------------	-----------------	--------------	------------------	------------------	------------	---------------------------

Facility: Luverne

Section: D

D	001	Peaked	top of sidewall	15.000	0.000	0.000	21.00	0.00	0.00	21.000	0.900	21.9	142.1	5.50	3,283
D	002	Peaked	top of sidewall	15.000	0.000	0.000	21.00	0.00	0.00	21.000	0.900	21.9	142.1	5.50	3,283

Bin count: 2

Facility: Luverne Section: D Total: **6,566**

To Even: **7,000**

Section: E

E	001	Peaked	top of sidewall	42.000	0.000	0.000	22.20	0.00	0.00	22.200	2.500	24.7	1113.7	10.0	30,259
E	002	Peaked	top of sidewall	42.000	0.000	0.000	22.20	0.00	0.00	22.200	2.500	24.7	1113.7	10.0	30,259
E	003	Peaked	top of sidewall	42.000	0.000	0.000	22.20	0.00	0.00	22.200	2.500	24.7	1113.7	10.0	30,259
E	004	Peaked	top of sidewall	42.000	0.000	0.000	25.90	0.00	0.00	25.900	2.500	28.4	1113.7	10.0	34,792
E	101	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
E	102	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
E	103	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
E	104	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
E	105	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000
E	106	Peaked	top of sidewall	16.000	0.000	0.000	20.00	2.35	0.00	22.350	1.000	23.4	161.6	5.80	4,000

Bin count: 10

Facility: Luverne Section: E Total: **149,569**

To Even: **150,000**

Exam Date:12/13/2018
 Examiner: 1

Central Plains Ag Services, LLC
 10810 7th Street SE
 Hannaford , ND
 County:

Status	Section	Bin Number	Bin Type	Base Point	Diameter or Bu/Ft (Irreg.)	Length	Width	Side wall	Add for Hopper	Ded. for Obst.	Effective Depth	Add for Peak	Depth for Capac.	Bushels per Foot	Base Pack%	Bushel Capacity with Pack
--------	---------	------------	----------	------------	-------------------------------	--------	-------	--------------	----------------------	----------------------	--------------------	--------------------	------------------------	------------------------	---------------	------------------------------

Facility: Luverne

Section: F

F	SH1		Peaked	top of sidewall	15.500	0.000	0.000	17.00	2.50	0.00	19.500	0.900	20.4	151.7	5.50	3,265
F	SH2		Peaked	top of sidewall	15.500	0.000	0.000	15.00	2.50	0.00	17.500	0.900	18.4	151.7	5.50	2,945
F	SH3		Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.50	0.00	19.500	0.900	20.4	134.6	5.50	2,897
F	SH5		Peaked	top of sidewall	14.600	0.000	0.000	17.00	2.50	0.00	19.500	0.900	20.4	134.6	5.50	2,897
F	SH6		Peaked	top of sidewall	16.000	0.000	0.000	15.00	2.50	0.00	17.500	1.000	18.5	161.6	5.80	3,163

Bin count: 5

Facility: Luverne Section: F Total: 15,167

To Even: 16,000

Overall Licensed Bin Capacity for:

Central Plains Ag Services, LLC

Bin count: 180


Licensed Capacity:
 (includes pack)

9,365,012 Bu.

Licensed Capacity (to even):
 (includes pack and section totals are
 rounded up to next highest 1000)


9,369,000 Bu.

Central Plains Ag Services, LLC
 Corp #3864
 Luverne Location
 Section A & D
 Updated 12-11-18 AS




BNSF Rail


Section A annex 1




Section A main elevator



Driveway & scale




Section A annex 2



Section E&F- SE of Section A
 across the street

Section D located SE of
 Section A



Hopper tanks


Central Plains Ag Services, LLC
Corp #3864
Luverne Location
Section B, E, F
Updated 12-11-18 AS

N
+
S
W
E


BNSF Rail

Section F

Located west of Section A



Section B





05	03	01
06	04	02


Section A ½ block West

Driveway & pit

Road




Section E






Central Plains Ag Services, LLC
Corp #3864
Hannaford Location
Section H-A
Updated 12-10-18 AS

E
N + S
W




Central Plains Ag Services, LLC
Corp #3864
Hannaford Location
Section H-A
Updated 12-12-18 AS

E
N + S
W



Central Plains Ag Services, LLC
 Corp #3864
 Courtenay Location
 Section C
 Updated 12-10-18 AS




012		013		014		016		105	106	111	112	114	116	120
09	010	011		017		23	018	103	104	109	110	115	117	119
07		08		01				020						
06		ML		024		021		101	102	107	108	113	118	121
04	05	XX XX XX XX				022								

dryer

Removed
2-2-16

202

201



Central Plains Ag Services, LLC
Corp #3864
Courtenay Location
Section C
Located 600' west of main elevator
Updated 12-10-18 AS




Base Dimensions:

104' width

Center line length 296'

Side Straight wall length 192' plus a 1/2 cone or radius of 52' on each end (52+192+52=296)

Grain wall ht. of 7.8' adjusted to an average of 7.5 allowing for 1.0' center grade rise for run off



Section C
Qounset #200

Capacity with an average grain depth of 9.8' = 79,000 bu.

