



4585 Coleman Street  
Bismarck, ND 58503-0431  
701 355 8400  
[KLJENG.COM](http://KLJENG.COM)

# Memorandum

**Date:** 7/10/2019  
**To:** North Dakota Public Service Commission  
**Copy to:** Mike Stahly, Cenex Pipeline, LLC  
**From:** Grady Wolf - KLJ  
**RE:** Cenex Pipeline, LLC. Liquid Petroleum Pipeline  
Addendum to Certificate of Corridor Compatibility and Route Permit  
Case No. PU-17-97

## Remarks

### **INTRODUCTION:**

Cenex submitted a consolidated application for a Certificate of Corridor Compatibility and a Route Permit to the ND Public Service Commission (PSC) in March 2017 for the 149.7 miles of pipeline that would occur in ND. The ND PSC issued a Findings of Fact, Conclusions of Law and Order (Order) for the project (Case No. PU-17-97) on March 14, 2018, and as subsequently amended on September 26, 2018.

### **ANALYSIS:**

The purpose of this analysis is to document changes to potential impacts of avoidance and exclusion areas and additional resources that may be impacted by the proposed pipeline reroutes not previously contained within the PSC applications. The proposed reroutes are to occur within the previously surveyed and approved 200-foot wide corridor.

The proposed reroute occurring within Section 1, T155N, R101W is to accommodate the landowners request for placement of the pipeline to allow for future development.

The current alignment in Section 2, T155N, R102W does not allow space for the bore underneath the road. The alignment has been altered to ensure adequate space for the bore.

The PSC regulations include the following criteria as exclusion areas for transmission facility corridors and route criteria:

- Designated or registered national: parks; memorial parks; historic sites and landmarks; natural landmarks; monuments; and wilderness areas;
- Designated or registered state: parks; historic sites; monuments; historical markers; archeological sites; and nature preserves.
- County parks and recreation areas; municipal parks; and parks owned or administered by other governmental subdivisions.
- Areas critical to the life stages of threatened & endangered animal or plant species.
- Areas where animal or plant species that are unique or rare to this state would be irreversibly damaged.



- Areas within 1,200 feet of the geographic center of an intercontinental ballistic missile (ICBM) launch or launch control facility.
- Areas within 30 feet on each side of a direct line between intercontinental ballistic missile (ICBM) launch or launch control facilities to avoid microwave interference.

The PSC regulations include the following criteria as avoidance areas for transmission facility corridors and route criteria:

- Designated or registered national: historic districts; wildlife areas; wild, scenic, or recreational rivers; wildlife refuges; and grasslands.
- Designated or registered state: wild, scenic, or recreational rivers; game refuges; game management areas; management areas; forests; forest management lands; and grasslands.
- Historical resources which are not specifically designated as exclusion or avoidance areas.
- Areas which are geologically unstable.
- Within five hundred feet (152.4 meters) of a residence, school, or place of business. This criterion shall not apply to a water pipeline transmission facility.
- Reservoirs and municipal water supplies.
- Water sources for organized rural water districts.
- Irrigated land. This criterion shall not apply to an underground transmission facility.
- Areas of recreational significance which are not designated as exclusion areas.

Avoidance and exclusion areas were identified through available data via coordination with resource agencies and through state and agency Geographical Information System (GIS) data hubs. In addition to GIS digital and agency provided data, environmental staff from KLJ completed additional field inspections of the proposed project areas during the 2016-2017 field season.

The following resources were analyzed as part of the reroutes.

- Demography and Economy
- Land Use
- Public Services – Electrical and Local Services, Roads and Traffic, Telephone, Radio, Antenna, Communication, and Microwave Structures, and Water Supply
- Human Health and Safety – Hazardous Materials/Hazardous Waste, Security, and Noise
- Aesthetics
- Wetlands
- Cultural and Archaeological Resources
- Recreational Resources
- Agriculture and Farmland



- Soils
- Geologic and Groundwater Resources
- Wildlife
- Rare and Unique Natural Resources

**CONCLUSION:**

Analysis of the reroutes did not identify any significant changes when compared to the analysis discussion included in the February 2017 Consolidated Application for a Certificate of Corridor Compatibility and Route Permit applications. No exclusion or avoidance areas were identified along the proposed reroutes, and therefore the route adjustments are not anticipated to result in any additional impacts than those previously filed with the PSC.