



Public Service Commission
State of North Dakota

COMMISSIONERS

Julie Fedorchak
Randy Christmann
Brian Kroshus

600 East Boulevard Avenue Dept. 408
Bismarck, ND 58505-0480
Web: www.psc.nd.gov
Phone: 701-328-2400
ND Toll Free; 1-877-245-6685
Fax: 701-328-2410
TDD: 800-366-6888 or 711

December 28, 2021

Daniel Busch
1001 Fannin St, Suite 1500
Houston, TX 77002

NOTICE OF NONCOMPLIANCE

**Project: Oasis Midstream Services LLC – Wild Basin Gas Plant – McKenzie
County
Case No.: PU-17-181**

The Commission's July 26, 2017, Order in Case No. PU-17-181 issued Certificate of Site Compatibility No. 52 to Oasis Midstream Services LLC (Oasis) designating a site for the construction, operation, and maintenance of the Wild Basin Gas Plant in McKenzie County, North Dakota.

We recently spoke on the phone regarding items that must be filed with the Commission for Oasis to be in compliance with the Commission's July 26, 2017, Order

As-built design specifications and GIS

The Certification to Order Provisions paragraph 33 (Certification) attached to and made part of the Order required that the Company provide the Commission with both an electronic (pdf) and a paper copy of the Site approved by the Commission and the facility design specifications for the construction of the energy conversion facility showing the location of the energy conversion facility as built, and will provide this information within 3 months of completion of the construction. The Certification required that the Company also provide an electronic version of the site approved by the Commission and the facility design specifications for the construction of the energy conversion facility showing the location of the energy conversion facility as built that can be imported into ESRI GIS mapping software within 3 months of completion of the construction. It appears the Company is in noncompliance of the Commission's Order by not filing with the Commission these mapping requirements.

Staff requests these mapping documents and data be filed with the Public Service Commission by 30 days after the receipt of this Notice of Noncompliance to avoid further action due to noncompliance.

Reclamation and Revegetation

On October 15, 2019, the Commission's third-party inspector filed with the Commission a Reclamation and Vegetation Inspection Report. The Report may be viewed at <https://psc.nd.gov/database/documents/17-0181/074-010.pdf>.

The inspection noted several items of concern:

1. Vehicle ruts and unsuccessful weed control. (Figure 2)
2. Erosion in the road ditch. (Figures 3-4)
3. Significant erosion and limited vegetation growth on steep slopes in the south portion of the property. Considerable erosion that has caused a significant channel to form in the area of a truck turn around on top of a hill. (Figures 6-9)
4. Areas of recent development requiring erosion control measures and reseeding/reclamation.

Staff requests that Oasis respond to the Public Service Commission by 30 days after the receipt of this Notice with a resolution for these issues.

Please feel free to contact me with any questions.

Best regards,



Patrick Fahn
Director, Public Utilities Division