

Date <b>10/31/2017</b>	PSC Device Code <b>3V2</b>	No. of Sections <b>2</b>	Complete each item with Y (Yes), N (No), or NA (Not Applicable)	
Name of Business <b>CHS Dakota Plains AG/Fertilizer</b>			<input checked="" type="checkbox"/> New Installation (w/ RFI Check)	<input checked="" type="checkbox"/> Performed Calibration
Mailing Address <b>10802 Hwy 46 Litchville ND 58461</b>			<input checked="" type="checkbox"/> Modified Equipment	<input checked="" type="checkbox"/> Use as a Reference Scale
Device Location <b>Litchville Fertilizer Plant 10802 Hwy 46</b>			<input checked="" type="checkbox"/> Replaced Existing Equipment	<input checked="" type="checkbox"/> Non-Commercial
City <b>Litchville</b>	State <b>ND</b>	Zip Code <b>58461</b>	<input checked="" type="checkbox"/> Scale Indoors	
County		Telephone Number <b>null</b>	<input checked="" type="checkbox"/> Variance Permit Posted; Expiration Date: <b>12/31/2019</b>	
Device Contact/Manager <b>null</b>		Cell Number	<input checked="" type="checkbox"/> Stored/Recalled Weights meet NDAC 69-10-02-23 & 69-10-02-24	
Email Address <b>null</b>			<input checked="" type="checkbox"/> Software is NTEP Approved	
			<input checked="" type="checkbox"/> Built-In Standards; Date Certified: <b>10/31/2017</b>	
			<input checked="" type="checkbox"/> Multiple Decks/Single Indicator	<input checked="" type="checkbox"/> Customer Has Clear View
			<input checked="" type="checkbox"/> Clearance Below Scale Clear	<input checked="" type="checkbox"/> Video Camera Working
			<input checked="" type="checkbox"/> Approach Requirements Met	<input checked="" type="checkbox"/> View Distance > 200'
			<input checked="" type="checkbox"/> Pit Coping and Crush Strip Good	<input checked="" type="checkbox"/> Two-Way Audio Working
<input checked="" type="checkbox"/> In response to PSC Quality Assurance Inspection				

**Scale Information - Anhydrous OTR 020857**

Scale Manufacturer <b>Rice Lake Weighing Systems</b>	Indicator Manufacturer/Model <b>420 Plus-2A</b>	Indicator Serial No. <b>1815200111</b>	Weighing Elements <b>4 Load cell</b>
Capacity/Divisions/Units <b>100,000x20 lbs.</b>	Legible Label <b>X Y _ N</b>	Class <b>III</b>	Printer Manufacturer/Model <b>Epson TM-U295</b>
Deck Size <b>24' x 12'</b>	Clearance (inches) <b>13"</b>	Approach - 12' Concrete Level <b>12' concrete</b>	Printer Serial No. <b>J9KF177509</b>
SR or Discrimination Test Zero Load = Loaded =		Motion Detection Range = <b>1d</b>	Hard Surface Approach (Length/Slope/Condition) <b>13'/steep/packed gravel</b>
		AZSM (Auto Zero) Range = <b>3</b>	

**Test Data**

LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-		LBP / Section / Product Wt.	Value of Test Weights Used	Serial/Test Number	Errors +/-	
			As Found	As Left				As Found	As Left
Description: <b>Section Test</b>					Description: <b>Shift Test</b>				
1	20,000		+40	0	1	10,000		+20	0
2	20,000		0	0	2	10,000			0
					3	10,000		-20	0
					4	10,000		+20	0

**Strain Load Test**

Section (Increasing or Decreasing)	<b>Sec 2 Increasing</b>	Remarks (include environmental conditions, if applicable). Attach additional sheets as necessary.  <b>On site to finish install of RLWS OTR Anhydrous scale . We finished up wiring the home run cable to the transient protection box mounted the indicator to the wall and terminated the home run to the indicator. We performed calibration and adjusted corners as needed we found scale to be accurate no further adjustments were needed at this time. Scale is now certified and placed into service and the variance is posted above the indicator.</b>
Full Truck Weight	<b>35,860 lbs.</b>	
Test Weight	<b>20,000 lbs.</b>	
Empty Truck Weight	<b>15,860 lbs.</b>	
Errors	<b>0</b>	
Physical Seal <input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N Electronic Audit Trail: <input type="checkbox"/> Y <input type="checkbox"/> N	Audit Trail Information:	
Seal Date: 10/31/2017	Seal Type: Lead	
Meets tolerances in PSC adopted NIST Handbook 44? <input type="checkbox"/> Maintenance <input checked="" type="checkbox"/> Acceptance		
<input checked="" type="checkbox"/> Approved <input type="checkbox"/> Rejected <input type="checkbox"/> Taken out of Service <input checked="" type="checkbox"/> Sticker Applied		
By signing this test report, I declare that I have examined this report and to the best of my knowledge and belief, the report is complete and the facts stated are sufficient, true and correct. I also declare that, except for conditions noted in "Remarks," the device meets the minimum requirements of the State laws and rules, including NIST Handbook 44, for use of the device in commerce.		
<i>David White</i>	1802	
Permit Holder Signature	Permit Number	
	10/31/2017	
Operator Signature	Date	