



APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY
Public Service Commission
SFN 51277 (2/2014)



TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED

Name of Company CompuCom	Email Address Penni.Beall@compucom.com	Application Date 11-27-17	
Mailing Address 8383 Dominion Plwy	City Plano	State TX	Zip Code 75024
Telephone Number 972-856-3850	Cell Phone Number 469-766-3189	Fax Number	

Select below all device types your company will certify:

Scales (include maximum capacity, if applicable)	Liquid (include maximum flow rate, if applicable)
<input type="checkbox"/> 1. Rail <input type="checkbox"/> 2. Truck <input type="checkbox"/> 3. Livestock <input type="checkbox"/> 4. Hopper: Max. Capacity: _____ <input type="checkbox"/> 5. Belt <input type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: _____ <input checked="" type="checkbox"/> 7. 30 lbs. or less <input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified) <input type="checkbox"/> 9. Other: Please List:	<input type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: _____ <input type="checkbox"/> 4. Stationary Bulk (fuel or oil): Max. Flow Rate: _____ <input type="checkbox"/> 5. LPG <input type="checkbox"/> 6. Stationary LPG <input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____ <input type="checkbox"/> 8. Chemical <input type="checkbox"/> 9. Anhydrous <input type="checkbox"/> 10. Loading Rack <input type="checkbox"/> 11. Other: Please List:

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

Permit No.	Employee	Device Types Registered to Certify (list using device type numbers from above)
<i>e.g. 1001</i>	<i>e.g. John Doe</i>	<i>e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6</i>
1787	Tim Rouse	Scales: 7

Continued on Page 2

Application for Registration as a Registered Service Company
Page 2

List below all field standards (attach current calibration reports):

NIST class F stainless SN 5M4R	


Additional Application Items (initial where appropriate):

Standardized Test Report	<input checked="" type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in report filed previously
Tested and Approved Sticker	<input checked="" type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in sticker filed previously
Photocopy of Crimped Lead Wire Seal	<input checked="" type="checkbox"/> Copy enclosed
	<input type="checkbox"/> No change in crimped lead wire seal filed previously

Public Company Listing:

Include my company information on your registered service company list for public contact.
 Yes No


I am Penni Beall, and have authority to represent this company.
 By signing this application, I declare that I have examined this form and accompanying documentation, and to the best of my knowledge and belief, the facts stated and documentation provided is true, correct, and complete.



 Signature

Send Completed Application and Related Documents To:

Public Service Commission
 600 E Boulevard Ave Dept 408
 Bismarck ND 58505-0480
 Telephone: (701) 328-2400
 Fax: (701) 328-2410



SECRETARY OF STATE NORTH DAKOTA

[Home](#) | [Business Records Search](#)

COMPUCOM SYSTEMS, INC.

Corporation Details

System ID: 7535600 **Phone:** (972) 856-3600
Type: FOREIGN BUSINESS CORPORATION
Status: Active & Good Standing
Original File Date: 01/26/1995 **Effective Date:** 01/26/1995
State of Origin: Delaware

Nature of Business

COMPUTER SALES/SERVICE

Principal Office

8383 DOMINION PKWY PLANO, TX 75024-8512

Registered Agent

CORPORATION SERVICE COMPANY
1709 N 19TH ST STE 3
BISMARCK, ND 58501-2121
Established Date: Aug 09, 2010


Generate an Annual Report To File


To Generate a Annual Report form to be filed with the Secretary of State, select the appropriate year of the report you intend to file. This report does not contain details of a report previously filed with the Secretary of State. The annual report years reflected are an indication of the various report forms available in this site and is not an indication that an entity needs to file reports for all years. Missing years indicate that the forms for the missing year have not yet been deployed to the website, or have already been removed, and can be obtained by contacting the Secretary of State.

[2017](#) (generates a forms-fillable pdf in a new pop-up window)


[Return to Search Results](#)

[Contact Us](#)[Disclaimer](#) | [Privacy Policy](#)

 We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

 Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



South Dakota Department of Public Safety
Office of Weights and Measures
Metrology Lab

Lab: 1500 N Garfield - E. Truck Bypass Phone: 605-773-3170
Office: 118 West Capitol Avenue Phone: 605-773-3697
Pierre SD 57501

REPORT OF CALIBRATION

LAB TEST NUMBER: MP3739
DATE OF REPORT: 12/06/2017
DATE RECEIVED: 12/04/2017
DATE OF TEST: 12/05/2017

Submitted By: Compucom (Tim Rouse PO#WMPBEALL)
Contact: Penni Beall
Mailing Address: Attn: W&M, 8383 Dominion Parkway
City, State, Zip: Plano, TX 75024
Phone: 972-856-3850
S/A Number:

Standards Submitted:


7 piece weight kit

Uncertainty Statement: The combined standard uncertainty includes the standard uncertainty reported for the standard and the standard uncertainty for the measurement process. The combined standard uncertainty is multiplied by a coverage factor k to provide an expanded uncertainty which defines an interval having a level of confidence of approximately 95 percent. The expanded uncertainty presented in this report is consistent with the 1995 ISO/IEC Guide to the Expression of Uncertainty in Measurement. The expanded uncertainty is not to be confused with a tolerance limit for the user during application.


Traceability statement:


The Standards of the SD Metrology Laboratory used for comparison are traceable to the International System of Units (SI) through the National Institute of Standards and Technology. The laboratory test number identified above is the unique report number to be used in referencing measurement traceability for artifacts identified in this report only.

This document does not represent or imply endorsement by NIST Office of Weights and Measures or any agency of the State and/or national governments. The reported test values relate only to the observations made at the time and conditions of the test. This report may not be reproduced, except in full without the written approval of this laboratory. The client must not use this document to claim product endorsement by this laboratory.


Ron Peterson, Metrologist




Date



**South Dakota Department of Public Safety
Office of Weights and Measures
Metrology Lab**

Lab: 1500 N Garfield -- E. Truck Bypass Phone: 605-773-3170
Office: 118 West Capitol Avenue Phone: 605-773-3697
Pierre SD 57501

DEPARTMENT OF PUBLIC SAFETY

Submitted by:	Compucom (Tim Rouse PO#WMPBEALL)	Report Number:	MP3739
Mailing Address:	Attn: W&M, 8383 Dominion Parkway	Date Received:	12/04/17
City, State, Zip:	Plano, TX 75024	Date tested:	12/05/17
Artifacts Submitted	7 piece weight kit	Condition of Weights:	GOOD
	SN 5M4P	Temperature (c):	21.6
Test Method Used:	SOP 8/ MODIFIED SUB, Jun 2015	Humidity:	47.6
Equipment Used:	Mettler AX 205 DR/ Mettler PR503/ Vaisala PTU301	Pressure (mm/Hg):	715.5


Treatment of artifacts prior to testing: Thermal equilibrium was obtained by placing the artifacts in the lab overnight.

Standards Used: SD Lab Working Standards.

The values reported below relate only to those observations made at the time and conditions of the test. This test report, so numbered, may not be reproduced, except in full, without approval of the laboratory. These weights were not screened for magnetism and effects of magnetism is not included in the uncertainties.

Nominal	Identifier	Correction As Found	Correction As Left	Tolerance Class F	Uncertainty	k
10 lb		156.500 mg	156.5 mg	450 mg	58 mg	2.17
10 lb		126 mg	126 mg	450 mg	58 mg	2.17
5 lb		99 mg	99 mg	230 mg	30 mg	2.17
2 lb		36 mg	36 mg	91 mg	12 mg	2.17
2 lb		49 mg	49 mg	91 mg	12 mg	2.17
1 lb		24.6 mg	24.6 mg	70 mg	9.2 mg	2.18
8 oz		19.1 mg	19.1 mg	45 mg	6.0 mg	2.17

End of Report



Ron Peterson, Metrologist

12/06/2017
Date of Report

United States Department of Commerce

National Institute of Standards and Technology

Certificate of Metrological Traceability For:

South Dakota

This laboratory has demonstrated evidence of an unbroken chain of metrological traceability of its standards to the international system of units (SI), documented measurement uncertainties, uses documented measurement procedures, successfully completed training and proficiency tests, documented calibration intervals, submitted a quality management system, and demonstrated suitable measurement assurance for the Scope listed on this certificate.

The Office of Weights and Measures Program assesses laboratories to NIST Handbook 143 - Program Handbook for State Weights and Measures Laboratories and ISO/IEC 17025:2005.

Scope


Mass Echelon III
30 kg to 100 mg
1000 lb to 0.001 lb
8 oz to 0.03125 oz

Weight Carts
4000 lb to 2000 lb

Volume Transfer, II
5 gal



2017


Georgia L. Harris, Acting Chief
NIST Office of Weights and Measures

Effective Dates: 2017-01-01 to 2017-12-31