



APPLICATION FOR REGISTRATION AS A REGISTERED SERVICE COMPANY

Public Service Commission
SFN 51277 (2/2014)



TYPE OR PRINT - AN INCOMPLETE OR ILLEGIBLE APPLICATION WILL BE REJECTED

Name of Company Rocky Mountain Scale Works	Email Address Dylan@Scale5911.com	Application Date 12/01/17	
Mailing Address 2935 Stockyard rd Suite M3	City Missoula, MT	State MT	Zip Code 59808
Telephone Number 406-543-5181	Cell Phone Number 406-239-0228	Fax Number 406-543-5182	

Select below all device types your company will certify:

Scales (include maximum capacity, if applicable)	Liquid (include maximum flow rate, if applicable)
<input checked="" type="checkbox"/> 1. Rail <input checked="" type="checkbox"/> 2. Truck <input checked="" type="checkbox"/> 3. Livestock <input checked="" type="checkbox"/> 4. Hopper: Max. Capacity: _____ <input checked="" type="checkbox"/> 5. Belt <input checked="" type="checkbox"/> 6. Over 30 lbs.: Max. Capacity: _____ <input type="checkbox"/> 7. 30 lbs. or less <input type="checkbox"/> 8. Class II (indicate on your calibration report which weight kit is Class II certified) <input type="checkbox"/> 9. Other: Please List:	<input type="checkbox"/> 1. Retail Fuel (less than 20 gal. per minute) <input type="checkbox"/> 2. High Flow Retail Fuel (20 gal. per minute or greater) <input type="checkbox"/> 3. Vehicle Tank: Max. Flow Rate: _____ <input type="checkbox"/> 4. Stationary Bulk (fuel or oil): Max. Flow Rate: _____ <input type="checkbox"/> 5. LPG <input type="checkbox"/> 6. Stationary LPG <input type="checkbox"/> 7. Fertilizer: Max. Flow Rate: _____ <input type="checkbox"/> 8. Chemical <input type="checkbox"/> 9. Anhydrous <input type="checkbox"/> 10. Loading Rack <input type="checkbox"/> 11. Other: Please List:

List below all persons employed by your company as a North Dakota Registered Service Person and the device types they are registered to certify (attach a separate sheet to list additional employees):

Permit No.	Employee	Device Types Registered to Certify (list using device type numbers from above)
e.g. 1001	e.g. John Doe	e.g. Scales - 2, 3, 6, 8; e.g. Liquid - 1, 2, 6
1724	Timothy Dylan Moses	

Application for Registration as a Registered Service Company
Page 2

List below all field standards (attach current calibration reports):


Additional Application Items (initial where appropriate):

Standardized Test Report	<input type="checkbox"/> Copy enclosed
	<input checked="" type="checkbox"/> No change in report filed previously
Tested and Approved Sticker	<input type="checkbox"/> Copy enclosed
	<input checked="" type="checkbox"/> No change in sticker filed previously
Photocopy of Crimped Lead Wire Seal	<input type="checkbox"/> Copy enclosed
	<input checked="" type="checkbox"/> No change in crimped lead wire seal filed previously

Public Company Listing:

Include my company information on your registered service company list for public contact.
 Yes No

I am Timothy Dylan Moses, and have authority to represent this company. By signing this application, I declare that I have examined this form and accompanying documentation, and to the best of my knowledge and belief, the facts stated and documentation provided is true, correct, and complete.


Signature

Send Completed Application and Related Documents To:

Public Service Commission
600 E Boulevard Ave Dept 408
Bismarck ND 58505-0480
Telephone: (701) 328-2400
Fax: (701) 328-2410



SECRETARY OF STATE NORTH DAKOTA



[Home](#) | [Business Records Search](#)

ROCKY MOUNTAIN SCALE WORKS

Trade Name

System ID: 33561000

Phone: (406) 543-5181

Status: Active

Original File Date: 02/05/2013

Last Renewal Date: 02/05/2018

Nature of Business

SCALE SALES AND SERVICE

Owners

RATHER ENTERPRISES, INC.

2935 STOCKYARD RD STE M3


MISSOULA, MT 59808-1569


[Return to Search Results](#)

[Contact Us](#)

[Disclaimer](#)

[Privacy Policy](#)

 We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

 Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



SECRETARY OF STATE NORTH DAKOTA



[Home](#) | [Business Records Search](#)

RATHER ENTERPRISES, INC.

Corporation Details

System ID: 33560900 **Phone:** (800) 700-5048
Type: FOREIGN BUSINESS CORPORATION
Status: Active & Good Standing
Original File Date: 02/05/2013 **Effective Date:** 02/05/2013
State of Origin: Montana

Nature of Business

SCALE SALES AND SERVICE

Principal Office

2935 STOCKYARD RD STE M3 MISSOULA, MT 59808-1569

Registered Agent

JIM ROBERTS
1217 HIGHWAY 85 SW
FAIRFIELD, ND 58627-9433
Established Date: Jul 17, 2014

Generate an Annual Report To File

To Generate a Annual Report form to be filed with the Secretary of State, select the appropriate year of the report you intend to file. This report does not contain details of a report previously filed with the Secretary of State. The annual report years reflected are an indication of the various report forms available in this site and is not an indication that an entity needs to file reports for all years. Missing years indicate that the forms for the missing year have not yet been deployed to the website, or have already been removed, and can be obtained by contacting the Secretary of State.

[2017](#) [2018](#) (generates a forms-fillable pdf in a new pop-up window)

[Return to Search Results](#)


[Contact Us](#)

[Disclaimer](#) | [Privacy Policy](#)

We use Secure Sockets Layer (SSL) encryption technology to ensure your information is secure and protected.

Will open a new window (pop-up).

W3C WAI AA, CSS, XHTML Compliant | Copyright 2006. All Rights Reserved. The State of North Dakota.



Certificate of Mass Calibration

Metrology Laboratory
 Bureau of Weights and Measures
 2801 North Cooke Street
 Helena, MT 59601
 Phone: (406) 449-2582

Company Name and Address

Todd Rather
 Rocky Mountain Scale Works
 2935 Stockyard Road, Suite M3
 Missoula, MT 59808
 (406) 543-5181

Test Number

2017-090

Artifacts Arrived: 7/10/2017
 Test Date: 7/10/2017
 Expiration Date: 7/10/2019

Environmental Conditions at Time of Test:

Temperature °C		Pressure mmHg	Relative Humidity %	
Start	End	Duration of Test	Start	End
22.3	23.4	664.0	41.2	42.5

Standards and Procedures used for testing:

The Standards used for this comparison are continuously monitored by a measurement control program for ensuring continued accuracy and traceability within the level of uncertainty reported. These standards were calibrated by a nationally accredited laboratory on 10/2009 (Reports on File) and are traceable to the SI. The test number listed above is traceable to National Standards through an unbroken chain of comparison each having stated uncertainties. This information is on file and available upon request.

Uncertainty Statement:

The combined standard uncertainty includes the uncertainty reported for the standard(s), the uncertainty associated with the measurement process, the uncertainty associated with the allowable sensitivity error, the uncertainty associated with the allowable drift error, the uncertainty associated with drift of the standard over time, and the uncertainty associated with the uncorrected magnitude of air buoyancy. No other uncertainty components were included. The combined standard uncertainty is multiplied by a coverage factor (k) to yield an expanded uncertainty, which defines an interval having a level of confidence of approximately 95 percent. The expanded uncertainty presented in this report is consistent with the JCGM 100:2008 Guide to the Expression of Uncertainty in Measurement (GUM) and follows NISTIR 6969, SOP29, 2014. The expanded uncertainty is not to be confused with a tolerance limit for the user during application.

Evidence of Metrological Traceability:

The measurements used for determining the results appearing in this report have metrological traceability to the National Institute of Standards and Technology (NIST), as supported by calibration data on file. Further, the measurements were found to be in control as evidenced by the data collected during the measurement assurance process established for this procedure. This process is part of a comprehensive measurement assurance program for ensuring continued accuracy and metrological traceability within the level of uncertainty reported by this laboratory.

Note:

Conversion factors for metrological traceability to the International System of Units (SI) are from NIST Special Publication 811: 2008 Edition "Guide for the Use of the International System of Units (SI)".

To Convert From :	To:	Multiply By:
Pound (avoirdupois) (lb)	Kilogram (kg)	4.535924 E-01

General Conditions/Notes:

- ① The State of Montana Metrology Laboratory complies with the requirements of NIST Handbook 143, April 2007 for Echelon III Mass testing.
- ② The laboratory is maintained with-in established limits for the Standard Operating Procedure (SOP) specified on this report. Tests are not conducted when conditions deviate from those specified.
- ③ The data in this report only applies to the items specifically listed on this report.
- ④ This report may not be reproduced, except in full, without the written approval of the State of Montana Metrology Laboratory.
- ⑤ This report may not be used to claim endorsement by NIST or any agency of the U.S. Government.
- ⑥ Any declaration of expiration is at the written request of the device owner.

David Fraser

State Metrologist

7/10/2017

Date

END OF REPORT

2017-090

United States Department of Commerce
National Institute of Standards and Technology

Certificate of Metrological Traceability For:

Montana

This laboratory has demonstrated evidence of an unbroken chain of metrological traceability of its standards to the international system of units (SI), documented measurement uncertainties, uses documented measurement procedures, successfully completed training and proficiency tests, documented calibration intervals, submitted a quality management system, and demonstrated suitable measurement assurance for the Scope listed on this certificate.

The Office of Weights and Measures Program assesses laboratories to NIST Handbook 143 - Program Handbook for State Weights and Measures Laboratories and ISO/IEC 17025:2005.

Scope

Mass Echelon III	Volume Transfer, II
30 kg to 1 mg	1500 gal to 5 gal
3000 lb to 0.001 lb	100 gal to 25 gal LPG
8 oz to 0.03125 oz	
Weight Carts	
5000 lb to 2000 lb	



2017

George L. Harris
George L. Harris, Acting Chief
NIST Office of Weights and Measures

Effective Dates: 2017-01-01 to 2017-12-31