



TEMPORARY AUTHORITY PERMIT
 NORTH DAKOTA PUBLIC SERVICE COMMISSION
 PUBLIC UTILITIES
 SFN 50560 (6-96)

Date 11-17-17	Time 10:00	<input checked="" type="checkbox"/> a.m. <input type="checkbox"/> p.m.	Name of Utility Montana-Dakota Utilities	Telephone Number 701-572-1620
Name of Person Calling Ken Callahan			Name of Coop Serving Slope Electric Coop Inc.	
Name of Customer Mott Grain & Agronomy		Location Sec 26 Twp 134N R 93W		
Address 9101 71st St			County Hettinger	
City Mott			State ND	Zip Code 58646
Name of Nearest City Mott			Distance to the City 2180'	
When will service be extended? 11/27/17		Type of Service <input type="checkbox"/> Residence <input type="checkbox"/> Storage <input type="checkbox"/> Grain Bin <input checked="" type="checkbox"/> Other <u>Agricultural Service</u>		
Extension Length to Most Economical Point of Service Utility: 500' Coop: 1.1 Mi		Extension <input type="checkbox"/> Overhead <input checked="" type="checkbox"/> Underground		
Has customer signed request for service? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Will cooperative protest application? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Name of Person Contacted (PSC Use)		Date of Contact (PSC Use)	Time (PSC Use) <input type="checkbox"/> a.m. <input type="checkbox"/> p.m.	
Estimated Cost of Extension \$10,885		Estimated Revenue \$6,204		
Under what rate filed with the Public Service Commission will customer be served? General Electric Service Rate 30				
Will extension cross over coop lines? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		Will extension cross over railroad tracks? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Temporary Authority Authorized By <input type="checkbox"/> Telephone <input type="checkbox"/> Letter		Date Authorized		
Authorized By (Name of Commissioner)				

Extension must be made from most economical point of service.

Comments:
 The customer requested MDU serve them and Dean Volk with Slope Electric Cooperative agreed MDU should serve this customer.