

October 1, 2019

VIA FEDERAL EXPRESS

Mr. Steven Kahl
Executive Secretary
North Dakota Public Service Commission
600 E. Boulevard, Dept. 408
Bismarck, ND 58505-0480

**RE: Aurora Wind Project, LLC
Aurora Wind Project – Williams County
Siting Application
Case No. PU-18-352**

Dear Mr. Kahl:

In accordance with Certification Provision No. 38(A) of the North Dakota Public Service Commission's ("Commission") Order issuing a Certificate of Site Compatibility for the Aurora Wind Project ("Order"), Aurora Wind Project, LLC hereby files two (2) copies of this letter and the following documents:

- Certification of Benjamin Conor Branch, with accompanying Exhibits:
 - Exhibit A – Comparison Map
 - Exhibit B – Sound and Shadow Flicker Addendum Report
 - Exhibit C – Class III Cultural Resources Survey Report
 - Exhibit D – NDSHS Response
 - Exhibit E – Wetland Memo

Exhibit B also provides sound and shadow flicker analysis information required pursuant to Order Paragraph Nos. 5 and 6. Additionally, Exhibits C, D, and E provide cultural resource and wetland survey information required pursuant to Order Paragraph Nos. 3 and 4.

Also enclosed is a USB drive containing electronic versions of this letter and the above-referenced documents.

130 PU-18-352 Filed 10/01/2019 Pages: 122
Certification of Benjamin Conor Branch with supporting documents
Aurora Wind Project, LLC
Mollie Smith, Fredrikson&Byron, P.A.

Attorneys & Advisors
Main 612.492.7000
Fax 612.492.7077

Fredrikson & Byron, P.A.
200 South Sixth Street, Suite 4000
Minneapolis, Minnesota 55402-1425

USA / China / Mexico
Minnesota, Iowa, North Dakota
fredlaw.com

Mr. Steven Kahl
October 1, 2019
Page 2

If you have any questions, please let me know.

Sincerely,

A handwritten signature in black ink that reads "Mollie M. Smith". The signature is written in a cursive, flowing style.

MOLLIE M. SMITH

MMS/68203425

Enclosure

cc: Jerry Lein (via e-mail, w/o enclosure)
Jaimee Antognazzi (via e-mail, w/o enclosure)
Jennifer Dean (via e-mail, w/o enclosure)
Alex Belonis (via e-mail, w/o enclosure)