

WA-134

U.S. DEPARTMENT OF AGRICULTURE
FARM SERVICE AGENCY

WAREHOUSE DIAGRAM


LICENSE NO. 3-9505	NAME AND LOCATION OF WAREHOUSE Lake Region Grain Cooperative Devils Lake ND	CODE NO. 2-4354
------------------------------	---	---------------------------

Northern Plains Railroad

Zero: Floor over bins

Zero: Floor over bins

Zero: Floor over bins



Driveway & Scale



Office

SECTION E



5 GE-18-359 Filed 08/27/2018 Pages: 4
Bin Documents
Public Service Commission

DATE	EXAMINER See last page for date & signature	SECTION LOCATION Rohrville, North Dakota	PAGE NUMBER 6
------	--	---	------------------

Name and Location of Warehouse						License	Code								
E REGION GRAIN COOPERATIVE DEVILS LAKE, ND						3-9505	2-4354	Kind	Kind	Kind	Kind	Kind	Kind	Kind	
Sect-ion	Number	Capacity	Effect Depth	Air Space	Grain Depth	Bushels Per Foot	Test Wt. Per Bushel	Base Pack %	Grain PkFactor	Grade	Grade	Grade	Grade	Grade	Grade
E	0001	180	11.0			16.4		2.0							
	0002 T	98	11.0			8.9		2.0							
	0002B	550	21.0			26.2		2.5							
	0003	3,357	46.5			72.2		5.2							
	0004Y T	1,898	28.0			67.8		5.2							
	0004Y H	892	7.0			127.4		6.5							
	0004YB	650	8.0			81.2		5.5							
	0004Z	1,540	28.0			55.0		4.5							
	0005	1,135	33.0			34.4		3.0							
	0007	1,686	49.0			34.4		3.0							
	0008	5,082	42.0			121.0		6.5							
	0009	1,564	34.0			46.0		4.0							
	0010	3,393	47.0			72.2		5.2							
	0012 T	209	10.5			19.9		2.0							
	0012B	943	20.5			46.0		4.0							
	0013	1,426	31.0			46.0		4.0							
	0014	3,393	47.0			72.2		5.2							
	0015	6,046	43.5			139.0		6.5							
	0016	1,032	30.0			34.4		3.0							
	0018	1,032	30.0			34.4		3.0							
	0019 T	5,123	35.5			144.3		6.8							
	10019B	962	9.0			106.9		6.2							
	0020	1,564	34.0			46.0		4.0							
	0021	3,321	46.0			72.2		5.2							

BIN CHART
(Post conspicuously in Main office)



Name and Location of Warehouse						License	Code								
...E REGION GRAIN COOPERATIVE DEVILS LAKE, ND						3-9505	2-4354	Kind	Kind	Kind	Kind	Kind	Kind	Kind	
Sect -ion	Number	Capacity	Effect Depth	Air Space	Grain Depth	Bushels Per Foot	Test Wt.Per Bushel	Base Pack %	Grain PKFactor	Grade	Grade	Grade	Grade	Grade	Grade
										Grade	Grade	Grade	Grade	Grade	Grade
E	1000A	5,170	42.0			123.1		6.5							
	1000B T	4,613	35.0			131.8		6.5							
	1000BB	667	8.0			83.4		5.8							
	1000C	5,170	42.0			123.1		6.5							
	1000D T	4,574	35.0			130.7		6.5							
	1000DB	667	8.0			83.4		5.8							
	1000E	5,170	42.0			123.1		6.5							
	1000F T	4,574	35.0			130.7		6.5							
	1000FB	667	8.0			83.4		5.8							
	1000G	5,170	42.0			123.1		6.5							
	1000H T	4,574	35.0			130.7		6.5							
	1000HB	667	8.0			83.4		5.8							
	1000J	5,170	42.0			123.1		6.5							
	1000K T	4,536	35.0			129.6		6.5							
	1000KB	667	8.0			83.4		5.8							
	1000L	5,036	42.0			119.9		6.2							
	1000M T	4,498	35.0			128.5		6.5							
	1000NB	650	8.0			81.2		5.5							
	1000N	6,229	43.5			143.2		6.8							
	1000P T	5,279	35.5			148.7		6.8							
	1000PB	991	9.0			110.1		6.2							
	1000Q	6,229	43.5			143.2		6.8							
	1000R T	5,279	35.5			146.7		6.8							
	1000RB	991	9.0			110.1		6.2							

BIN CHART
(Post conspicuously in Main office)



Name and Location of Warehouse						License	Code										
E REGION GRAIN COOPERATIVE DEVILS LAKE, ND						3-9505	2-4354										
Sect-ion	Number	Capacity	Effect Depth	Air Space	Grain Depth	Bushels Per Foot	Test Wt. Per Bushel	Base Pack %	Grain PkFactor	Kind	Kind	Kind	Kind	Kind	Kind	Kind	
										Grade	Grade	Grade	Grade	Grade	Grade	Grade	
E	1000S	5,908	42.5			139.0		6.5									
	1000T	5,123	35.5			144.3		6.8									
	1000TB	855	8.0			106.9		6.2									
9,800 Add 6.127 % + 843 to even. Section Code 2-4354 156,000 Capacity Section E Location ROHRVILLE, ND, RAMSEY																	

SECTION A - FLOOR OVER BINS; TANKS (200 SERIES) - BOTTOM OF INSPECTION DOOR OPENING; TANKS (400 SERIES) - TOP OF SIDEWALL. SECTION B - FLOOR OVER BINS, EXCEPT BIN #1 WHICH IS MEASURED 7.0' ABOVE FLOOR; QUONSET - FLOOR UP.
 SECTION C - TOP OF SLAB, (NOTE: G1 & G2 ARE GARNER BINS AND ARE MEASURED AT A LOWER WORK FLOOR. SECTION D - FLOOR UP; HIGH POINT OF ROOF IS 17.0'. SECTION E - FLOOR OVER BINS. SECTION F - FLOOR OVER BINS.
 SECTION G - FLOOR OVER BINS; NORTH ANNEX - FLOOR OVER BINS; SOUTH ANNEX - CATWALK.

1,975,000 Total Licensed Capacity

Date Prepared	Date Reused to Support Amendment	Signature of Examiner	I HEREBY CERTIFY THAT THE INVENTORY WAS MADE: => => => => =>	Date Inventoried	Signature of Examiner	Date Rechecked	Initials of Examiner
	6/28/99	Sherman C/L					