

STATE OF NORTH DAKOTA
PUBLIC SERVICE COMMISSION

Denbury Green Pipeline – North Dakota, LLC
12-inch Cedar Hills Pipeline Pjct – Slope & Bowman
Siting Application

Case No. PU-19-294

AFFIDAVIT OF SERVICE BY REGULAR AND ELECTRONIC MAIL

STATE OF NORTH DAKOTA
COUNTY OF BURLEIGH

Shelly A. Bauske deposes and says that:

she is over the age of 18 years and not a party to this action and, on the **2nd day of April, 2020**, she deposited in the United States Mail, Bismarck, North Dakota, **5** envelopes by first class mail, fully prepaid, securely sealed each containing a photocopy of:

- **Findings of Fact, Conclusions of Law**

The envelopes were addressed as follows:

See attached list


Shelly A. Bauske further deposes and says that on the **2nd day of April 2020**, she sent an electronic message to **42** addressees, each including an electronic copy in portable document format of the same document.

The electronic mails were addressed as follows:

See attached list

The addresses shown are the respective addressee's last reasonably ascertainable post office and electronic mail addresses.

Subscribed and sworn to before me
this **2nd day of April 2020**.



(SEAL)

Shelly A Bauske

John G. Hamre

Notary Public

Sandra Tivis
Bowman County Auditor
104 1st St NW Suite 1
Bowman ND 58623

Federal Aviation Administration
2301 University Avenue Building 23B
Bismarck ND 58504

County Commissioners
Slope County
Box NN
Amidon ND 58620

Chair
Bowman County Commission
104 1st St NW
Bowman ND 58623

County Auditor
Slope County
Box NN
Amidon ND 58620

ndaero@nd.gov
Gaye Niemiller
Aeronautics Commission
PO Box 5020
Bismarck ND 58502-5020

masagsve@nd.gov
Matt Sagsveen
Attorney General's Office

dhseo@nd.gov

Department of Human Services

energyimpact@nd.gov

Energy Infrastructure and Impact Office

sjdavis@nd.gov
Scott Davis
Indian Affairs Commission
State Capitol - 1st Floor J Wing INSIDE
Bismarck ND 58505

joey.specht@us.af.mil
Joey Specht
Minot AFB

Minot ND

trev.albright@us.af.mil
Trev Albright
Minot AFB

Minot ND

gheiser@nd.gov
Gerald Heiser
N D Water Commission
900 E Boulevard
Bismarck ND 58505

ndascd@lincolnnoakes.com

ND Assoc of Soil Conservation Dist
3310 University Drive
Bismarck ND 58504-7564

mdockter@nd.gov
Monte Dockter
ND Department of Transportation
State Highway Building
Bismarck ND 58505

goehring@nd.gov
Doug Goehring
Agriculture Department
State Capitol
Bismarck ND 58505

todd.j.lindquist@usace.army.mil
Todd Lindquist
Corp of Engineers
PO Box 527
Riverdale ND 58565-0527

cte@nd.gov

Dept of Career and Technical Education
State Capitol
Bismarck ND 58505

governor@nd.gov
Doug Burgum
Governor's Office
State Capitol
Bismarck ND 58505

lauren.kinker@us.af.mil
Lauren Kinker
Minot AFB

Minot ND

bruce.johnson.25@us.af.mil
Bruce Johnson
Minot AFB

Minot ND

stevebest@nd.gov
Steve Best
N D Water Commission
900 E Boulevard
Bismarck ND 58505

jay.fuhrer@nd.usda.gov
Jay Fuhrer
NATURAL RESOURCE CONSERVATION SVC
PO BOX 1458
BISMARCK ND 58502-1458

ksonsalla@nd.gov
Kevin Sonsalla
ND Department of Commerce

tsteinwa@nd.gov
Terry Steinwand
ND GAME & FISH DEPT
INSIDE MAIL

caboyd@nd.gov
Clint Boyd
ND Geological Survey

emurphy@nd.gov
MR ED MURPHY
ND GEOLOGICAL SURVEY

mkommer@nd.gov
Michelle Kommer
ND Job Service
P.O. Box 5507 INSIDE MAIL
Bismarck ND 58506-5507

labor@nd.gov
ND Labor Department

mhumann@nd.gov
Mike Humann
ND Land Department

jjkringstad@ndpipelines.com
ND Pipeline Authority

ndicinfo@nd.gov
North Dakota Industrial Commission

rjgardner@nd.gov
Ryan Gardner
ND Parks & Rec
1600 E Century Ave Ste 3
Bismarck ND 58503-0649

TylerHamman@lignite.com
Tyler Hamman
North Dakota Transmission Authority

thomas.claeys@ndsou.edu
Thomas Claeys
NSDU North Dakota State Forest Service

gerbele@nd.gov
Garland Eberle
State Engineer
ND Water Commission

dglatt@nd.gov
Dave Glatt
State Health Department

krockema@nd.gov
Karl Rockeman
State Health Department

pwax@nd.gov
Peter Wax
State Health Department

lbmeidinger@nd.gov
Lorna Meidinger
State Historical Society

dzubke@nd.gov
Denton Zubke
State Representative
PO Box 927
Watford City ND 58854-0927

kkempenich@nd.gov
Keith Kempenich
State Representative
9005 151st Ave. SW
Bowman ND 58623-8857

dpatten@nd.gov
Dale Patten
State Senator

wendy ross@nps.gov
Wendy Ross
Theodore Roosevelt Nat'l Park
PO Box 7
Medora ND 58645

sschwenke@fs.fed.us
Sherri Schwenke
U S Forest Service
240 W Century Ave
Bismarck ND 58501-1494

gjwiche@usgs.gov
District Chief
U S Geological Survey
821 E Interstate Ave
Bismarck ND 58501

cenwo-de@usace.army.mil
District Engineer
US Army Engineer District Omaha
1616 Capitol Ave
Omaha NE 68102

Bauske, Shelly A.

From: Mail Delivery System <MAILER-DAEMON@irnprt2.itd.nd.gov>
To: jay.fuhrer@nd.usda.gov
Sent: Thursday, April 2, 2020 10:19 AM
Subject: Undeliverable: Public Service Commission Case No. PU-19-294 - Findings of Fact, Conclusions of Law and Order - Please See Attached

Delivery has failed to these recipients or groups:

jay.fuhrer@nd.usda.gov

A problem occurred while delivering this message to this email address. Try sending this message again. If the problem continues, please contact your helpdesk.

The following organization rejected your message: [104.47.65.110].

4/2/2020

Emailed: Christi.fisher@usda.gov

Diagnostic information for administrators:

Generating server: irnprt2.itd.nd.gov

jay.fuhrer@nd.usda.gov

[104.47.65.110]

Remote Server returned '<[104.47.65.110] #5.0.0 smtp; 5.1.0 - Unknown address error 550-'5.4.1 Recipient address rejected: Access denied. AS(201806281) [DM3GCC02FT010.eop-gcc02.prod.protection.outlook.com] (delivery attempts: 0)>'

Original message headers:

X-IronPort-AV: E=Sophos;i="5.72,336,1580796000";
d="pdf'?scan'208,217";a="174244725"
Received: from itdexchcasbis1.nd.gov (HELO webmail.state.nd.us) ([10.2.84.146])
by irnprt2.itd.nd.gov with ESMTP/TLS/AES256-SHA; 02 Apr 2020 10:18:39 -0500
Received: from ITDEXCHMBXBIS2.nd.gov (10.2.84.163) by ITDEXCHMBXMAN2.nd.gov
(10.2.84.167) with Microsoft SMTP Server (TLS) id 15.0.1497.2; Thu, 2 Apr
2020 10:18:38 -0500
Received: from ITDEXCHMBXBIS2.nd.gov ([fe80::980d:4caf:cf16:95e8]) by
ITDEXCHMBXBIS2.nd.gov ([fe80::980d:4caf:cf16:95e8%12]) with mapi id
15.00.1497.006; Thu, 2 Apr 2020 10:18:38 -0500
From: "Bauske, Shelly A." <sbauske@nd.gov>
Subject: Public Service Commission Case No. PU-19-294 - Findings of Fact,
Conclusions of Law and Order - Please See Attached
Thread-Topic: Public Service Commission Case No. PU-19-294 - Findings of Fact,
Conclusions of Law and Order - Please See Attached
Thread-Index: AdYJAc0fK0LYTmYBQESvnFky8DuHOQ==
Date: Thu, 2 Apr 2020 15:18:38 +0000
Message-ID: <c090c423e22c4ef2b208e6b2d0929632@ITDEXCHMBXBIS2.nd.gov>
Accept-Language: en-US
Content-Language: en-US

STATE OF NORTH DAKOTA
PUBLIC SERVICE COMMISSION

**Denbury Green Pipeline – North Dakota, LLC
12-inch Cedar Hills Pipeline Pjct - Slope & Bowman
Siting Application**

Case No. PU-19-294

FINDINGS OF FACT, CONCLUSIONS OF LAW AND ORDER

April 1, 2020

Appearances

Commissioners Brian Kroshus, Julie Fedorchak, and Randy Christmann

Wade Mann, Attorney at Law, Crowley Fleck PLLP, 100 West Broadway, Suite 250, Bismarck, North Dakota 58501, on behalf of Denbury Green Pipeline – North Dakota, LLC and Denbury Green Pipeline – Montana, LLC.

Mitchell D. Armstrong, Special Assistant Attorney General, 122 East Broadway Avenue, Bismarck, ND 58502, as Counsel for the North Dakota Public Service Commission.

Timothy Dawson, Office of Administrative Hearings, 2911 North 14th Street, Suite 303, Bismarck, North Dakota 58503, as Procedural Hearing Officer.

Preliminary Statement

On August 8, 2019, Denbury Green Pipeline – Montana LLC, filed with the North Dakota Public Service Commission (Commission), a consolidated application for a certificate of corridor compatibility and a route permit concerning a 12-inch carbon dioxide (CO₂) transmission pipeline, and associated facilities in Slope and Bowman Counties, North Dakota (Project).

On August 15, 2019, the Commission provided notification of the application to the townships with retained zoning authority, cities, and counties in which any part of the proposed pipeline corridor would be located.

On August 19, 2019, Denbury Green Pipeline – Montana, LLC and Denbury Green Pipeline – North Dakota, LLC (Denbury), filed an Amendment and Joinder of Denbury

Green Pipeline – North Dakota, LLC in application for a certificate of corridor compatibility and a route permit.

On November 15, 2019, and December 3, 2019, Denbury filed information supplementing its consolidated application.

On December 18, 2019, the Commission deemed Denbury's consolidated application (Application) complete and issued a Notice of Filing and Public Hearing (Notice) scheduling a hearing for February 6, 2020, at 10:00 a.m. central time at Bowman Lodge & Convention Center, 207 West Highway 12, Bowman, North Dakota 58623. The Notice identified the following issues:

1. Will construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota?
2. Is the proposed facility compatible with the environmental preservation and the efficient use of resources?
3. Will construction, operation, and maintenance of the facility at the proposed location minimize adverse human and environmental impact while ensuring continuing system reliability and integrity and ensuring that energy needs are met and fulfilled in an orderly and timely fashion?

On February 6, 2020, the hearing was held as scheduled. Hearing Exhibits 1 through 6 were admitted at the hearing.

On March 10, 2020, Denbury filed Late-filed Exhibits 7 and 8, and on March 11, 2020, Denbury filed a Supplement to Late-filed Exhibit 8.

Having allowed all interested persons an opportunity to be heard and having heard, reviewed, and considered all testimony and evidence presented, the Commission makes its:

Findings of Fact

1. Denbury Green Pipeline – North Dakota, LLC and Denbury Green Pipeline – Montana, LLC are both Delaware limited liability companies. Both Denbury entities have been authorized to do business in the State of North Dakota, as evidenced by the Certificate of Authority for each entity filed with the Commission on September 5, 2019.

Size, Type, and Preferred Location of Facility

2. The Project consists of approximately 17.77 miles of 12-inch inside diameter (12.75-inch outside diameter) welded steel pipeline with 9.23 miles located in North Dakota. The Project will originate with a connection point to Denbury's Cedar Creek Anticline CO₂ pipeline in Fallon County, Montana, and terminate at Denbury's Miller Production Tank Battery Enhanced Oil Recovery Development Site located in the Northeast 1/4, Southwest 1/4 of Section 33, Township 132 North, Range 106 West in Bowman County, North Dakota. The Project includes metering stations, block valves, PIG launchers/receivers, and associated equipment at the receiving facility.
3. The Project utilizes 12-inch diameter steel pipe with a 0.469-inch to 0.562-inch wall thickness. The pipeline has a maximum operating pressure of 3,702 pounds per square inch gauge and a maximum operating temperature of 100 degrees Fahrenheit. The Project is capable of transporting up to 180 million standard cubic feet per day of CO₂.
4. The proposed facility corridor and pipeline route is identified in the Survey Corridor map set in Appendix A of Hearing Exhibit 1.
5. The estimated cost of the Project is \$9.2 million dollars.
6. Denbury anticipates a November 2020 in-service date for the facility.

Study of Preferred Location

7. Denbury conducted a Class I cultural resource literature review, and a desktop analysis for wetlands, waterbodies, woodlands, and other sensitive environmental resources, across a one-mile wide area centered on the pipeline route (Study Area).
8. Denbury conducted a habitat assessment across a 200-foot-wide area centered on the pipeline route (Survey Area). Denbury conducted a natural resources survey across the Survey Area, which included wetland and waterbody surveys, a noxious weed survey, a wildlife survey, a general habitat assessment for state- and federally-listed species, a tree/sapling/shrub survey, and a vegetative survey. Denbury also conducted a 0.5-mile line-of-sight binocular survey centered on the pipeline route for raptor nests.
9. Denbury conducted a Class III cultural resource inventory across the Survey Area. The Class III report was submitted to the North Dakota State Historic Preservation Office (NDSHPO). NDSHPO concurred with a "No Significant Sites Affected" determination provided the Project takes place in the location and in the manner described in the documentation.
10. Section 49-22.1-13(4) of the North Dakota Century Code provides that a site shall not be designated that violates the rules of any state agency, and that compliance with

an agency's rules shall be presumed if the agency fails to present its position with respect to the proposed facility at the public hearing.

11. Denbury initiated correspondence with federal, state and local departments, agencies and entities as follows:

- a. Federal: (1) U.S. Fish and Wildlife Service; (2) U.S. Army Corps of Engineers; (3) U.S. Department of Defense (Minot Air Force Base); (4) U.S. Federal Aviation Administration; (5) U.S. National Park Service; and (6) U.S. Bureau of Reclamation;
- b. State: (1) North Dakota State Historic Preservation; (2) North Dakota Parks and Recreation Department; (3) North Dakota Department of Trust Lands; (4) North Dakota Department of Health; (5) North Dakota Geological Survey; (6) North Dakota State Water Commission; (7) North Dakota Game and Fish Department; (8) North Dakota Aeronautics Commission; (9) North Dakota Attorney General; (10) North Dakota Department of Agriculture; (11) North Dakota Department of Human Services; (12) North Dakota Department of Labor; (13) North Dakota Department of Career and Technical Education; (14) North Dakota Department of Commerce; (15) North Dakota Energy Infrastructure and Impact Office; (16) North Dakota Industrial Commission; (17) North Dakota Governor's Office; (18) North Dakota Department of Transportation; (19) North Dakota Indian Affairs Commission; (20) Job Service of North Dakota; (21) North Dakota State Soil Conservation Committee; (22) North Dakota Transmission Authority; (23) North Dakota Pipeline Authority; and (24) North Dakota Department of Environmental Quality;
- c. Local: (1) Slope County Board of County Commissioners; and (2) Bowman County Board of County Commissioners

Siting Criteria

14. The Commission has developed criteria pursuant to North Dakota Century Code section 49-22.1-03 to guide the site, corridor, and route suitability evaluation and designation process. The criteria as set forth in North Dakota Administrative Code 69-06-08-02 are classified as Exclusion Areas, Avoidance Areas, Selection Criteria, and Policy Criteria.

15. Denbury evaluated the Survey Area and route regarding the Exclusion Areas, Avoidance Areas, Selection Criteria, and Policy Criteria.

16. An Exclusion Area is a geographic area that must be excluded in the consideration of a route for a transmission facility. An Exclusion Area may be located within a corridor, but at no given point may such an area or areas encompass more than fifty percent of the

corridor unless there is no reasonable alternative. A transmission facility route must not be sited within an Exclusion Area.

17. Denbury's studies and surveys did not record any Exclusion Areas within the Survey Area.

18. An Avoidance Area is a geographical area that may not be considered in the routing of a transmission facility unless the applicant demonstrates that under the circumstances, there is no reasonable alternative. In determining whether an Avoidance Area should be designated for a facility, the Commission may consider, among other things, the proposed management of adverse impacts, the orderly siting of facilities, system reliability and integrity, the efficient use of resources, and alternative routes. Economic considerations alone will not justify approval of these areas.

19. Denbury's studies and surveys did not record any Avoidance Areas within the Survey Area. The Commission's Selection Criteria is set forth in North Dakota Administrative Code section 69-06-08-02(3). A corridor or route shall be approved only if it is determined that any significant adverse effects that will result from the location, construction and operation of the facility as they relate to the selection criteria will be at an acceptable minimum, or will be managed and maintained at an acceptable minimum. Denbury analyzed the effects that may result from the location, construction, and operation of the Project. No significant adverse impacts will result from the location, construction and operation of the Project.

20. Wetlands are a Selection Criteria. Five palustrine emergent wetlands totaling approximately 0.42 acres are located in the Project corridor. Temporary workspaces will be located within the Project right-of-way at upland areas a minimum of 50 feet from the edge of a wetland. Sediment barriers, such as a silt fence, will be installed to prevent spoil and sediment-laden water from entering the wetland. Once construction is complete, wetland edges will be stabilized, and permanent erosion-control measures will be installed as directed by Denbury's environmental inspector. No permanent impacts to any wetlands are anticipated.

21. Agricultural production, family farms, and ranches are Selection Criteria. The proposed Project will affect 168.2 acres of land in North Dakota, of which approximately 10.3 acres consist of farmland of statewide importance. Once construction is complete, Denbury will restore the right-of-way to pre-construction contours, and the restoration will allow farming and ranching operations to continue over the operational right-of-way.

Additional Measures to Minimize Impact

22. Denbury has agreed to a number of measures to mitigate potential Project impacts, as indicated by the attached Certification Relating to Order Provisions – Transmission Facility Siting along with the attached Tree and Shrub Mitigation Specifications.

23. The Tree and Shrub Mitigation Specifications require that the maximum width of tree and shrub removal is no more than 50 feet, unless approved by the Commission. Denbury requests the Commission approve clearing shrubs to 75 feet in the areas identified on the map set in Late-Filed Exhibit 8. Denbury states that additional clearance of shrubs in these areas of rough terrain will facilitate safe construction and travel operations.
24. NDSHPO reviewed Denbury's Unanticipated Discovery Plan, which provides response measures to be followed in the event of a discovery of cultural resources or human remains and found the Plan acceptable.
25. Little Beaver Creek will be crossed using the horizontal directional drilling construction method.
26. Construction and operation of the pipeline will be guided by the following plans: Emergency Response Plan, Integrity Management Plan, Environmental Mitigation Plan, Ecozone Reclamation Plan, Noxious Weed Management Plan, and Stormwater Pollution Prevention Plan.
27. Denbury will participate in the North Dakota One-Call Excavation Notice System.
28. The Project will be designed, constructed, maintained, inspected and operated to meet or exceed the U.S. Department of Transportation, Pipeline Hazardous Materials Safety Administration regulations, which include regular pipeline monitoring and periodic pipeline inspections.
29. A Supervisory Control and Data Acquisition (SCADA) system will allow Denbury to monitor the pipeline 24 hours a day, 7 days a week, and 365 days a year by trained controls personnel. The system will monitor the flow and pressure of the system, and the system will allow Denbury to identify and respond to situations outside normal operating conditions.
30. Denbury will coordinate with local authorities and emergency managers regarding emergency response measures.
31. Denbury will follow the recommendations in the January 10, 2019 letter from the North Dakota Game and Fish Department.
32. Denbury will inspect and clean equipment upon entry and exit from the job site to limit the spread of noxious weeds.

From the foregoing Findings of Fact, the Commission now makes its:

Conclusions of Law

1. The Commission has jurisdiction over Denbury and over the subject matter of the Application under North Dakota Century Code chapter 49-22.1.
2. Denbury is a utility as defined in North Dakota Century Code section 49-22.1-01(12).
3. The Project is a transmission facility as defined in North Dakota Century Code section 49-22.1-01(7).
4. The construction, operation, and maintenance of the Project will produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota.
5. The Project is compatible with the environmental preservation and the efficient use of resources.
6. The construction, operation, and maintenance of the Project minimizes adverse human and environmental impact while ensuring continuing system reliability and integrity and ensuring that energy needs are met and fulfilled in an orderly and timely fashion.

From the foregoing Findings of Fact and Conclusions of Law, the Commission makes the following order:

Order

The Commission orders:

1. Denbury shall construct, operate, and maintain the Project in accordance with the Commission's Findings of Fact.
2. Certificate of Site Compatibility No. 215 is issued to Denbury Green Pipeline – North Dakota, LLC and Denbury Green Pipeline – Montana, LLC, designating a corridor for the construction, operation, and maintenance of approximately 9.23 miles of 12-inch diameter CO2 pipeline and associated facilities in Slope and Bowman Counties, North Dakota. For purposes of this Certificate, the designated corridor consists of a 200-foot wide area centered on the designated route.
3. Route Permit No. 225 is issued to Denbury Green Pipeline – North Dakota, LLC and Denbury Green Pipeline – Montana, LLC, designating a route for the construction, operation, and maintenance of approximately 9.23 miles of 12-inch diameter CO2 pipeline and associated facilities in Slope and Bowman Counties, North Dakota. For purposes of this Permit, the designated route is the route of the Project as depicted on the Survey Corridor map set in Appendix A of Hearing Exhibit 1.

4. The Certification Relating to Order Provisions – Transmission Facility Siting with accompanying Tree and Shrub Mitigation Specifications executed February 3, 2020 is incorporated by reference and attached to this Order. The Tree and Shrub Mitigation Specifications are modified to allow shrubs to be cleared up to a width of 75 feet in the areas identified on the map set in Late-Filed Hearing Exhibit 8.
5. To the extent there are any conflicts or inconsistencies between Denbury's Application and the Certification, the Certification provisions control.
6. Denbury shall file with the Commission its Noxious Weed Management Plan developed to reflect the conditions in Slope and Bowman Counties prior to construction.
7. Denbury shall obtain all other necessary licenses and permits prior to commencing construction on such portion of the Project for which the license and/or permit is required, and shall provide copies to the Commission prior to construction.
8. Denbury is required to comply with all applicable laws, rules, and regulations in the event it desires to construct another or a different transmission pipeline facility than was specified in the Application within the corridor designated in this proceeding.


PUBLIC SERVICE COMMISSION



Julie Fedorchak
Commissioner



Brian Kroshus
Chairman



Randy Christmann
Commissioner

PUBLIC SERVICE COMMISSION
STATE OF NORTH DAKOTA

Route Permit Number 225


This is to certify that the Commission has designated a transmission facility route for Denbury Green Pipeline - North Dakota, LLC and Denbury Green Pipeline – Montana, LLC for the construction, operation, and maintenance of approximately 9.23 miles of 12-inch diameter carbon dioxide pipeline and associated facilities in Slope and Bowman Counties, North Dakota.

This permit is issued in accordance with the Order of this Commission dated April 1, 2020, in Case No. PU-19-294 and is subject to the conditions and limitations noted in the Order.


Bismarck, North Dakota, April 1, 2020.

ATTEST:

PUBLIC SERVICE COMMISSION



Executive Secretary



Commissioner

PUBLIC SERVICE COMMISSION
STATE OF NORTH DAKOTA

Certificate of Corridor Compatibility Number 215

This is to certify that the Commission has designated a transmission facility corridor for Denbury Green Pipeline - North Dakota, LLC and Denbury Green Pipeline – Montana, LLC for the construction, operation, and maintenance of approximately 9.23 miles of 12-inch diameter carbon dioxide pipeline and associated facilities in Slope and Bowman Counties, North Dakota.

This certificate is issued in accordance with the Order of the Commission dated April 1, 2020 in Case No. PU-19-294 and is subject to the conditions and limitations noted in the Order.

Bismarck, North Dakota, April 1, 2020.

ATTEST:

PUBLIC SERVICE COMMISSION

Steve Kahl

Executive Secretary

Julie Fedorchak

Commissioner