

Hamre, John G.

From: Jim Dawson <jdawson@swca.com>
Sent: Tuesday, June 29, 2021 9:50 AM
To: Rusty Shaw; Bill Atchison; Chad Barnes
Subject: [EXT] Fwd: Denbury CHSU Lateral CO2 Pipeline Stormwater Permit

See email from Dallas Grossman below. If we're in a time crunch and you haven't received the Notice of Coverage letter, you could probably submit a copy of Dallas' email to demonstrate that you have the stormwater permit.

Get [Outlook for iOS](#)

From: Jim Dawson <jdawson@swca.com>
Sent: Tuesday, June 29, 2021 8:45 AM
To: Grossman, Dallas J.
Subject: Re: Denbury CHSU Lateral CO2 Pipeline Stormwater Permit

Great! Thanks, Dallas.

Get [Outlook for iOS](#)

From: Grossman, Dallas J. <dgrossma@nd.gov>
Sent: Tuesday, June 29, 2021 8:44:15 AM
To: Jim Dawson <jdawson@swca.com>
Subject: RE: Denbury CHSU Lateral CO2 Pipeline Stormwater Permit

EXTERNAL: This email originated from outside SWCA. Please use caution when replying.

Hi Jim,

We received the NOI and the update. The NOI has not been processed yet; however, the project was automatically covered under the construction general permit as of June 4, 2021. We will send a coverage letter once the NOI is processed.

Let me know if you have any other questions.

Regards,

Dallas Grossman

Division of Water Quality • NDPDES Program

701-328-5242 • 701-328-5200 (fax) • dgrossma@nd.gov • deq.nd.gov

**NORTH
Dakota** | Environmental Quality
Be Legendary.™

74 PU-19-294 Filed 07/09/2021 Pages: 2
NDDEQ email approval of the Storm Water Construction Permit
Denbury Green Pipeline - North Dakota, LLC

From: Jim Dawson <jdawson@swca.com>
Sent: Monday, June 28, 2021 5:56 PM
To: Grossman, Dallas J. <dgrossma@nd.gov>
Subject: Denbury CHSU Lateral CO2 Pipeline Stormwater Permit

***** **CAUTION:** This email originated from an outside source. Do not click links or open attachments unless you know they are safe. *****

Hi Dallas,

I want to check on the status of the subject permit. I submitted the NOI electronically on 5/28/2021 and the NOI ID No. is SW_NOI_20210528104951314. There were a couple of mistakes on the form, so I corrected them and re-submitted on 5/30/2021. Please advise as to the status of the permit application. Thank you,

Jim

Jim Dawson, PG, CHMM
Senior Project Manager

SWCA Environmental Consultants
201 Slate Drive, Suite 8
Bismarck, ND 58503
P 701.258.6622 | C 701.595.2081
jdawson@swca.com



The contents of this email and any associated emails, information, and attachments are CONFIDENTIAL. Use or disclosure without sender's authorization is prohibited. If you are not an authorized recipient, please notify the sender and then immediately delete the email and any attachments.