



February 1, 2021

Patrick Fahn, Director
Public Utilities Analyst
North Dakota Public Service Commission
600 East Boulevard, Dept. 408
Bismarck, ND 58505-0480

**RE: Case No. PU-19-358
ONEOK Demicks Lake Gas Processing Plant – McKenzie County**

Dear Mr. Fahn,

ONEOK Rockies Midstream, L.L.C. (“Company” or “ONEOK”) is providing the following as an update for the Demicks Lake Gas Processing Plant Project (“Project”). In the original Certification Relating to Order Provisions Energy Conversation Facility Siting issued with PSC Case No. PU-19-358, it states:

24. Company agrees to comply with the Tree and Shrub Mitigation Specifications, attached.

Company Response: No trees or shrubs were removed during construction of this facility. Therefore, there is no additional follow-up planning in regard to this specification.

If you have any questions, please contact Rachel Grant, Environmental Specialist (phone 918-764-5179; email Rachel.grant@oneok.com) or me with any questions or concerns you may have.

Sincerely,

DocuSigned by:
Todd McKimney
D9AC1DA0B5D742F...
Todd McKimney
VP Integrated Operations and Capital Projects

cc: Todd McKimney, VP Integrated Operations and Capital Projects
Michael Dailey, Legal Counsel
Wade C. Mann, Crowley Fleck
Rachel Grant, Environmental Specialist
Tulsa Large Projects, Demicks Lake Gas Plant Project Files

3 PU-19-358 Filed 02/01/2021 Pages: 1
Compliance filing - update on Tree and Shrub Mitigation Specifications
ONEOK Rockies Midstream, L.L.C. {00136327 - 1 }1
Todd McKimney