

Affidavit of Publication

Colleen Park, being duly sworn, states as follows:

1. I am the designated agent, under the provisions and for the purposes of, Section 31-04-06, NDCC, for the newspapers listed on the attached exhibits.
2. The newspapers listed on the exhibits published the advertisement of: **Public Service Commission - OE2 North LLC, Case No. PU-20-082; 1 or 2** time(s) as required by law or ordinance.
3. All of the listed newspapers are legal newspapers in the State of North Dakota and, under the provisions of Section 46-05-01, NDCC, are qualified to publish any public notice or any matter required by law or ordinance to be printed or published in a newspaper in North Dakota.


Signed: Colleen Park

State of North Dakota

County of Burleigh

Subscribed and sworn to before me this 22 day of April, 2020.

Sharon L. Peterson



Wildrose City Council Meeting Minutes

City Council of Wildrose Regular Meeting Wildrose Fire/City Hall March 2, 2020

Call meeting to order: A Council Meeting of the City of Wildrose, was held in the Fire/ City Hall, Wildrose, N.D. on March 2, 2020. The meeting convened at 7:00 p.m. Members of the City Council in attendance were, Mayor Marlyn Vatne, President Riley Reisig, V.P. Karla Magnuson and Sarah Herland. Todd Kragness arrived at the Council Meeting at 7:25 p.m.

Council and guests recited the Pledge of Allegiance.

Guests in attendance: Errol Evanson, Daniel Swanson with Ackerman Estvold, Fred Baldwin, Mason Watterud and Logan Sevre.

Mayor Vatne opened the agenda to the public. New addition to New Business #5, Date of Opening Bids on the Wildrose Sewer Project and #6 Dates of Opening the Bids and location. Mayor Vatne asked for a vote to set the agenda as closed. Motioned by Magnuson to set the agenda as closed, second by Herland. Vote: Ayes-Reisig, Herland and Magnuson. Nays-None. Motion passed.

Approval of the meeting minutes of the Wildrose City Council meeting on February 3rd, 2020. Motioned by Magnuson to approve

the February 3rd, 2020 City council meeting minutes, second by Reisig. Vote: Ayes-Magnuson, Reisig and Herland. Nays-None. Motioned passed.

Guest, Fred Baldwin discussed with Council the upcoming fireworks event happening on July 4, 2020 in Wildrose. Mr. Baldwin touched base on how much has been raised for the purchase of the fireworks. Mr. Baldwin's goal is to raise approximately \$15,000.00. Anyone interested in donating to the Wildrose 2020 Firework event may contact Fred Baldwin at 701-580-1375. Clean up Volunteers are always welcome.

Guest, Logan Sevre addressed the Council to discuss the 2020 Wildrose Summer Fest held on July 4, 2020 in Wildrose. Logan asked if the Wildrose Golf Association could set up a beer garden on Main Street. He also discussed with Council the ownership of the dirt around the derby grounds and setting up a Bake Sale on April 25, 2020 from 1:30 p.m. to 4:00 p.m. at the Fire/City Hall to help raise money to go towards the Summer Fest. Anyone interested in donating to Summer Fest Event please contact Logan or Ashley Sevre at 701-641-1354 for details.

Engineer Report: Daniel Swanson with Ackerman Estvold, discussed the N.D. State Revolving

Fund Application through the N.D. State Water Commission for Clean Water. Motioned by Reisig to submit the application for the N.D. State Commission Revolving Fund, second by Herland. Vote: Ayes-Herland, Kragness, Magnuson and Reisig. Nays-None. Motioned passed.

Daniel also discussed the N.D. State Water Commission Cost Share Application, motioned by Herland to submit the application for the N.D. State Commission Cost Share Application, second by Reisig. Vote: Ayes-Reisig, Magnuson, Kragness and Herland. Nays-None. Motioned passed.

Daniel also discussed the advertisement for opening bids for the Sewer Project. Daniel suggested running the ads on March 11, 18, and 25 of 2020. Motioned by Reisig to start advertising for contractors in the local paper beginning March 11, 18 & 25, 2020, 2nd by Herland. Vote: Ayes-Magnuson, Herland and Reisig. Nays-None. Roll Call Vote: Magnuson, Herland and Reisig. Motion passed. Kragness was not in attendance at time of vote.

Daniel also discussed with Council on a deciding date for the opening of the Bids for the Sewer Project. Daniel suggested April 2, 2020 at 2:30 p.m. at the Fire/ City Hall. Motioned by Magnuson to set the date of April 2, 2020 at 2:30 p.m.,

location is to be at the Fire/City Hall in Wildrose, second by Herland. Vote: Ayes-Magnuson, Reisig and Herland. Nays-None. Roll Call Vote: Magnuson, Reisig and Herland. Motion passed. Kragness was not in attendance at time of vote.

Auditors Report: Account and Balances along with the Gross Production Tax were reviewed.

General Fund;	
Visa	387.06
GenzLock Inc.	850.00
Horizon Resources	526.56
Ackerman/ Estvold	38,898.78
MDU	546.36
NCC	114.29
GenzLock	1,087.50
Transfer to the Enterprise Fund	520.50
Enterprise Fund:	
Black Mtn Software	1,254.00
Circle Sanitation	3718.00
R&T Water	1790.10
Astro Chem	25.00
MDU	559.23
APE	714.08
Transfer to General Fund.....	30.00
Motioned by Magnuson to approve the bills, second by Kragness. Vote: Ayes-Reisig, Magnuson, Kragness and Herland. Nays-None. Motion passed.	

Motioned by Magnuson to approve the February 2020 payroll, second by Herland. Vote: Ayes-Her-

ADVERTISEMENT FOR BIDS

tons Aggregate Surface Course (C1 13), and all necessary grading and restoration required as depicted in the Drawings and Project Manual for the Project. Alternate 1 includes additional materials for expansion of the existing sanitary sewer collection system. Alternate 2 includes 1,845 LF of 18-inch HDPE Storm Sewer pipe and other items for installation of new storm sewer.

All Bids are to be submitted on the basis of cash payment for the Work and Materials, and are to be enclosed in a sealed envelope addressed the undersigned City of Wildrose Auditor, accompanied by a separate envelope containing a Bidder's Bond in the sum equal to 5% of the full amount of the Bid, executed by the Bidder as Principal, and by a Surety, conditioned that if the Principal's Bid is accepted and the contract awarded to the Principal, the Principal, within ten days after notice of award, shall execute a Contract in accordance with the terms of the Bid and Performance and Payment Bonds as required by the law and regulation and determinations of the Owner. If a successful

bidding does not execute a contract within the ten days allowed, the bidder's bond must be forfeited to the governing body and the project awarded to the next lowest responsible bidder. Countersignature of a Bid Bond is not required. Bidders shall be licensed for the full amount of the Bid, as required by Section 43-07-07 of the North Dakota Century Code.

No Bid may be read or considered if it does not fully comply with the requirements of Section 48-01.2-05 of the North Dakota Century Code. Any deficient Bid received will be resealed and returned to the Bidder immediately.

Bidders on this work will be required to comply with Title 40 CFR Part 33- Participation by Disadvantaged Business Enterprises in the United States Environmental Protection Agency Programs. The requirements for bidders and contractors under this regulation concern utilization of Minority Business Enterprises (MBE), Women's Business Enterprises (WBE), and Small Business Enterprises (SBE) and are explained in the specifications.

ADVERTISEMENT FOR BIDS

com for assistance in membership registration, downloading and working with this digital project information.

The Issuing Office for the Bidding Documents is: Moore Engineering, Inc. 2080 36th Ave SW, Suite 215, Minot, ND 58701

Prospective Bidders may examine the Bidding Documents at the Issuing Office Monday through Friday between the hours of 8 a.m. to 5 p.m. Partial sets of Bidding Documents will not be available from the Issuing Office. Neither Owner nor Engineer will be responsible for full or partial sets of Bidding Documents, including addenda, if any, obtained from sources other than the

Issuing Office.

Each bid must be accompanied by a separate envelope containing a bidder's bond in a sum equal to 5% of the full amount of the bid executed by the bidder as principal and by a surety, conditioned that if the principal's bid is accepted and a contract is awarded to the principal, the principal, within ten (10) days after the notice of the award, shall execute a contract in accordance with the terms of the bid and the bid bond, and any conditions of the City of Tioga, as required by law. A countersignature of a bid bond is not required. If the City of Tioga elects to award a contract to the lowest responsible bidder, and the lowest responsible bidder does not execute

NOTICE OF FILING AND PUBLIC HEARING

Compatibility concerning the location of a 250 million standard cubic feet per day gas processing plant in Williams County, North Dakota, as shown on the attached map.

OE2 has also filed an application for a waiver of procedures and time schedules established under North Dakota Century Code sections 49-22.1-05, 49-22.1-06, and 49-22.1-10, and North Dakota Administrative Code Chapter 69-06-01-02, requiring separate hearings on a waiver request and a Certificate of Site Compatibility application. OE2 has also requested to shorten the six-month period specified in section 49-22.1-06(5) of the North Dakota Century Code.

The issues in the application for waiver of procedures and time schedules are:

1. Are the proposed facilities of such length, design, location, or purpose that they will produce minimal

adverse effects and that adherence to applicable procedures and time schedules may be waived?

2. Is it appropriate for the Commission to waive any procedures and time schedules as requested in the application?

The issues in the application for a Certificate of Site Compatibility are: 1. Will construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota? 2. Is the proposed facility compatible with the environmental preservation and the efficient use of resources? 3. Will construction, operation, and maintenance of the facility at the proposed location minimize adverse human and environmental impact while ensuring continuing system reliability and integrity and

ensuring that energy needs are met and fulfilled in an orderly and timely fashion? The Commission will consider written testimony received up to five days after the hearing to accommodate members of the public that are unable to attend due to coronavirus concerns. For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.

PUBLIC SERVICE COMMISSION Julie Fedorchak, Commissioner Brian Kroshus, Chairman Randy Christmann, Commissioner (3/25)

adverse effects and that adherence to applicable procedures and time schedules may be waived? 2. Is it appropriate for the Commission to waive any procedures and time schedules as requested in the application? The issues in the application for a Certificate of Site Compatibility are: 1. Will construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota? 2. Is the proposed facility compatible with the environmental preservation and the efficient use of resources? 3. Will construction, operation, and maintenance of the facility at the proposed location minimize adverse human and environmental impact while ensuring continuing system reliability and integrity and

ensuring that energy needs are met and fulfilled in an orderly and timely fashion? The Commission will consider written testimony received up to five days after the hearing to accommodate members of the public that are unable to attend due to coronavirus concerns. For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.

PUBLIC SERVICE COMMISSION Julie Fedorchak, Commissioner Brian Kroshus, Chairman Randy Christmann, Commissioner (3/25)

adverse effects and that adherence to applicable procedures and time schedules may be waived? 2. Is it appropriate for the Commission to waive any procedures and time schedules as requested in the application? The issues in the application for a Certificate of Site Compatibility are: 1. Will construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota? 2. Is the proposed facility compatible with the environmental preservation and the efficient use of resources? 3. Will construction, operation, and maintenance of the facility at the proposed location minimize adverse human and environmental impact while ensuring continuing system reliability and integrity and

ensuring that energy needs are met and fulfilled in an orderly and timely fashion? The Commission will consider written testimony received up to five days after the hearing to accommodate members of the public that are unable to attend due to coronavirus concerns. For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.

PUBLIC SERVICE COMMISSION Julie Fedorchak, Commissioner Brian Kroshus, Chairman Randy Christmann, Commissioner (3/25)

adverse effects and that adherence to applicable procedures and time schedules may be waived? 2. Is it appropriate for the Commission to waive any procedures and time schedules as requested in the application? The issues in the application for a Certificate of Site Compatibility are: 1. Will construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota? 2. Is the proposed facility compatible with the environmental preservation and the efficient use of resources? 3. Will construction, operation, and maintenance of the facility at the proposed location minimize adverse human and environmental impact while ensuring continuing system reliability and integrity and

ensuring that energy needs are met and fulfilled in an orderly and timely fashion? The Commission will consider written testimony received up to five days after the hearing to accommodate members of the public that are unable to attend due to coronavirus concerns. For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.

PUBLIC SERVICE COMMISSION Julie Fedorchak, Commissioner Brian Kroshus, Chairman Randy Christmann, Commissioner (3/25)

adverse effects and that adherence to applicable procedures and time schedules may be waived? 2. Is it appropriate for the Commission to waive any procedures and time schedules as requested in the application? The issues in the application for a Certificate of Site Compatibility are: 1. Will construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota? 2. Is the proposed facility compatible with the environmental preservation and the efficient use of resources? 3. Will construction, operation, and maintenance of the facility at the proposed location minimize adverse human and environmental impact while ensuring continuing system reliability and integrity and

ensuring that energy needs are met and fulfilled in an orderly and timely fashion? The Commission will consider written testimony received up to five days after the hearing to accommodate members of the public that are unable to attend due to coronavirus concerns. For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.

PUBLIC SERVICE COMMISSION Julie Fedorchak, Commissioner Brian Kroshus, Chairman Randy Christmann, Commissioner (3/25)

adverse effects and that adherence to applicable procedures and time schedules may be waived? 2. Is it appropriate for the Commission to waive any procedures and time schedules as requested in the application? The issues in the application for a Certificate of Site Compatibility are: 1. Will construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota? 2. Is the proposed facility compatible with the environmental preservation and the efficient use of resources? 3. Will construction, operation, and maintenance of the facility at the proposed location minimize adverse human and environmental impact while ensuring continuing system reliability and integrity and

ensuring that energy needs are met and fulfilled in an orderly and timely fashion? The Commission will consider written testimony received up to five days after the hearing to accommodate members of the public that are unable to attend due to coronavirus concerns. For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.

PUBLIC SERVICE COMMISSION Julie Fedorchak, Commissioner Brian Kroshus, Chairman Randy Christmann, Commissioner (3/25)

adverse effects and that adherence to applicable procedures and time schedules may be waived? 2. Is it appropriate for the Commission to waive any procedures and time schedules as requested in the application? The issues in the application for a Certificate of Site Compatibility are: 1. Will construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota? 2. Is the proposed facility compatible with the environmental preservation and the efficient use of resources? 3. Will construction, operation, and maintenance of the facility at the proposed location minimize adverse human and environmental impact while ensuring continuing system reliability and integrity and

ensuring that energy needs are met and fulfilled in an orderly and timely fashion? The Commission will consider written testimony received up to five days after the hearing to accommodate members of the public that are unable to attend due to coronavirus concerns. For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.

PUBLIC SERVICE COMMISSION Julie Fedorchak, Commissioner Brian Kroshus, Chairman Randy Christmann, Commissioner (3/25)

City of Wildrose Wildrose Sewer Replacement 2020

NOTICE IS HEREBY GIVEN that the City of Wildrose will receive sealed Bids for the construction of the Wildrose Sewer Replacement, at Wildrose City Hall, 416 Main Street, PO Box 664, Wildrose, ND 58795 until 2:30 P.M., April 2nd, 2020, at which time all Bids will be opened and publicly read.

All Bids must be submitted, and all work shall be done, in full and strict compliance with:

1. The Plans & Contract Documents for this project;
2. Any Special Conditions for this project;
3. NDDOT Standard Specifications for Road and Bridge Construction;

Complete digital project bidding documents are available at www.ackerman-estvold.com/projects or www.questcdn.com. You may download the digital plan documents for \$25 by inputting Quest project #6887400 on the website's Project Search page. Please contact

City of Tioga Northeast Tioga Reconstruction-Phase 1 Sanitary Sewer, Water Main, Storm Sewer And Street Improvements Moore Project No. 21092

General Notice: Owner is requesting Bids for the construction of the project listed above.

Bids for the construction of the Project will be received at City Hall located at 16 1st Street Northeast, Tioga, ND 58852, until April 8, 2020 at 2 p.m. local time. At that time the Bids received will be "publicly" opened and read.

The Project includes the following Work: Replacement of the following but not limited to infrastructure Sanitary Sewer, Water Main, Storm Sewer, Curb and Gutter, Asphalt Pavement, Driveways, Sidewalk. [Insert a brief description of the Work included in the Project.]

Obtaining the Bidding Documents Digital project bidding documents will be available at www.mooreengineeringinc.com by clicking the Bid Information tab, or at www.questcdn.com. You may download the complete set of digital documents for a nonrefundable fee of \$20.00 by locating eBidDoc™ Number 6908137 on the website. Please contact QuestCDN.com at 952-233-1632 or info@questcdn.com

com for assistance in membership registration, downloading and working with this digital project information. The Issuing Office for the Bidding Documents is: Moore Engineering, Inc. 2080 36th Ave SW, Suite 215, Minot, ND 58701 Prospective Bidders may examine the Bidding Documents at the Issuing Office Monday through Friday between the hours of 8 a.m. to 5 p.m. Partial sets of Bidding Documents will not be available from the Issuing Office. Neither Owner nor Engineer will be responsible for full or partial sets of Bidding Documents, including addenda, if any, obtained from sources other than the

Issuing Office. Each bid must be accompanied by a separate envelope containing a bidder's bond in a sum equal to 5% of the full amount of the bid executed by the bidder as principal and by a surety, conditioned that if the principal's bid is accepted and a contract is awarded to the principal, the principal, within ten (10) days after the notice of the award, shall execute a contract in accordance with the terms of the bid and the bid bond, and any conditions of the City of Tioga, as required by law. A countersignature of a bid bond is not required. If the City of Tioga elects to award a contract to the lowest responsible bidder, and the lowest responsible bidder does not execute

ensuring that energy needs are met and fulfilled in an orderly and timely fashion? The Commission will consider written testimony received up to five days after the hearing to accommodate members of the public that are unable to attend due to coronavirus concerns. For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.

PUBLIC SERVICE COMMISSION Julie Fedorchak, Commissioner Brian Kroshus, Chairman Randy Christmann, Commissioner (3/25)

adverse effects and that adherence to applicable procedures and time schedules may be waived? 2. Is it appropriate for the Commission to waive any procedures and time schedules as requested in the application? The issues in the application for a Certificate of Site Compatibility are: 1. Will construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota? 2. Is the proposed facility compatible with the environmental preservation and the efficient use of resources? 3. Will construction, operation, and maintenance of the facility at the proposed location minimize adverse human and environmental impact while ensuring continuing system reliability and integrity and


ensuring that energy needs are met and fulfilled in an orderly and timely fashion? The Commission will consider written testimony received up to five days after the hearing to accommodate members of the public that are unable to attend due to coronavirus concerns. For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.

PUBLIC SERVICE COMMISSION Julie Fedorchak, Commissioner Brian Kroshus, Chairman Randy Christmann, Commissioner (3/25)

adverse effects and that adherence to applicable procedures and time schedules may be waived? 2. Is it appropriate for the Commission to waive any procedures and time schedules as requested in the application? The issues in the application for a Certificate of Site Compatibility are: 1. Will construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota? 2. Is the proposed facility compatible with the environmental preservation and the efficient use of resources? 3. Will construction, operation, and maintenance of the facility at the proposed location minimize adverse human and environmental impact while ensuring continuing system reliability and integrity and

ensuring that energy needs are met and fulfilled in an orderly and timely fashion? The Commission will consider written testimony received up to five days after the hearing to accommodate members of the public that are unable to attend due to coronavirus concerns. For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400; or Relay North Dakota, 1-800-366-6888 TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.

PUBLIC SERVICE COMMISSION Julie Fedorchak, Commissioner Brian Kroshus, Chairman Randy Christmann, Commissioner (3/25)



STATE OF NORTH DAKOTA PUBLIC SERVICE COMMISSION

OE2 North LLC B. Sanderson Gas Processing Plant - Williams Cnty. Siting Application Case No. PU-20-082 March 18, 2020 A Public

Hearing on the application in Case No. PU-20-082 is scheduled at 9:00 a.m. (CT) on April 24, 2020, at the City of Williston Public Works & Engineering Department, 1121 5th Street East, Williston, ND 58801. OE2 North, LLC (OE2) filed an application for a Certificate of Site

Compatibility concerning the location of a 250 million standard cubic feet per day gas processing plant in Williams County, North Dakota, as shown on the attached map. OE2 has also filed an application for a waiver of procedures and time schedules established under North Dakota Century Code sections 49-22.1-05, 49-22.1-06, and 49-22.1-10, and North Dakota Administrative Code Chapter 69-06-01-02, requiring separate hearings on a waiver request and a Certificate of Site Compatibility application. OE2 has also requested to shorten the six-month period specified in section 49-22.1-06(5) of the North Dakota Century Code. The issues in the application for waiver of procedures and time schedules are: 1. Are the proposed facilities of such length, design, location, or purpose that they will produce minimal

YOUR NEWS

N.D. Democratic-NPL governor candidate still needs a running mate

BY JACK DURA
Special Tribune

Two weeks from the filing deadline for the June primary ballot, the top candidate of North Dakota's Democratic-NPL Party is looking for a running mate.

Gubernatorial candidate Shelley Lenz said she is in talks with potential running mates for lieutenant governor and plans to announce who it will be before the April 8 filing deadline.

"I really want to make sure I know who has the chemistry with my vision, and it's such a strong position... so I'm talking with multiple people of different generations, different regions, different genders, so again, I need to pick my team well," she told the Tribune on Monday, two days after she received the party's endorsement.

North Dakota's governor and lieutenant governor have been elected jointly since 1874. One cannot run without the other.

Secretary of State Al Jaeger cited a state law that a petition or certificate of endorsement for governor and lieutenant governor "must contain the names and other information required of candidates for both those offices."

"For the party to submit their certificate of endorsement, if it would come in without a lieutenant governor or if, we cannot accept it," Jaeger said. "She has to have somebody."

Democratic-NPL Party spokesman Alex Rohr said the party's Executive Committee has been granted the authority to endorse candidate spots not filled from the convention.

"Shelley is focused on finding the right partner for her campaign and is building a strong team around herself even within the chaos of a global pandemic," Rohr said.

Lenz, 51, is a veterinarian with clinics in Dickinson and Killdeer. She is an Ohio native and a former Killdeer School Board member. She announced her bid for governor on Jan. 31, and was endorsed by Democratic-NPL delegates on Saturday through a rare process after the party canceled



MIKE MCCLEARY - BISMARK TRIBUNE

Shelley Lenz.

its convention due to the coronavirus outbreak.

Lenz said she has been working with Democratic-NPL Party leaders and staff to find a running mate, as well as reaching out to state lawmakers for input — even "strong Republicans" for their thoughts.

"I'm trying to bring the parties together," she said. "I'm trying to unify North Dakota. I'm trying to provide all of that kind of balance in this vision of this campaign."

She called herself "a strong NPLer" — a reference to the populist Nonpartisan League.

The party swept North Dakota politics in the 1910s, advocating policies for frustrated farmers. The state-owned Bank of North Dakota and State Mill and Elevator resulted from the Nonpartisan League's policies.

In 1956, the party merged with the Democrats.

"I can tell you that it will be a traditional Dem to balance out my NPLer... I need the Biden to my Bernie," Lenz said, referring to Democratic presidential hopefuls Joe Biden and Bernie Sanders.

Lenz said her search for a running mate has been ongoing because she's also helping rebuild the party.

Former U.S. Sen. Heidi Heitkamp, D-N.D., lost her bid for reelection in 2018 as the last Democrat to hold a state or congressional office in Republican-controlled North Dakota. Democrats last won the governor's office in 1988.

"It's scary when you have a new leader and new ideas and a new vision," Lenz said, "and I want to make sure that I have the right fit, and they

want to make sure that they fit into that vision."

Lenz is expected to face Republican incumbent Gov. Doug Burgum and Lt. Gov. Brent Sanford, who are seeking a second term. Businessmen DuWayne Hendrickson of Minot and Joshua Voytek of Fargo are the Libertarian ticket.

Lenz said she needs a running mate "who understands my vision" for a "strong, unified message."

"I'm not just looking for a warm body," she said.

North Dakota's lieutenant governor presides over the state Senate, chairs or sits on a number of state boards and is first in line to succeed the governor upon a vacancy.

The lieutenant governor's salary is \$105,285, and is set to go to \$107,917 on July 1.

Coronavirus outbreak impacts Parshall native teaching English in South Korea

BY ANDY THURASA FELD
Special Tribune

When Parshall native Regan Christenson was applying to become an English teacher in South Korea last year, she selected Daegu as her top city of choice.

She felt choosing the southeastern South

Korean city would increase her chances of a placement. The English teaching program, accounting for the highest number of the country's 8,652 cases, according to Worldometer. Last month, an American soldier and his wife living near Daegu tested positive for the virus, according

to military newspaper Stars and Stripes.

The coronavirus has affected daily life less in Incheon, where Christenson lives.

She is currently on break after teaching a semester from August to December at a local high school specializing

in international affairs.

The final semester was originally scheduled to begin on March 2, but was pushed back to April 6.


The school also is encouraging her to stay in the area, and local newspaper articles have advised her to self-isolate, she said.

"I'm not able to travel as much, as easily I mean, that's one of the perks of teaching abroad, is getting to explore and visit other places, because of this we are discouraged to not," Christenson said.

"So I've had way too much free time. That's the biggest impact on my life."

CLASSIFIED

STATE OF NORTH DAKOTA PUBLIC SERVICE COMMISSION
C12 North LLC
B. Sanderson Gas Processing Plant
Williston City
Billing Application
Case No. PU-20-002
NOTICE OF FILING AND PUBLIC HEARING
March 18, 2020
A Public Hearing on the application in effect is scheduled at 8:00 a.m. (CT) on April 24, 2020, at the City of Williston Public Works & Engineering Department, 1121 5th Street East, Williston, ND 58801.
C12 North LLC (C12) filed an application for a Certificate of Site Compatibility concerning the location of a 250 million standard cubic feet per day gas processing plant in Williston County, North Dakota, as shown on the attached map.
C12 has also filed an application for a Certificate of Site Compatibility concerning the location of a 250 million standard cubic feet per day gas processing plant in Williston County, North Dakota, as shown on the attached map.
C12, requiring separate hearings on a water request and a Certificate of Site Compatibility application. C12 has also requested to shorten the six-month period specified in section 49-22-10(4)(b) of the North Dakota Century Code.
The issues in this application for waiver of procedures and time schedules are:
1. Are the proposed facilities of such length, design, location, or purpose that they will produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota?
2. Is the proposed facility compatible with Code sections 49-22-10, 49-22-11, and 49-22-12, and North Dakota Administrative Code Chapter 69-06-01-1, with construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota?
3. Is the proposed facility compatible with Code sections 49-22-10, 49-22-11, and 49-22-12, and North Dakota Administrative Code Chapter 69-06-01-1, with construction, operation, and maintenance of the facility at the proposed location produce minimal adverse effects on the environment and upon the welfare of the citizens of North Dakota?
4. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission at least 24 hours in advance.
PUBLIC SERVICE COMMISSION
Arlie Fedorchak, Chairman
Bret Koschak, Commissioner
Randy Christensen, Commissioner
Legal 2277543, Published March 25, 2020
April 19, 2020



Williams County School District #8

JOIN OUR TEAM

Accepting applications for:

- 2020-2021
- 7-12 ART
- 7-12 BUSINESS
- 7-12 COUNSELOR
- 9-12 MATH
- ELEMENTARY K
- ELEMENTARY 3rd
- ELEMENTARY 6th

CURRENT OPENINGS

- SUBSTITUTE TEACHER
- BUS DRIVER
- SUBSTITUTE BUS DRIVER

Apply Today!

District 8 currently provides a K-8 educational program. (We will transition to a K-12 district for the 2020-2021 school year.) Starting wage for teachers \$47,000. Insurance partially paid. Employer pays both sides of teacher retirement.

To apply, submit an application to:
<https://www.applitrack.com/district8/onlineappl/>
or visit our website at district8nd.com

WILLIAMS COUNTY SCHOOL DISTRICT #8
111 - 7th AVE W, WILLISTON, ND 58801
PHONE: 701-572-6359

CORONAVIRUS HELPFUL TIPS FROM THE CDC

"clean your house"

Clean AND disinfect frequently touched surfaces daily. *This includes tables, door knobs, light switches, countertops, handles, desks, phones, keyboards, toilets, faucets, and sinks.

To learn more, visit www.cdc.gov.

