

215 South Cascade Street  
PO Box 496  
Fergus Falls, Minnesota 56538-0496  
218 739-8200  
[www.otpc.com](http://www.otpc.com) (web site)



September 27, 2021

Steve Kahl  
Director of Administration/Executive Secretary  
North Dakota Public Service Commission  
State Capitol  
600 East Boulevard, Dept. 408  
Bismarck, ND 58505-0408

**RE: Otter Tail Power Company Meter Readings Waiver – COVID-19  
Docket No. PU-20-159**

Dear Mr. Kahl:

Otter Tail Power Company (Otter Tail) provides this letter to inform the North Dakota Public Service Commission (Commission) that Otter Tail has transitioned back to routine practices and will be reading meters in locations where a meter is located inside an inhabited structure.

In situations where customers or our staff have concerns, we will handle these on a case-by-case basis to accommodate such concerns.

Otter Tail requests that this matter be closed.

An electronic copy of this filing is being sent to [ndpsc@nd.gov](mailto:ndpsc@nd.gov) and an original is being sent by U.S. mail. If you have any questions regarding this filing, please contact me at 218-739-8657 or at [molsen@otpc.com](mailto:molsen@otpc.com).

Sincerely,

*/s/MATTHEW J. OLSEN*  
Matthew J. Olsen  
Manager, Regulatory Proceedings and Compliance

tlk  
By electronic filing and U.S. mail

24 PU-20-159 Filed 09/27/2021 Pages: 1  
Letter regarding resuming onsite meter readings  
Otter Tail Power Company  
Matthew Olsen