



NOTES:

1. THE DIMENSIONS PROVIDED FROM THE DWELLINGS TO THE 230 KV CONDUCTOR IS ESTIMATED TO HAVE A TOLERANCE OF +/- 5 FEET. THE DIMENSIONAL DATA WAS OBTAINED VIA AERIAL IMAGERY FROM ESRI WORLD IMAGERY DATA BASE. THE AERIAL IMAGERY LOCATION WAS CONFIRMED TO BE WITHIN 5 FEET USING SURVEY CONTROL POINTS AT THE SUBSTATION.

46 PU-21-151 Filed: 10/7/2021 Pages: 1
 Late Filed Exhibit 9 - Map of distance from residences to 230 kv conductor

Montana-Dakota Utilities Co.

EXHIBIT
9
 PU-21-151



THIS DRAWING WAS PREPARED BY POWER ENGINEERS, INC. FOR A SPECIFIC PROJECT. MAKING ANY CHANGES TO THIS DRAWING WITHOUT THE WRITTEN PERMISSION OF POWER ENGINEERS, INC. IS PROHIBITED. THIS DRAWING IS FOR INFORMATION PURPOSES ONLY. ANY INFORMATION CONTAINED HEREIN IS NOT TO BE USED FOR ANY PURPOSES OTHER THAN THAT SPECIFICALLY INTENDED. ANY CHANGES TO THIS DRAWING MUST BE WRITTEN AND APPROVED BY POWER ENGINEERS, INC.

ISSUED FOR PERMIT
 DATE: 10/08/21 PROJ# 164319

REV	REVISIONS	DATE	DRN	DSGN	CKD	APPD	REFERENCE DRAWINGS
A	ISSUED FOR PERMIT	10/08/21	JDB	JDB	BB	CS	

DSGN	JDB	10/08/21
DRN	JDB	10/08/21
CKD	BB	10/08/21
SCALE: NONE		
FOR 1"X17" DWG ONLY		



MANDAN SUBSTATION REROUTE	JOB NUMBER	REV
230KV TRANSMISSION LINE	164319	
MANDAN SUBSTATION PLAN VIEW EXHIBIT 9	DRAWING NUMBER	
	EXHIBIT-9	