

STATE OF NORTH DAKOTA
PUBLIC SERVICE COMMISSION

Montana-Dakota Utilities Co.
Electric Service Agreement - Applied Blockchain
Approval

Case No. PU-22-371

NOTICE OF OPPORTUNITY FOR HEARING

October 27, 2022

On September 21, 2022, Montana-Dakota Utilities Co. (MDU) filed an application for approval of an electric service agreement with a new prospective customer. The agreement provides that the customer would take electric service from MDU under a new High Density Demand Response Rate 45 schedule.

The issues to be considered in this proceeding are:

1. What is the value of MDU's property, used and useful, for the service and convenience of the public in North Dakota?
2. What is a just and reasonable rate of return on MDU's property, used and useful, for the service and convenience of the public in North Dakota?
3. What rates and charges are necessary to provide a just and reasonable rate of return on MDU's property, used and useful, for the service and convenience of the public in North Dakota?
4. Are MDU's rate schedules designed in such a manner that they result in a basis of charge to its customers that is just and reasonable without undue discrimination?
5. Whether the electric service agreement should be approved.

Those interested are invited to comment on the application in writing. Persons desiring a hearing must file a written request identifying their interest in the proceeding and the reasons for requesting a hearing. **Comments and requests for hearing must be received by December 8, 2022.** If deemed appropriate, the Commission can determine the matter without a hearing.

For more information contact the Public Service Commission, State Capitol, Bismarck, North Dakota 58505, 701-328-2400 or Relay North Dakota 1-800-366-6888

TTY. If you require any auxiliary aids or services, such as readers, signers, or Braille materials, please notify the Commission 24 hours in advance.

PUBLIC SERVICE COMMISSION



Randy Christmann
Commissioner



Julie Fedorchak
Chair



Sheri Haugen-Hoffart
Commissioner