

Thompson, Pamela J.

From: no-reply@efilingmail.tylertech.cloud
Sent: Wednesday, April 10, 2024 8:27 AM
To: Thompson, Pamela J.
Subject: Filing Accepted for Case: 08-2024-CV-00694; Casey Voigt, et al. vs. North Dakota Public Service Commission, et al.; Envelope Number: 5616523

******* CAUTION:** This email originated from an outside source. Do not click links or open attachments unless you know they are safe. *********

Filing Accepted

Envelope Number: 5616523
Case Number: 08-2024-CV-00694
Case Style: Casey Voigt, et al. vs. North Dakota Public Service Commission, et al.



The filing below was reviewed and has been accepted by the clerk's office. You may access the file copy of the document filed by clicking on the below link.

Filing Details	
Court	Burleigh County
Case Number	08-2024-CV-00694
Case Style	Casey Voigt, et al. vs. North Dakota Public Service Commission, et al.
Date/Time Submitted	4/9/2024 4:32 PM CST
Date/Time Accepted	4/10/2024 8:27 AM CST
Accepted Comments	
Filing Type	Exhibit
Filing Description	CR Exhibit 26 - Exhibit 9 - COY-035 OB Sample Analyses
Activity Requested	EFileAndServe
Filed By	Pamela Thompson
Filing Attorney	John Schuh

Document Details	
Lead Document	CR Exhibit 26 - Exhibit 9 - COY-035 OB Sample Analyses.pdf
Lead Document Page Count	11
File Copy	View Document

This link is active for 30 days. To access this document, you will be required to enter your email address. Click [here](#) for more information. If the link above is not accessible, copy this URL into your browser's address bar to view the document:


<https://northdakota.tylertech.cloud/ViewDocuments.aspx?FID=f382d023-f683-41b6-85aa-ec9c9d3c8302>

For technical assistance, contact your service provider or
North Dakota Court's Information Technology Department 701-328-4218
Please do not reply to this email. It was automatically generated.

Casey and Julie Voigt v. Coyote Creek Mining Company, LLC
Case No. RC-23-348

COY-035 OB Sample Analyses

Voigt Exhibit 9





604 Highway 15 West
 P.O. Box 510
 Northwood, ND 58267
 (701) 587-6010
 FAX (701) 587-6013
 email: agvise@polarccmm.com
 Homepage: www.agvise.com

Coyote Creek
 204 County Rd 15
 Beulah, ND 58523

Date Sampled: 08/16/12
 Date Received: 08/26/12
 Date Reported: 01/29/13

Site: CC12101C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14380841	55266	0-5	2.24	10.97	7.0	3.2	14.4	6.36	7.72	LOAMY SAND	81	11	8	30.4
14380842	55268	5-10	2.32	11.20	3.9	5.8	16.3	7.45	8.08	SANDY LOAM	73	13	14	53.0
14380843	55269	10-15	2.24	10.72	5.1	5.1	13.9	6.15	8.35	SANDY LOAM	65	17	18	51.4
14380844	55270	15-20	1.70	10.36	2.5	2.3	12.8	8.25	8.32	SANDY LOAM	69	13	18	49.5
14380845	55272	20-25	1.92	9.96	1.4	1.2	16.5	14.48	8.35	SANDY CLAY LOAM	45	15	40	82.6
14380846	55280	25-28.55	2.15	10.88	1.6	1.3	20.5	17.20	7.58	CLAY	33	15	52	96.8
14380847	55281	40.5-45.5	1.40	10.13	0.3	0.3	13.6	24.59	7.96	CLAY	13	11	76	162.2



604 Highway 15 West
P.O. Box 510
Northwood, ND 58267

(701) 587-6010
FAX (701) 587-6013

email: agvise@polarcomm.com
Homepage: www.agvise.com

Coyote Creek
204 County Rd 15
Beulah, ND 58523

Date Sampled: 08/30/12
Date Received: 09/10/13
Date Reported: 01/31/13

Site: CC12143C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14384301	68765	0-5	6.52	14.20	13.8	18.6	60.2	14.98	8.19	SILTY CLAY	16	41	43	80.9
14384302	68766	5-10	2.49	10.65	0.6	1.0	24.9	27.94	8.87	CLAY LOAM	27	37	36	137.1
14384303	68767	10-15	6.61	17.03	3.6	3.7	105.3	55.05	8.66	CLAY LOAM	24	41	35	121.8
14384304	68768	15-20	2.43	10.35	0.6	0.5	24.1	32.43	8.74	CLAY	7	29	64	132.5
14384305	68769	20-24.7	2.35	10.80	0.8	0.7	23.9	27.33	7.53	CLAY	18	17	65	100.2
14384306	68770	35.7-40.7	3.23	11.22	3.1	2.2	30.9	19.00	7.81	CLAY	17	17	66	109.9



604 Highway 15 West
P.O. Box 510
Northwood, ND 58267

(701) 587-6010
FAX (701) 587-6013

email: agvise@polarcomm.com
Homepage: www.agvise.com

Coyote Creek
204 County Rd 15
Beulah, ND 58523

Date Sampled: 08/28/12
Date Received: 09/10/12
Date Reported: 02/01/13

Site: CC12129C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14355631	68728	0-5	2.44	11.43	5.0	6.1	16.8	7.12	7.91	SANDY CLAY LOAM	53	25	22	42.4
14355632	68729	5-10	6.57	13.34	8.2	18.2	61.3	16.90	8.23	CLAY	29	29	42	65.3
14355633	68730	10-15	10.92	16.62	25.7	50.0	105.7	17.18	6.23	CLAY	21	23	56	73.7
14355634	68731	15-20	7.89	14.94	22.3	24.8	70.8	14.57	7.94	CLAY	9	21	70	94.4
14355635	68732	20-25	3.32	10.99	1.6	1.6	33.3	26.33	8.44	CLAY	16	35	49	103.9
14355636	68733	25-29.45	4.03	10.60	2.0	3.6	37.1	22.08	8.68	CLAY LOAM	21	51	28	85.9
14355637	68734	31-35	2.94	9.38	0.8	0.7	26.1	30.81	8.33	CLAY	11	19	70	97.4
14355638	68735	35-40	3.96	9.05	0.9	0.7	34.3	39.43	8.74	SILTY CLAY	5	43	52	109.1
14355639	68736	40-45	2.69	9.91	0.5	0.4	25.7	37.70	8.97	SILTY CLAY LOAM	18	49	33	113.7
14355640	68737	45-50	2.95	10.98	0.6	0.5	31.3	42.46	8.24	CLAY	14	37	49	111.1
14355641	68738	50-55	1.60	10.82	0.3	0.2	16.8	31.59	9.18	CLAY LOAM	28	39	33	128.0
14355642	68739	55-60	1.84	9.62	0.4	0.3	17.1	30.72	9.17	CLAY LOAM	39	29	32	115.9
14355643	68740	60-65	1.74	10.15	0.2	0.2	17.3	38.62	9.31	SANDY CLAY LOAM	66	13	21	97.3
14355644	68741	65-70	2.08	10.00	0.4	0.2	20.2	36.42	9.04	SANDY LOAM	74	11	15	77.0
14355645	68742	70-75	1.55	9.49	0.3	0.2	14.2	29.46	9.40	CLAY LOAM	20	41	39	98.6
14355646	68743	75-80	1.57	9.60	0.4	0.2	14.5	26.48	9.37	CLAY LOAM	30	37	33	104.9
14355647	68744	80-85	2.19	10.14	0.5	0.3	21.4	34.12	8.93	SILTY CLAY	16	43	41	118.0
14355648	68745	85-89.5	4.45	9.69	1.9	1.7	39.5	29.58	8.49	CLAY	22	31	47	136.5
14355649	68746	101-106	3.71	10.91	0.8	0.7	39.0	44.85	8.07	CLAY	16	35	49	83.8



604 Highway 15 West
 P.O. Box 510
 Northwood, ND 58267

(701) 587-6010
 FAX (701) 587-6013

email: agvise@polarcomm.com
 Homepage: www.agvise.com

Coyote Creek
 204 County Rd 15
 Beulah, ND 58523

Date Sampled: 08/23/12
 Date Received: 09/10/13
 Date Reported: 01/31/13

Site: CC12127C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14384231	68705	0-5	3.33	10.81	1.5	5.5	29.0	15.52	8.57	CLAY	27	21	52	77.3
14384232	68707	5-10	10.38	15.65	21.0	43.9	97.5	17.12	8.21	CLAY LOAM	31	35	34	74.3
14384233	68708	10-15	5.10	11.34	3.6	7.7	46.6	19.60	8.40	CLAY LOAM	21	43	36	90.7
14384234	68709	15-20	2.65	9.72	0.7	0.9	24.2	27.24	8.79	SILTY CLAY LOAM	13	49	38	118.7
14384235	68710	20-25	3.23	9.98	0.7	0.8	30.7	34.66	9.01	CLAY LOAM	25	45	30	98.6
14384236	68711	25-30	2.73	10.06	0.5	0.5	26.4	36.89	8.85	SILTY CLAY LOAM	15	47	38	118.4
14384237	68712	30-35	3.73	8.10	0.5	0.5	29.3	42.04	8.71	LOAM	41	37	22	71.7
14384238	68714	35-40	2.18	10.39	0.5	0.3	21.9	35.27	9.01	SILTY CLAY	9	45	46	129.1
14384239	68715	40-45	2.73	10.34	0.3	0.3	27.6	48.81	8.93	CLAY LOAM	29	35	36	100.9
14384240	68716	45-50	2.55	10.05	0.3	0.3	25.0	46.00	8.73	CLAY	3	37	60	96.4
14384241	68718	50-54.35	2.52	10.34	0.4	0.3	25.3	41.61	8.31	CLAY	13	17	70	129.3
14384242	68719	65.3-70.3	4.73	10.96	1.3	1.4	49.2	42.82	6.86	CLAY	27	11	62	101.5



604 Highway 15 West
P.O. Box 510
Northwood, ND 58267

(701) 587-6010
FAX (701) 587-6013

email: agvise@polarcomm.com
Homepage: www.agvise.com

Coyote Creek
204 County Rd 15
Beulah, ND 58523

Date Sampled: 08/27/12
Date Received: 09/10/12
Date Reported: 02/01/13

Site: CC12120C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14355701	68598	0-5	3.18	9.62	1.3	3.5	25.8	16.73	8.48	CLAY LOAM	35	31	34	64.9
14355702	68599	5-10	8.55	14.77	20.9	31.7	73.6	14.35	8.19	CLAY LOAM	39	25	36	66.0
14355703	68600	10-15	8.11	16.20	21.3	27.7	82.4	16.64	8.07	SILTY CLAY	15	41	44	84.4
14355704	68602	15-20	3.59	11.04	2.6	4.2	32.9	17.86	8.42	CLAY LOAM	23	45	32	96.7
14355705	68603	20-25	1.82	10.05	0.7	0.9	16.7	18.35	8.64	LOAM	29	45	26	98.2
14355706	68604	25-30	2.18	10.11	0.5	0.7	20.9	27.07	8.64	SANDY CLAY LOAM	49	27	24	82.4
14355707	68606	30-35	4.62	10.28	3.0	2.5	41.9	25.17	7.02	CLAY LOAM	43	21	36	91.0
14355708	68607	35-40	3.02	9.03	0.7	0.6	26.0	32.10	8.09	CLAY	11	25	64	132.1
14355709	68608	40-45	1.99	10.48	0.5	0.4	20.0	31.21	8.81	CLAY LOAM	21	39	40	124.1
14355710	68609	45-50	3.07	10.70	0.7	0.6	31.5	38.99	8.08	CLAY	19	25	56	110.2
14355711	68611	50-55	1.62	9.87	0.2	0.2	15.6	34.45	9.05	CLAY	17	39	44	154.7
14355712	68612	55-60	2.09	10.41	0.5	0.3	21.0	33.43	8.78	SILTY CLAY LOAM	19	41	40	125.9
14355713	68613	60-65	2.51	9.02	0.2	0.2	22.2	47.76	8.86	CLAY LOAM	23	39	38	113.3
14355714	68615	65-70	2.85	10.53	0.5	0.4	29.0	41.32	8.79	CLAY	17	35	48	134.5
14355715	68616	70-75	2.27	9.75	0.6	0.4	21.1	29.20	8.68	CLAY	11	29	60	131.2
14355716	68617	75-76.9	2.41	11.06	0.4	0.3	25.9	42.04	7.80	CLAY	21	13	66	115.1
14355717	68618	87.7-92.7	3.02	10.51	0.5	0.4	30.8	43.98	7.90	CLAY	23	35	42	86.2



604 Highway 15 West
P.O. Box 510
Northwood, ND 58267

(701) 587-6010
FAX (701) 587-6013

email: agvise@polarcomm.com
Homepage: www.agvise.com

Coyote Creek
204 County Rd 15
Beulah, ND 58523

Date Sampled: 08/27/12
Date Received: 09/10/12
Date Reported: 02/01/13

Site: CC12122C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14384121	68642	0-5	3.16	10.61	13.5	7.5	12.6	3.88	7.08	CLAY LOAM	37	35	28	50.2
14384122	68643	5-10	1.33	11.32	6.3	3.9	4.9	2.17	7.81	CLAY LOAM	43	23	34	51.5
14384123	68645	10-15	1.24	11.61	5.9	4.9	3.5	1.51	7.58	CLAY LOAM	39	27	34	56.4
14384124	68646	15-20	1.65	12.11	7.8	5.8	6.4	2.46	7.72	CLAY LOAM	37	27	36	57.9
14384125	68647	20-25	1.18	11.21	5.9	2.8	4.5	2.17	7.62	SANDY CLAY LOAM	55	23	22	39.7
14384126	68648	25-30	3.48	13.73	26.7	11.6	9.5	2.16	6.46	SANDY CLAY LOAM	55	19	26	63.7
14384127	68649	30-35	2.09	10.99	7.2	3.0	12.8	5.68	7.81	SILTY CLAY	17	41	42	77.0
14384128	68650	35-40	2.48	8.64	2.6	1.1	17.7	12.92	8.31	SILTY CLAY	15	41	44	91.8
14384129	68651	40-45	2.76	10.20	2.2	1.3	24.6	18.40	8.40	CLAY LOAM	23	39	38	97.1
14384130	68653	45-50	2.33	9.85	1.2	0.8	21.0	21.33	8.52	CLAY LOAM	27	37	36	110.1
14384131	68654	50-55	2.87	9.73	0.7	0.5	26.7	34.23	8.62	CLAY	9	37	54	107.8
14384132	68655	55-60	4.67	10.76	1.6	1.4	47.3	39.14	7.50	CLAY LOAM	33	35	32	96.2
14384133	68656	60-65	3.16	10.11	0.6	0.5	30.9	43.13	8.16	CLAY LOAM	23	37	40	109.1
14384134	68658	65-70	2.91	10.25	0.4	0.3	29.1	47.82	8.84	CLAY LOAM	33	33	34	108.8
14384135	68659	70-75	1.95	10.04	0.5	0.6	18.5	25.22	9.00	SILTY CLAY	15	41	44	136.7
14384136	68660	75-80.4	2.12	10.12	0.4	0.4	20.6	32.03	8.40	CLAY	13	19	68	123.8
14384137	68661	92.8-97.8	2.20	9.54	0.5	0.2	20.3	33.85	7.76	CLAY	19	25	56	115.4



604 Highway 15 West
 P.O. Box 510
 Northwood, ND 58267
 (701) 587-6010
 FAX (701) 587-6013

email: agvise@polarcomm.com
 Homepage: www.agvise.com

Coyote Creek
 204 County Rd 15
 Beulah, ND 58523

Date Sampled: 08/24/12
 Date Received: 09/10/12
 Date Reported: 02/01/13

Site: CC12121C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14384261	68620	0-5	2.14	11.94	4.7	6.4	14.4	6.11	7.91	CLAY LOAM	39	29	32	50.3
14384262	68621	5-10	2.84	10.14	3.5	7.1	18.2	7.92	8.13	CLAY	31	27	42	80.1
14384263	68623	10-15	2.08	10.99	2.3	2.7	17.8	11.23	8.19	CLAY LOAM	43	29	28	61.9
14384264	68624	15-20	2.87	11.16	3.8	3.8	24.4	12.45	7.62	CLAY	11	13	76	101.9
14384265	68625	20-25	2.11	9.95	1.2	1.0	18.9	18.21	8.37	CLAY	17	31	52	111.7
14384266	68626	25-30	2.00	9.91	0.8	0.7	18.3	20.91	8.40	CLAY	13	33	54	128.1
14384267	68627	30-35	3.83	10.40	1.4	1.2	37.2	32.33	7.20	CLAY	43	13	44	115.3
14384268	68628	35-40	3.45	10.63	1.2	1.1	34.5	32.76	7.81	CLAY	19	17	64	121.9
14384269	68629	40-45	2.22	10.43	0.5	0.3	22.3	35.09	9.00	CLAY LOAM	23	43	34	127.8
14384270	68630	45-50	2.52	9.43	0.4	0.4	22.9	36.00	8.76	CLAY	7	19	74	139.6
14384271	68631	50-55	2.19	10.29	0.3	0.2	22.0	41.66	9.02	CLAY	13	25	62	138.8
14384272	68632	55-60	1.67	10.54	0.3	0.2	17.1	34.11	9.12	CLAY LOAM	27	43	30	134.8
14384273	68634	60-65	1.57	10.98	0.6	0.4	16.2	23.03	8.94	CLAY LOAM	33	37	30	123.4
14384274	68635	65-70	1.55	10.68	0.3	0.3	16.0	29.41	9.08	CLAY LOAM	27	41	32	127.4
14384275	68636	70-75	2.20	8.92	0.3	0.2	19.1	36.46	8.91	CLAY	17	35	48	129.9
14384276	68638	75-80.8	2.00	10.42	0.6	0.4	19.9	28.67	8.53	CLAY	17	19	64	124.8
14384277	68639	91.75-96.75	4.27	10.59	1.2	1.1	42.9	39.94	6.80	CLAY	19	15	66	110.3



604 Highway 15 West
P.O. Box 510
Northwood, ND 58267

(701) 587-6010
FAX (701) 587-6013

email: agvise@polarcomm.com
Homepage: www.agvise.com

Coyote Creek
204 County Rd 15
Beulah, ND 58523

Date Sampled: 08/27/12
Date Received: 09/10/12
Date Reported: 02/01/13

Site: CC12123C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14355681	68669	0-5	2.00	11.05	2.4	4.6	15.1	8.09	8.07	CLAY LOAM	43	25	32	57.5
14355682	68671	5-10	5.21	14.45	20.0	27.2	28.0	5.76	7.85	SANDY CLAY LOAM	47	19	34	57.3
14355683	68672	10-15	2.13	12.23	9.5	5.7	10.8	3.91	8.02	SAND	97	3	0	29.8
14355684	68673	15-20	2.45	12.06	9.7	5.9	13.9	4.96	7.85	SAND	95	3	2	32.1
14355685	68675	20-25	2.47	12.11	10.2	6.2	13.5	4.72	7.95	SAND	93	3	4	28.2
14355686	68676	25-30	3.99	12.05	19.2	10.4	18.5	4.80	7.79	SAND	91	5	4	28.8
14355687	68677	30-35	3.05	12.54	10.9	7.0	20.4	6.83	7.87	SAND	89	5	6	27.0
14355688	68678	35-40	5.25	14.49	21.8	15.1	39.1	9.11	7.30	SANDY LOAM	69	17	14	38.0
14355689	68679	40-45	4.29	11.26	9.3	6.6	32.4	11.46	7.74	LOAM	39	35	26	62.1
14355690	68681	45-50	3.77	10.97	4.6	3.6	33.1	16.33	7.68	CLAY LOAM	31	29	40	67.6
14355691	68682	50-55	3.37	9.90	1.8	1.4	30.1	23.74	8.38	CLAY LOAM	39	21	40	75.3
14355692	68684	55-60	3.41	10.82	1.2	1.0	34.7	33.18	8.07	CLAY	37	19	44	78.3
14355693	68685	60-65	2.55	10.37	0.4	0.3	25.8	44.95	8.91	SANDY CLAY LOAM	53	19	28	76.9
14355694	68686	65-70	3.21	10.20	0.4	0.3	32.0	51.40	8.90	SANDY CLAY LOAM	51	25	24	75.0
14355695	68688	70-75	2.35	9.69	0.3	0.2	22.3	44.28	9.22	SANDY CLAY LOAM	59	19	22	90.2
14355696	68689	75-80	2.15	10.44	0.1	0.1	22.2	63.67	9.29	SANDY LOAM	71	13	16	82.7
14355697	68690	80-85	2.22	9.92	0.3	0.4	21.4	37.22	9.15	SANDY LOAM	67	13	20	90.2
14355698	68691	85-90	1.96	9.90	0.1	0.1	19.2	61.72	9.30	SANDY LOAM	69	13	18	89.7
14355699	68692	90-93	1.70	9.85	0.2	0.2	16.3	36.47	9.15	SANDY CLAY LOAM	57	15	28	91.3
14355700	68693	105-110	2.27	10.58	0.6	0.6	22.8	29.31	8.29	CLAY	13	23	64	127.3



604 Highway 15 West
 P.O. Box 510
 Northwood, ND 58267
 (701) 587-6010
 FAX (701) 587-6013
 email: agvise@polarcomm.com
 Homepage: www.agvise.com

Coyote Creek
 204 County Rd 15
 Beulah, ND 58523

Date Sampled: 08/27/12
 Date Received: 09/10/13
 Date Reported: 01/31/13

Site: CC12125C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14384221	68695	0-5	10.83	16.21	18.3	46.2	111.1	19.56	8.25	CLAY LOAM	29	35	36	63.4
14384222	68697	5-10	11.81	15.32	22.0	30.6	128.4	25.05	8.34	CLAY LOAM	33	31	36	62.7
14384223	68698	10-15	3.95	8.84	1.8	2.1	30.9	21.90	8.47	CLAY	27	31	42	114.3
14384224	68699	15-20	4.09	9.41	2.1	2.4	34.0	22.68	8.41	CLAY	21	37	42	107.4
14384225	68701	20-25	3.30	10.65	1.6	1.8	31.7	24.10	8.50	SILTY CLAY LOAM	19	43	38	108.9
14384226	68702	25-30.45	3.19	10.70	1.6	1.5	31.0	25.00	8.39	CLAY	7	29	64	112.3
14384227	68704	41.8-46.8	1.78	11.52	0.5	0.4	19.6	29.81	8.07	CLAY	21	33	46	101.5