

Thompson, Pamela J.

From: no-reply@efilingmail.tylertech.cloud
Sent: Wednesday, April 10, 2024 8:31 AM
To: Thompson, Pamela J.
Subject: Filing Accepted for Case: 08-2024-CV-00694; Casey Voigt, et al. vs. North Dakota Public Service Commission, et al.; Envelope Number: 5616607

***** **CAUTION:** This email originated from an outside source. Do not click links or open attachments unless you know they are safe. *****

Filing Accepted

Envelope Number: 5616607
Case Number: 08-2024-CV-00694
Case Style: Casey Voigt, et al. vs. North Dakota Public Service Commission, et al.



The filing below was reviewed and has been accepted by the clerk's office. You may access the file copy of the document filed by clicking on the below link.

Filing Details	
Court	Burleigh County
Case Number	08-2024-CV-00694
Case Style	Casey Voigt, et al. vs. North Dakota Public Service Commission, et al.
Date/Time Submitted	4/9/2024 5:00 PM CST
Date/Time Accepted	4/10/2024 8:30 AM CST
Accepted Comments	
Filing Type	Exhibit
Filing Description	CR Exhibit 40 - Exhibit 23 - COY-038 OB Sample Analyses
Activity Requested	EFileAndServe
Filed By	Pamela Thompson
Filing Attorney	John Schuh

Document Details	
Lead Document	CR Exhibit 40 - Exhibit 23 - COY-038 OB Sample Analyses.pdf
Lead Document Page Count	8
File Copy	View Document

This link is active for 30 days. To access this document, you will be required to enter your email address. Click [here](#) for more information. If the link above is not accessible, copy this URL into your browser's address bar to view the document:


<https://northdakota.tylertech.cloud/ViewDocuments.aspx?FID=03a92975-cfc8-4f6e-af41-8e2a3d79fe97>

For technical assistance, contact your service provider or
North Dakota Court's Information Technology Department 701-328-4218
Please do not reply to this email. It was automatically generated.

Casey and Julie Voigt v. Coyote Creek Mining Company, LLC
Case No. RC-23-348

COY-038 OB Sample Analyses

Voigt Exhibit 23





604 Highway 15 West
 P.O. Box 510
 Northwood, ND 58267

(701) 587-6010
 FAX (701) 587-6013

email: agvise@polarcomm.com
 Homepage: www.agvise.com

Coyote Creek
 204 County Rd 15
 Beulah, ND 58523

Date Sampled: 08/13/12
 Date Received: 08/07/12
 Date Reported: 01/24/13

Site: CC12091C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14378351	49501	0-5	2.58	12.14	1.6	5.7	24.0	12.55	8.4	CLAY LOAM	44	23	33	64.6
14378352	49502	5-10	8.20	17.29	24.7	47.1	70.1	11.70	8.1	CLAY LOAM	35	26	39	84.4
14378353	49503	10-15	5.15	13.89	9.6	15.6	46.4	13.09	8.1	CLAY	30	29	41	79.8
14378354	49504	15-20	2.70	11.93	3.2	3.4	25.6	14.01	8.2	CLAY	28	29	43	88.6
14378355	49505	20-25	3.53	12.04	6.4	6.1	30.0	12.01	8.1	CLAY	20	29	51	86.1
14378356	49506	25-30	2.37	10.47	2.8	2.8	19.2	11.51	8.2	CLAY	8	31	61	113.9
14378357	49507	30-35	2.46	10.05	1.9	1.6	21.3	16.21	8.5	CLAY	8	35	57	114.2
14378358	49508	35-40	2.35	10.26	1.3	1.0	21.8	20.40	8.4	CLAY	6	35	59	105.0
14378359	49509	40-45	2.32	9.94	0.7	0.6	21.8	27.35	8.3	CLAY	4	11	85	129.2
14378360	49510	45-50	2.81	11.00	1.2	1.0	28.8	27.89	7.6	CLAY	8	33	59	83.4
14378361	49511	50-55	2.55	10.08	0.6	0.4	24.8	36.47	8.4	CLAY	2	17	81	105.8
14378362	49512	55-60	2.34	10.38	0.4	0.3	23.6	39.91	8.5	CLAY	0	19	81	113.5
14378363	49513	60-65	2.27	10.07	0.4	0.2	22.3	41.42	8.8	SILTY CLAY	8	41	51	133.0
14378364	49514	65-70	2.82	10.48	0.6	0.4	28.5	40.43	8.7	LOAM	42	33	25	68.8
14378365	49515	70-75	2.70	11.27	0.5	0.4	29.6	44.54	8.4	CLAY	4	33	63	110.5
14378366	49516	75-80	2.04	10.68	0.3	0.3	21.3	41.14	8.7	SILTY CLAY	14	41	45	121.1
14378367	49517	80-85	1.88	11.44	0.6	0.5	20.4	27.39	8.5	CLAY	6	35	59	111.8
14378368	49518	85-90	1.74	11.23	0.5	0.3	18.7	29.39	8.4	SILTY CLAY	10	47	43	108.8
14378369	49519	90-95	1.87	9.55	0.6	0.5	16.7	22.19	8.6	SILTY CLAY	6	47	47	115.2
14378370	49520	95-100	1.97	9.65	0.7	0.4	17.9	24.62	8.5	SILTY CLAY	10	47	43	122.5
14378371	49521	100-105	1.46	11.20	0.4	0.4	15.6	24.53	8.8	SILTY CLAY LOAM	14	49	37	130.1
14378372	49522	105-110	1.85	10.26	0.2	0.2	18.6	43.22	8.9	CLAY	11	34	55	123.6
14378373	49523	110-115	1.88	10.49	0.3	0.2	19.3	41.15	8.9	CLAY	8	37	55	141.3
14378374	49524	115-120	2.27	9.06	0.2	0.2	20.2	44.20	8.9	CLAY	10	29	61	144.7
14378375	49525	120-125	2.17	11.60	0.3	0.2	24.6	47.45	8.6	SILTY CLAY	8	47	45	128.6

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14378376	49526	125-130	1.48	11.15	0.3	0.2	16.0	31.32	8.8	SILTY CLAY	8	47	45	138.1
14378377	49527	130-135	1.78	10.55	0.4	0.4	18.1	29.92	8.6	CLAY	4	35	61	122.3
14378378	49528	135-136.2	2.34	12.25	0.9	0.6	27.2	31.56	7.6	CLAY	34	19	47	93.2
14378379	49529	147.95-152.95	1.85	10.03	0.5	0.4	17.6	25.85	7.5	CLAY	14	17	69	122.4



604 Highway 15 West
P.O. Box 510
Northwood, ND 58267

(701) 587-6010
FAX (701) 587-6013

email: agvise@polarcomm.com
Homepage: www.agvise.com

Coyote Creek
204 County Rd 15
Beulah, ND 58523

Date Sampled: 08/13/12
Date Received: 08/07/12
Date Reported: 01/21/13

Site: CC12086C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14378111	49367	0-5	1.00	10.65	2.2	2.9	5.5	3.44	7.80	CLAY LOAM	44	23	33	48.3
14378112	49368	5-10	5.10	18.07	23.8	35.1	33.3	6.13	7.90	CLAY LOAM	41	24	35	62.2
14378113	49369	10-15	5.43	14.39	16.7	24.2	37.3	8.26	7.90	CLAY LOAM	37	24	39	68.0
14378114	49370	15-20	3.44	12.11	7.1	9.0	25.5	8.99	7.90	CLAY	16	17	67	99.3
14378115	49371	20-25	4.36	12.59	8.1	13.2	33.6	10.29	7.30	CLAY	24	31	45	75.2
14378116	49372	25-30	7.40	15.34	23.5	33.8	56.3	10.51	6.80	CLAY	16	35	49	80.0
14378117	49373	30-35	3.88	10.87	2.3	5.0	34.9	18.26	8.20	CLAY	18	39	43	108.8
14378118	49374	35-40	4.05	10.67	1.8	3.5	37.9	23.33	8.57	SILTY CLAY LOAM	14	47	39	101.0
14378119	49375	40-45	2.91	11.27	1.2	1.8	29.8	24.17	8.40	CLAY LOAM	23	44	33	102.0
14378120	49376	45-50	3.26	10.51	1.7	2.2	30.4	21.77	8.40	LOAM	35	38	27	81.4
14378121	49377	50-55	1.57	10.25	0.4	0.4	15.2	22.98	8.70	CLAY LOAM	27	44	29	112.0
14378122	49378	55-60	1.78	10.50	0.6	0.4	17.7	24.48	9.00	CLAY	12	37	51	129.5
14378123	49379	60-65	2.11	9.37	0.4	0.4	19.0	31.64	8.86	CLAY LOAM	21	42	37	101.3
14378124	49380	65-70	2.12	10.51	0.5	0.4	21.4	32.49	8.40	SILTY CLAY LOAM	19	44	37	119.8
14378125	49381	70-75	1.74	8.93	0.3	0.2	15.1	33.16	8.80	CLAY	27	32	41	110.9
14378126	49382	75-80	0.96	10.61	0.2	0.2	9.7	19.84	9.40	CLAY LOAM	25	40	35	143.8
14378127	49383	80-85	1.18	10.16	0.3	0.2	11.5	24.17	9.11	CLAY LOAM	20	49	31	128.4
14378128	49384	85-90	1.20	10.54	0.3	0.2	12.2	24.80	8.80	SILTY CLAY LOAM	19	46	35	135.1
14378129	49385	90-95	1.27	10.73	0.3	0.2	13.1	26.79	8.80	SILTY CLAY LOAM	17	48	35	133.1
14378130	49386	95-100	1.30	9.19	0.1	0.1	11.7	33.18	9.31	CLAY LOAM	26	41	33	146.3
14378131	49387	100-105	1.38	10.99	0.3	0.3	14.6	26.73	9.05	SILTY CLAY LOAM	17	46	37	123.2
14378132	49388	105-110	1.48	9.21	0.3	0.2	13.1	25.98	8.70	SILTY CLAY	7	50	43	122.9
14378133	49389	110-115	1.43	11.07	0.4	0.3	15.2	26.09	8.72	CLAY	5	20	75	128.8
14378134	49390	115-119.15	1.87	11.08	0.5	0.4	19.9	30.06	7.89	CLAY	35	12	53	106.8
14378135	49391	129.3-134.3	3.68	11.84	1.0	0.8	41.7	43.11	8.50	CLAY	31	28	41	117.4



604 Highway 15 West
P.O. Box 510
Northwood, ND 58267
(701) 587-6010
FAX (701) 587-6013
email: agvise@polarcomm.com
Homepage: www.agvise.com

Coyote Creek
204 County Rd 15
Beulah, ND 58523

Date Sampled: 08/16/12
Date Received: 08/20/13 & 08/27/13
Date Reported: 02/05/13

Site: CC12100C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14378171	49556	0-5	2.01	12.46	5.4	8.8	10.9	4.12	7.87	SANDY CLAY LOAM	53	21	26	46.2
14378172	49557	5-10	4.88	14.99	21.3	33.1	18.7	3.58	7.78	SANDY CLAY LOAM	55	23	22	55.2
14378173	49558	10-15	6.44	17.63	25.3	59.8	28.4	4.36	7.66	LOAM	33	41	26	65.1
14378174	49559	15-20	6.39	17.73	25.0	60.8	27.5	4.21	7.45	LOAM	47	29	24	58.5
14378175	49560	20-25	5.44	15.39	21.7	45.6	16.4	2.84	7.51	LOAM	33	41	26	66.6
14378176	49561	25-30	5.45	15.54	24.5	44.9	15.3	2.60	6.50	CLAY	20	39	41	67.8
14378177	49562	30-35	5.30	17.41	23.5	46.1	22.7	3.85	4.10	CLAY LOAM	42	27	31	79.6
14378178	49563	35-40	4.13	13.4	15.1	15.7	24.5	6.25	6.60	CLAY	22	25	53	86.8
14378179	49564	40-45	3.36	11.68	8.3	6.0	24.9	9.30	7.70	CLAY	16	29	55	93.7
14378180	49565	45-50	4.88	13.26	17.9	14.0	32.9	8.25	7.40	CLAY	24	29	47	83.9
14378181	49566	50-55	3.13	9.50	1.7	1.0	26.9	22.85	8.30	CLAY	20	27	53	102.5
14378182	49567	55-60	2.55	10.29	0.8	0.5	25.0	31.36	8.41	CLAY	11	13	76	144.9
14378183	49568	60-65	3.18	11.08	0.9	0.8	33.5	35.70	7.91	CLAY	11	25	64	95.5
14378184	49569	65-70	2.75	10.92	0.6	0.5	28.9	38.96	8.37	CLAY	3	21	76	109.2
14378185	49570	70-75	2.87	9.75	0.5	0.4	27.1	40.75	8.43	CLAY	5	17	78	127.9
14378186	49571	75-80	2.73	10.71	0.6	0.4	28.3	40.25	8.32	CLAY LOAM	23	38	39	114.1
14378187	49572	80-85	1.64	9.89	0.4	0.3	15.5	26.03	9.04	SILTY CLAY	11	44	45	172.9
14378188	49573	85-90	1.91	9.74	0.3	0.2	18.1	34.48	8.98	CLAY	19	34	47	153.8
14380791	55311	90-95	1.45	10.52	0.2	0.2	14.8	31.77	9.03	CLAY	9	25	66	225.1
14380792	55321	95-100	2.30	8.11	0.4	0.5	17.8	26.71	8.65	CLAY	7	17	76	145.8
14380793	55322	100-105	2.21	11.13	0.3	0.2	24.1	47.89	8.49	CLAY	9	11	80	173.0
14380794	55323	105-107.2	2.45	10.84	0.5	0.5	25.6	37.15	8.05	CLAY	17	29	54	137.0
14380795	55327	109-115	1.57	10.39	0.4	0.2	15.7	28.24	8.71	CLAY	15	31	54	144.6
14380796	55329	115-120	2.55	11.35	0.4	0.3	28.2	46.60	8.23	CLAY	19	23	58	126.9
14380797	55330	120-125	3.25	8.67	0.5	0.4	27.3	40.00	8.57	CLAY	22	33	45	116.0

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14380798	55331	125-130	2.33	10.22	0.4	0.3	23.1	37.94	8.82	CLAY	14	29	57	122.4
14380799	55332	130-135	2.52	10.21	0.3	0.2	25.2	48.62	8.36	CLAY	21	33	46	125.0
14380800	55333	135-140	2.97	10.82	0.7	0.6	30.9	39.46	8.23	CLAY	17	39	44	133.3
14380801	55334	140-145	1.48	11.37	0.3	0.3	16.1	27.42	8.73	SILTY CLAY	9	45	46	148.7
14380802	55335	145-151	2.48	10.50	0.3	0.3	25.5	48.45	8.59	CLAY	9	29	62	133.6
14380803	55336	162.95-167.95	1.50	10.72	0.5	0.3	15.3	24.34	8.04	SILTY CLAY	15	43	42	98.9



604 Highway 15 West
 P.O. Box 510
 Northwood, ND 58267

(701) 587-6010
 FAX (701) 587-6013

email: agvise@polarcomm.com
 Homepage: www.agvise.com

Coyote Creek
 204 County Rd 15
 Beulah, ND 58523

Date Sampled: 08/17/12
 Date Received: 08/27/13
 Date Reported: 02/01/13

Site: CC12103C

<u>Ref#</u>	<u>Lab#</u>	<u>Depth</u>	<u>EC</u>	<u>Cat/EC</u>	<u>Ca</u>	<u>Mg</u>	<u>Na</u>	<u>SAR</u>	<u>pH</u>	<u>Texture</u>	<u>Sand</u>	<u>Silt</u>	<u>Clay</u>	<u>Sat. Percent</u>
14378251	55656	0-5	2.40	9.70	4.5	4.5	14.2	6.70	7.92	CLAY	24	33	43	72.7
14378252	55657	5-10	6.15	17.65	12.4	18.3	77.9	19.88	8.21	CLAY	24	25	51	94.1
14378253	55658	10-15	2.50	9.84	0.8	1.0	22.8	23.77	8.59	CLAY LOAM	20	45	35	132.8
14378254	55659	15-20	2.86	10.07	0.6	0.6	27.6	34.75	8.48	CLAY	0	17	83	135.2
14378255	55660	20-25	4.22	10.90	1.8	1.6	42.7	33.10	7.52	CLAY	18	35	47	100.6
14378256	55661	25-30	2.68	8.76	0.5	0.4	22.6	35.32	8.71	CLAY	20	39	41	110.3
14378257	55662	30-35	2.05	10.60	0.4	0.3	21.0	35.04	8.90	CLAY	6	39	55	117.8
14378258	55663	35-40	1.59	10.14	0.2	0.2	15.6	31.71	8.82	CLAY	20	31	49	130.7
14378259	55664	40-45	1.22	9.75	0.2	0.3	11.3	21.54	8.92	CLAY LOAM	26	39	35	165.3
14378260	55665	45-50	3.95	12.34	0.9	1.0	46.9	48.15	8.78	CLAY	10	37	53	147.1
14378261	55666	50-55	1.15	10.15	0.3	0.4	11.0	18.91	8.46	CLAY LOAM	30	41	29	145.2
14378262	55667	55-60	1.30	10.02	0.2	0.3	12.5	23.59	9.11	CLAY LOAM	24	43	33	144.3
14378263	55668	60-65	1.45	10.69	0.3	0.3	14.9	27.13	9.18	LOAM	38	35	27	130.3
14378264	55669	65-70	1.46	10.55	0.5	0.3	14.7	23.95	8.78	SILTY CLAY	12	47	41	143.4
14378265	55670	70-75	1.85	8.21	0.4	0.3	14.5	24.08	8.91	SILTY CLAY	12	45	43	149.6
14378266	55671	75-80	1.92	9.74	0.3	0.3	18.1	33.39	8.66	CLAY	4	15	81	149.4
14378267	55672	80-82.3	1.95	11.66	0.5	0.4	21.9	34.06	8.00	CLAY	22	17	61	135.2
14378268	55673	94.2-99.2	3.04	9.89	0.7	0.5	28.8	36.83	7.27	CLAY	14	13	73	139.8