

Appendix G

Updated Soil Types for the Badger Wind Project

Badger Wind, LLC
February 2024

THIS PAGE INTENTIONALLY BLANK

Badger Wind, LLC

Application for Amended Certificate of Site Compatibility

Appendix G: Updated Soil Types for the Badger Wind Project

Appendix G: Updated Soil Types for the Badger Wind Project

Map Unit Name	Soil Name	Study		Project Area		Farmland Designation	Hydric Soil	K-Factor	Wind Erodibility Group	Slope Range
		Acres	%	Acres	%					
C131C	Williams loam, 6 to 9 percent slopes	1,379.2	1.1%	810.7	2.3%	Farmland of statewide importance	Yes	0.28	6	0-1
C131C	Williams loam, 6 to 9 percent slopes	4,817.2	3.8%	519.9	1.5%	Farmland of statewide importance	No	0.02	5	6-9
C132B	Williams-Zahl loams, 3 to 6 percent slopes	409.3	0.3%	0.0	0.0%	Farmland of statewide importance	Yes	0.28	6	0-1
C132B	Williams-Zahl loams, 3 to 6 percent slopes	901.2	0.7%	451.3	1.3%	Farmland of statewide importance	No	0.24	4L	3-6
C135C	Zahl-Williams-Zahill complex, 6 to 9 percent slopes	3,346.7	2.6%	1,855.9	5.3%	Not prime farmland	No	0.24	6	6-9
C135D	Zahl-Williams loams, 9 to 15 percent slopes	2,209.0	1.7%	525.9	1.5%	Not prime farmland	No	0.24	6	6-9
C135D	Zahl-Williams loams, 9 to 15 percent slopes	3,966.1	3.1%	2,129.6	6.0%	Not prime farmland	No	0.28	6	6-9
C148C	Williams-Zahl-Parnell complex, 0 to 9 percent slopes	169.5	0.1%	83.4	0.2%	Not prime farmland	Yes	0.28	6	0-1
C153E	Zahl-Max loams, 15 to 25 percent slopes	26.6	0.0%	0.0	0.0%	Not prime farmland	No	0.20	6	6-9
C153E	Zahl-Max loams, 15 to 25 percent slopes	8.0	0.0%	0.0	0.0%	Not prime farmland	No	0.24	4L	9-15
C155F	Zahl-Max-Arnegard loams, 15 to 60 percent slopes	1,233.9	1.0%	236.1	0.7%	Not prime farmland	No	0.02	5	9-25
C156F	Zahl-Max-Bowbells loams, 6 to 35 percent slopes	916.9	0.7%	387.3	1.1%	Not prime farmland	Yes	0.28	6	0-1
C156F	Zahl-Max-Bowbells loams, 6 to 35 percent slopes	605.9	0.5%	262.8	0.7%	Not prime farmland	No	0.28	6	0-3
C162F	Max-Zahl-Arnegard complex, 9 to 35 percent slopes, very stony	175.7	0.1%	62.2	0.2%	Not prime farmland	No	0.02	5	9-25
C162F	Max-Zahl-Arnegard complex, 9 to 35 percent slopes, very stony	2,473.6	1.9%	1,376.6	3.9%	Not prime farmland	No	0.24	4L	9-35
C190C	Bearpaw loam, 6 to 9 percent slopes	11.2	0.0%	0.0	0.0%	Farmland of statewide importance	No	0.28	6	3-6
C194A	Bearpaw-Zeeland loams, 0 to 3 percent slopes	46.6	0.0%	0.0	0.0%	Farmland of statewide importance	No	0.28	6	0-3
C194B	Bearpaw-Zeeland loams, 3 to 6 percent slopes	86.1	0.1%	0.0	0.0%	Farmland of statewide importance	Yes	0.28	6	0-1
C210A	Williams-Bowbells loams, 0 to 3 percent slopes	2,911.8	2.3%	613.1	1.7%	Farmland of statewide importance	Yes	0.28	6	0-1
C210B	Williams-Bowbells loams, 3 to 6 percent slopes	3,339.2	2.6%	2,187.3	6.2%	Farmland of statewide importance	Yes	0.28	6	0-1
C210B	Williams-Bowbells loams, 3 to 6 percent slopes	9,328.7	7.3%	1,169.0	3.3%	Farmland of statewide importance	No	0.24	4L	3-6
C21A	Vallers loam, 0 to 1 percent slopes	42.1	0.0%	0.0	0.0%	Prime farmland if drained	Yes	0.28	6	0-1
C21A	Vallers loam, 0 to 1 percent slopes	22.0	0.0%	6.9	0.0%	Prime farmland if drained	No	0.20	4L	0-3
C270A	Hamerly loam, 0 to 3 percent slopes	179.9	0.1%	4.4	0.0%	All areas are prime farmland	Yes	0.20	4L	0-1
C270A	Hamerly loam, 0 to 3 percent slopes	30.5	0.0%	30.4	0.1%	All areas are prime farmland	Yes	0.28	6	0-1
C276A	Hamerly-Tonka-Parnell complex, 0 to 3 percent slopes	95.0	0.1%	28.6	0.1%	Not prime farmland	No	0.24	6	0-1
C276A	Hamerly-Tonka-Parnell complex, 0 to 3 percent slopes	17.2	0.0%	9.0	0.0%	Not prime farmland	No	0.24	6	0-3
C317B	Lihen-Telfer loamy fine sands, 0 to 6 percent slopes	40.2	0.0%	38.4	0.1%	Not prime farmland	No	0.02	3	2-6
C317B	Lihen-Telfer loamy fine sands, 0 to 6 percent slopes	133.5	0.1%	4.9	0.0%	Not prime farmland	No	0.15	3	3-6
C317C	Lihen-Telfer loamy fine sands, 6 to 9 percent slopes	67.0	0.1%	17.9	0.1%	Not prime farmland	No	0.05	2	6-9
C337D	Telfer-Lihen loamy fine sands, 9 to 15 percent slopes	17.6	0.0%	1.0	0.0%	Not prime farmland	No	0.02	2	9-15
C350A	Flaxton fine sandy loam, 0 to 3 percent slopes	61.9	0.0%	0.0	0.0%	Farmland of statewide importance	No	0.10	2	0-6
C350B	Flaxton fine sandy loam, 3 to 6 percent slopes	92.3	0.1%	0.0	0.0%	Farmland of statewide importance	No	0.10	2	0-6
C356B	Flaxton-Williams complex, 0 to 6 percent slopes	62.2	0.0%	35.1	0.1%	Farmland of statewide importance	No	0.28	6	3-6
C356C	Flaxton-Williams complex, 6 to 9 percent slopes	65.8	0.1%	24.9	0.1%	Not prime farmland	No	0.10	3	6-9
C3A	Parnell silty clay loam, 0 to 1 percent slopes	152.2	0.1%	7.9	0.0%	Not prime farmland	Yes	0.24	6	0-1
C3A	Parnell silty clay loam, 0 to 1 percent slopes	196.8	0.2%	108.6	0.3%	Not prime farmland	Yes	0.28	6	0-1
C403A	Tansem-Makoti complex, 0 to 2 percent slopes	26.9	0.0%	0.0	0.0%	All areas are prime farmland	No	0.28	6	0-2
C403B	Tansem-Makoti complex, 2 to 6 percent slopes	245.2	0.2%	110.0	0.3%	All areas are prime farmland	No	0.32	4L	2-6
C406B	Makoti-Sakakawea complex, 2 to 6 percent slopes	44.3	0.0%	9.0	0.0%	All areas are prime farmland	No	0.28	6	0-2
C409B	Sakakawea silty clay loam, 2 to 6 percent slopes	6.3	0.0%	0.0	0.0%	Not prime farmland	No	0.32	6	2-6
C411A	Makoti silty clay loam, 0 to 2 percent slopes	25.4	0.0%	4.9	0.0%	All areas are prime farmland	No	0.37	6	0-2
C416A	Farnuf loam, 0 to 2 percent slopes	386.5	0.3%	45.0	0.1%	Farmland of statewide importance	No	0.20	6	0-2
C419A	Wildrose silty clay, 0 to 2 percent slopes	7.3	0.0%	0.0	0.0%	All areas are prime farmland	Yes	0.28	6	0-1
C451A	Arnegard loam, 0 to 2 percent slopes	368.4	0.3%	268.5	0.8%	All areas are prime farmland	No	0.20	6	0-2

C451A	Arnegard loam, 0 to 2 percent slopes	473.1	0.4%	51.8	0.1%	All areas are prime farmland	No	0.28	6	0-2
C451B	Arnegard loam, 2 to 6 percent slopes	3,050.0	2.4%	933.7	2.7%	All areas are prime farmland	No	0.20	6	2-6
C471A	Grail silty clay loam, 0 to 2 percent slopes	175.8	0.1%	30.0	0.1%	All areas are prime farmland	No	0.20	6	0-2
C471B	Grail silty clay loam, 2 to 6 percent slopes	768.8	0.6%	89.4	0.3%	All areas are prime farmland	No	0.20	6	2-6
C50A	Lowe-Fluvaquents channeled, complex, 0 to 2 percent slopes, flooded	40.4	0.0%	10.5	0.0%	Not prime farmland	No	0.20	4L	0-2
C524A	Daglum-Belfield complex, 0 to 2 percent slopes	3,155.3	2.5%	302.9	0.9%	Not prime farmland	No	0.28	6	0-2
C524A	Daglum-Belfield complex, 0 to 2 percent slopes	195.0	0.2%	123.7	0.4%	Not prime farmland	No	0.28	6	0-3
C54A	Lowe loam, 0 to 2 percent slopes, occasionally flooded	358.7	0.3%	105.7	0.3%	Not prime farmland	Yes	0.02	4L	0-1
C54A	Lowe loam, 0 to 2 percent slopes, occasionally flooded	167.5	0.1%	137.5	0.4%	Not prime farmland	No	0.20	4L	0-2
C580A	Harriet-Regan-Stirum complex, 0 to 2 percent slopes, occasionally flooded	1,054.5	0.8%	851.7	2.4%	Not prime farmland	No	0.28	5	0-3
C584A	Harriet loam, 0 to 2 percent slopes	2,561.7	2.0%	225.4	0.6%	Not prime farmland	No	0.24	6	0-2
C591C	Rhoades-Daglum complex, 2 to 9 percent slopes	95.7	0.1%	0.0	0.0%	Not prime farmland	No	-	6	3-6
C591C	Rhoades-Daglum complex, 2 to 9 percent slopes	70.5	0.1%	60.3	0.2%	Not prime farmland	No	-	4L	6-9
C5A	Southam silty clay loam, 0 to 1 percent slopes	164.4	0.1%	20.1	0.1%	Not prime farmland	No	-	4L	0-0
C665B	Noonan-Niobell-Williams loams, 0 to 6 percent slopes	286.5	0.2%	32.2	0.1%	Not prime farmland	No	0.28	6	0-6
C665B	Noonan-Niobell-Williams loams, 0 to 6 percent slopes	129.5	0.1%	76.7	0.2%	Not prime farmland	No	0.24	6	3-6
C667B	Williams-Niobell loams, 3 to 6 percent slopes	166.8	0.1%	6.4	0.0%	Farmland of statewide importance	No	0.28	5	0-3
C73A	Hamerly-Vallers loams, moderately saline, 0 to 3 percent slopes	598.2	0.5%	58.6	0.2%	Not prime farmland	Yes	0.32	6	0-1
C73A	Hamerly-Vallers loams, moderately saline, 0 to 3 percent slopes	239.8	0.2%	206.6	0.6%	Not prime farmland	No	0.28	6	0-3
C751A	Parshall fine sandy loam, 0 to 2 percent slopes	4.4	0.0%	0.0	0.0%	Farmland of statewide importance	No	0.02	3	0-2
C751A	Parshall fine sandy loam, 0 to 2 percent slopes	191.0	0.2%	38.8	0.1%	Farmland of statewide importance	No	0.02	5	0-2
C800B	Appam sandy loam, 2 to 6 percent slopes	82.1	0.1%	13.1	0.0%	Not prime farmland	Yes	0.20	4L	0-1
C800B	Appam sandy loam, 2 to 6 percent slopes	109.9	0.1%	96.7	0.3%	Not prime farmland	No	0.02	5	0-2
C814A	Bowdle-Lehr loams, 0 to 2 percent slopes	14,747.7	11.6%	2,667.9	7.6%	Not prime farmland	No	0.02	5	0-2
C817B	Lehr-Bowdle loams, 2 to 6 percent slopes	4,630.9	3.6%	1,450.5	4.1%	Not prime farmland	No	0.02	5	2-6
C825A	Divide loam, 0 to 2 percent slopes	1,913.6	1.5%	52.9	0.2%	Not prime farmland	No	0.05	3	0-2
C825A	Divide loam, 0 to 2 percent slopes	74.5	0.1%	59.3	0.2%	Not prime farmland	No	0.02	5	2-6
C829A	Marysland loam, 0 to 1 percent slopes	548.3	0.4%	22.4	0.1%	Not prime farmland	Yes	0.28	6	0-2
C829A	Marysland loam, 0 to 1 percent slopes	208.8	0.2%	135.8	0.4%	Not prime farmland	No	0.20	4L	0-3
C840B	Manning fine sandy loam, 0 to 6 percent slopes	10.0	0.0%	5.3	0.0%	Not prime farmland	No	0.05	2	0-6
C840B	Manning fine sandy loam, 0 to 6 percent slopes	197.9	0.2%	0.0	0.0%	Not prime farmland	No	0.02	3	0-6
C860B	Schaller loamy sand, 0 to 6 percent slopes	22.3	0.0%	22.3	0.1%	Not prime farmland	No	0.02	3	0-6
C860B	Schaller loamy sand, 0 to 6 percent slopes	5.8	0.0%	0.0	0.0%	Not prime farmland	No	0.02	5	2-6
C860D	Schaller loamy sand, 6 to 15 percent slopes	112.5	0.1%	107.2	0.3%	Not prime farmland	No	0.02	3	0-2
C860D	Schaller loamy sand, 6 to 15 percent slopes	24.0	0.0%	8.6	0.0%	Not prime farmland	No	0.05	2	6-15
C870E	Wabek-Lehr-Appam complex, 9 to 25 percent slopes	3,827.4	3.0%	1,897.5	5.4%	Not prime farmland	No	0.02	5	6-9
C874B	Wabek-Appam complex, 2 to 6 percent slopes	523.1	0.4%	121.4	0.3%	Not prime farmland	No	0.02	5	0-2
C874C	Wabek-Appam complex, 6 to 9 percent slopes	446.3	0.4%	288.7	0.8%	Not prime farmland	No	0.02	5	2-6
C874C	Wabek-Appam complex, 6 to 9 percent slopes	1,109.6	0.9%	167.2	0.5%	Not prime farmland	No	0.02	3	6-9
C877B	Wabek-Lehr complex, 2 to 6 percent slopes	6,925.3	5.4%	1,793.8	5.1%	Not prime farmland	No	0.02	3	2-6
C901A	Amor-Arnegard loams, 0 to 3 percent slopes	447.6	0.4%	8.4	0.0%	Farmland of statewide importance	No	-	6	0-3
C902B	Amor-Cabba loams, 3 to 6 percent slopes	115.4	0.1%	30.9	0.1%	Farmland of statewide importance	No	0.28	6	2-6
C902B	Amor-Cabba loams, 3 to 6 percent slopes	98.4	0.1%	81.8	0.2%	Farmland of statewide importance	No	-	6	3-6
C902C	Amor-Cabba loams, 6 to 9 percent slopes	2,406.2	1.9%	560.6	1.6%	Not prime farmland	No	0.20	6	2-6
C902C	Amor-Cabba loams, 6 to 9 percent slopes	776.9	0.6%	463.3	1.3%	Not prime farmland	No	-	6	6-9
C903D	Amor-Werner loams, 9 to 15 percent slopes	1,527.5	1.2%	660.0	1.9%	Not prime farmland	No	-	6	9-15
C913A	Felur loam, 0 to 2 percent slopes	654.9	0.5%	6.7	0.0%	Farmland of statewide importance	No	0.28	6	0-2
C915A	Reeder-Arnegard loams, 0 to 3 percent slopes	681.1	0.5%	176.0	0.5%	Farmland of statewide importance	No	-	6	0-3
C915B	Reeder-Arnegard loams, 3 to 6 percent slopes	5,166.9	4.1%	775.4	2.2%	Farmland of statewide importance	No	-	4L	3-6
C915B	Reeder-Arnegard loams, 3 to 6 percent slopes	1,475.5	1.2%	978.6	2.8%	Farmland of statewide importance	No	0.20	6	3-6
C953F	Flasher-Vebar-Parshall complex, 15 to 50 percent slopes	160.7	0.1%	64.1	0.2%	Not prime farmland	No	0.02	3	15-25
C954A	Regent-Wyola silty clay loams, 0 to 3 percent slopes	240.2	0.2%	16.3	0.0%	Farmland of statewide importance	No	-	6	0-3

C954B	Regent-Wyola silty clay loams, 3 to 6 percent slopes	327.3	0.3%	196.9	0.6%	Farmland of statewide importance	No	0.28	6	0-2
C954B	Regent-Wyola silty clay loams, 3 to 6 percent slopes	2,449.5	1.9%	227.5	0.6%	Farmland of statewide importance	No	0.02	5	2-6
C956A	Vebar fine sandy loam, 0 to 3 percent slopes	465.8	0.4%	69.3	0.2%	Farmland of statewide importance	No	0.20	6	0-2
C956A	Vebar fine sandy loam, 0 to 3 percent slopes	19.5	0.0%	19.5	0.1%	Farmland of statewide importance	No	-	6	0-3
C956B	Vebar fine sandy loam, 3 to 6 percent slopes	1,080.6	0.9%	379.3	1.1%	Farmland of statewide importance	No	-	6	3-6
C962F	Werner-Amor-Arnegard loams, 9 to 50 percent slopes	15.4	0.0%	0.0	0.0%	Not prime farmland	Yes	0.32	4L	0-1
C962F	Werner-Amor-Arnegard loams, 9 to 50 percent slopes	115.1	0.1%	10.3	0.0%	Not prime farmland	No	0.28	6	6-9
C977C	Vebar-Cohagen fine sandy loams, 6 to 9 percent slopes	1,103.1	0.9%	315.7	0.9%	Not prime farmland	No	-	3	6-9
C978D	Vebar-Flasher complex, 9 to 15 percent slopes	78.4	0.1%	21.5	0.1%	Not prime farmland	No	0.02	3	6-9
C978D	Vebar-Flasher complex, 9 to 15 percent slopes	391.2	0.3%	217.4	0.6%	Not prime farmland	No	-	2	9-15
C990F	Pits, gravel and sand, 0 to 60 percent slopes	57.3	0.0%	18.5	0.1%	Not prime farmland	No	-	8	0-0
C996	Water	45.6	0.0%	9.6	0.0%	Not prime farmland	No	-	-	0-0
E0445A	Daglum-Belfield loams, 0 to 2 percent slopes	157.3	0.1%	67.1	0.2%	Not prime farmland	No	0.28	6	0-2
E0515B	Rhoades-Daglum complex, 0 to 6 percent slopes	73.8	0.1%	3.5	0.0%	Not prime farmland	No	0.28	6	0-6
E0515C	Rhoades-Daglum complex, 6 to 9 percent slopes	49.3	0.0%	5.6	0.0%	Not prime farmland	No	-	6	6-9
E0807A	Grail silty clay loam, till, 0 to 2 percent slopes	13.3	0.0%	0.0	0.0%	All areas are prime farmland	No	0.28	6	0-2
E0807B	Grail silty clay loam, till, 2 to 6 percent slopes	192.6	0.2%	45.6	0.1%	All areas are prime farmland	No	0.28	6	2-6
E1025B	Regent-Wyola silty clay loams, 3 to 6 percent slopes	672.4	0.5%	247.8	0.7%	Farmland of statewide importance	No	-	6	3-6
E1301F	Cohagen-Vebar-Parshall fine sandy loams, 9 to 35 percent slopes	586.4	0.5%	125.5	0.4%	Not prime farmland	No	0.15	3	9-25
E1333C	Vebar-Cohagen fine sandy loams, 6 to 9 percent slopes	1,613.2	1.3%	61.1	0.2%	Not prime farmland	No	-	3	6-9
E1333D	Vebar-Cohagen fine sandy loams, 9 to 15 percent slopes	2,690.4	2.1%	134.9	0.4%	Not prime farmland	No	-	3	9-15
E1607D	Telfer-Parshall-Vebar complex, 6 to 15 percent slopes	46.4	0.0%	0.0	0.0%	Not prime farmland	No	0.17	3	6-9
E1625B	Vebar-Parshall fine sandy loams, 3 to 6 percent slopes	14.2	0.0%	14.2	0.0%	Farmland of statewide importance	No	0.24	6	0-2
E1625B	Vebar-Parshall fine sandy loams, 3 to 6 percent slopes	851.3	0.7%	109.7	0.3%	Farmland of statewide importance	No	0.15	3	3-6
E1823A	Parshall fine sandy loam, 0 to 2 percent slopes	126.8	0.1%	16.4	0.0%	Farmland of statewide importance	No	0.15	3	0-6
E1875B	Telfer loamy fine sand, 0 to 6 percent slopes	80.0	0.1%	0.0	0.0%	Not prime farmland	No	0.17	2	0-6
E2107B	Arnegard loam, 2 to 6 percent slopes	771.1	0.6%	291.2	0.8%	All areas are prime farmland	No	0.24	6	2-6
E2120A	Farnuf loam, 0 to 2 percent slopes	117.0	0.1%	1.0	0.0%	Farmland of statewide importance	No	0.28	6	0-2
E2607B	Amor-Werner loams, 3 to 6 percent slopes	810.8	0.6%	121.1	0.3%	Farmland of statewide importance	No	0.17	2	3-6
E2607D	Amor-Werner loams, 9 to 15 percent slopes	2,115.3	1.7%	836.9	2.4%	Not prime farmland	No	0.24	6	6-9
E2609C	Amor-Werner-Farnuf loams, 6 to 9 percent slopes	2,079.0	1.6%	793.0	2.3%	Not prime farmland	No	0.24	6	2-6
E2651F	Werner-Amor-Arnegard loams, 9 to 50 percent slopes	735.9	0.6%	236.3	0.7%	Not prime farmland	No	-	6	15-50
E2801A	Amor-Arnegard loams, 0 to 3 percent slopes	127.1	0.1%	8.1	0.0%	Farmland of statewide importance	No	0.24	6	0-2
E2819B	Reeder-Farnuf loams, 3 to 6 percent slopes	1,097.0	0.9%	600.3	1.7%	Farmland of statewide importance	No	0.28	4L	3-6
E2819B	Reeder-Farnuf loams, 3 to 6 percent slopes	32.8	0.0%	32.7	0.1%	Farmland of statewide importance	No	0.24	6	3-6
E3527B	Williams-Bowbells loams, 3 to 6 percent slopes	19.6	0.0%	9.7	0.0%	Farmland of statewide importance	No	0.32	4L	3-6
E3531C	Williams loam, 6 to 9 percent slopes	51.1	0.0%	47.2	0.1%	Farmland of statewide importance	No	0.24	6	3-6
E3555D	Zahl-Williams loams, 9 to 15 percent slopes	120.7	0.1%	57.2	0.2%	Not prime farmland	No	0.28	4L	9-15
E3567F	Zahl-Max loams, dissected, 15 to 45 percent slopes	103.5	0.1%	48.5	0.1%	Not prime farmland	No	0.24	6	15-25
E4005A	Harriet loam, 0 to 2 percent slopes, occasionally flooded	574.4	0.5%	4.0	0.0%	Not prime farmland	Yes	0.32	6	0-1
E4541A	Bowdle-Lehr loams, 0 to 2 percent slopes	149.5	0.1%	18.5	0.1%	Not prime farmland	No	0.17	5	0-2
E4542B	Lehr-Bowdle loams, 2 to 6 percent slopes	151.7	0.1%	53.3	0.2%	Not prime farmland	No	0.17	5	2-6
E4549B	Wabek-Lehr complex, 2 to 6 percent slopes	30.3	0.0%	26.1	0.1%	Not prime farmland	No	0.10	3	2-6
E4582B	Appam sandy loam, 2 to 6 percent slopes	4.5	0.0%	0.0	0.0%	Not prime farmland	No	0.15	3	2-6
E4583B	Wabek-Appam sandy loams, 2 to 6 percent slopes	9.8	0.0%	0.0	0.0%	Not prime farmland	No	0.10	3	2-6
E4583E	Wabek-Appam sandy loams, 6 to 25 percent slopes	295.7	0.2%	92.7	0.3%	Not prime farmland	No	0.10	3	15-25
E4757A	Regan silt loam, 0 to 2 percent slopes, occasionally flooded	139.1	0.1%	41.8	0.1%	Not prime farmland	No	0.20	4L	0-3
E4765A	Tonka-Hamerly complex, 0 to 3 percent slopes	33.0	0.0%	33.0	0.1%	Not prime farmland	No	0.24	6	0-3
E4767A	Regan silt loam, saline, 0 to 2 percent slopes, occasionally flooded	218.2	0.2%	15.6	0.0%	Not prime farmland	No	0.20	6	0-2
EW	Water	20.7	0.0%	19.9	0.1%	Not prime farmland	No	-	-	-
	Totals	127,091.7	100%	35,226.6	100%					