

Crockford, Konrad S.

From: Alex H <alex.h@jrcivil.com>
Sent: Wednesday, March 26, 2025 10:08
To: Crockford, Konrad S.
Subject: RE: ND One-Call Consent Agreement

***** **CAUTION:** This email originated from an outside source. Do not click links or open attachments unless you know they are safe. *****

Acknowledged, thank you.

 JR Civil, LLC SAFETY – QUALITY - PRODUCTION General Contractor	Alex Heesch Project Manager O: 406.259.3741 C: 406.200.5058 E: alex.h@jrcivil.com	<u>Montana Office</u> 536 Kathy Lane Billings, MT 59105
		<u>Wyoming Office</u> 1780 Gabrielle Ct. Sheridan, WY 82801

From: Crockford, Konrad S. <kcrockford@nd.gov>
Sent: Wednesday, March 26, 2025 8:08 AM
To: Alex H <alex.h@jrcivil.com>
Subject: ND One-Call Consent Agreement

Alex,

Thank you for taking my call this morning. As we discussed and agreed, Staff will be inserting the word “not” into page 2 of the Consent Agreement signed by JR Civil on February 24, 2025.

The previous language reads: “JR did notify 911 of the September 9, 2024, gas line strike.”

The amended language reads: “JR did not notify 911 of the September 9, 2024, gas line strike.”

No other amendments to the Consent Agreement were made. A copy of the Commission’s Order and amended Consent Agreement will be mailed to you after the Commission meeting today.

Konrad Crockford
Director, Compliance Division

*Weights & Measures • Railroad Safety • Pipeline Safety
Damage Prevention & Enforcement • Risk Management*

701.328.4097 • kcrockford@nd.gov • www.psc.nd.gov

This transmission, email and any files transmitted with it, may be: (1) subject to the Attorney-Client Privilege, (2) an attorney work product, or (3) strictly confidential under federal or state law. If you are not the intended recipient of this message, you may not use, disclose, print, copy or disseminate this information. If you have received this transmission in error, notify the sender (only) and delete the message. This message may also be subject to disclosure under the North Dakota Open Records Laws.