



**ONE-CALL COMPLAINT**  
PUBLIC SERVICE COMMISSION  
SFN 59067 (08/2022)

**INSTRUCTIONS:** To allege a violation of the One-Call Excavation Notice System (N.D.C.C. Chapter 49-23), complete this form in its entirety.

**SECTION I – COMPLAINANT (Individual/entity completing form)**

Company/Entity Name (if applicable) Kinder Morgan			
Contact Person Ryan Farmer	Email Address ryan_farmer@kindermorgan.com	Telephone Number 701-339-6090	
Mailing Address 611 37th Ave SE bldg. 29	City Williston	State ND	Zip Code 58801
Complainant is willing and able to testify on the complaint if matter proceeds to a formal hearing.		<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO

**SECTION II – RESPONDENT (Individual/entity who allegedly violated the One-Call law)**

Company/Entity Name (if applicable) Safe Dig Services LLC			
Contact Person Greg Oberhofer	Email Address greg@safedigservices.com	Telephone Number 941-773-5634	
Mailing Address P.O. Box 88	City Watford City	State ND	Zip Code 58854

**SECTION III – ALLEGED VIOLATION**

**OPERATOR – A person or entity who owns or operates an underground facility (i.e.: natural gas, electric, sewer, etc.).**

<input type="checkbox"/> Operator failed to mark or clear underground facility within locate period.	<input type="checkbox"/> Operator failed to mark underground facility within 24 inches horizontally.
--	--

**EXCAVATOR – A person or entity who conducts excavation (i.e.: homeowner, property owner, company, etc.).**

<input checked="" type="checkbox"/> Excavation started prior to underground facility locate.	<input type="checkbox"/> Excavator failed to provide locate notice prior to beginning excavation.
<input type="checkbox"/> Excavator failed to conduct the excavation in a careful and prudent manner.	<input type="checkbox"/> Excavator failed to renew locate request prior to expiration of the 21-day period.

**OTHER – May be issue/concern with One-Call Center or other alleged violation that is not listed under operator or excavator.**

Write Issue/Concern: \_\_\_\_\_

**SECTION IV – DESCRIPTION/DAMAGE**

Date and Time of Event 12/12/24 12:30pm	Location (Address, City, State / Nearest Intersecting Streets / Lat & Long) North side of 63rd St NW East of 125th Ave NW	One-Call Ticket Number 24173195
Underground Facility Affected <input type="checkbox"/> Electric <input type="checkbox"/> Gas <input type="checkbox"/> Cable <input type="checkbox"/> Communications <input type="checkbox"/> Water <input type="checkbox"/> Sewer/Storm Water <input checked="" type="checkbox"/> Petroleum <input type="checkbox"/> Other _____		
Material & Size of Underground Facility (Poly, Steel, Coated Pipe / Fiberoptic / 2 KW / 1.5 in, 2 in / etc.) 4" Steel Coated Pipeline	Operator(s) Affected Kinder Morgan	
Estimated Value of Damage 0	Injuries (List Number, If Any) 0 Fatalities 0 Injuries 0 Hospitalizations	Number of Customers Affected 0
Description of the alleged violation/concern. If more space is required, attach additional page(s). Excavation to pothole the KM asset was performed prior to the start date and time on the locate request.		

**SECTION V – SIGNATURE OF COMPLAINANT**

Signature 	Printed Name Ryan Farmer	Date 12/31/24
---------------	-----------------------------	------------------

Please email the completed form to [ndpsc@nd.gov](mailto:ndpsc@nd.gov), fax to 701-328-2410, or mail to: Public Service Commission  
600 E. Boulevard Ave. Dept 408  
Bismarck, ND 58505-0480