

## Getz, Erica

---

**From:** Miller, Bill P. <Bill.Miller@oneok.com>  
**Sent:** Monday, September 22, 2025 4:57 PM  
**To:** -Info-Public Service Commission  
**Cc:** Fechino, Ashlee; Casey A. Furey; Lisa Herberholz; Perry, Deborah A.; Resendez, Abel; Swan, Timothy A.  
**Subject:** Case No. PU-25-172, ONEOK Tioga Extension Project, Spill Report 9/21/2025

You don't often get email from bill.miller@oneok.com. [Learn why this is important](#)

**\*\*\*\*\* CAUTION:** This email originated from an outside source. Do not click links or open attachments unless you know they are safe. **\*\*\*\*\***

Good afternoon, per our Order, Condition No. 7, "If a spill by ONEOK requires notification of a spill to any other state or federal agency, ONEOK will also inform the Commission of such spill within 24 hours of occurrence by leaving a message at the Commission's Toll-Free Number, with a follow-up email to the Commissions Executive Secretary."

On behalf of the project, I called the Commission's Toll Free Number at 877-245-6685 and spoke with Chris Hanson. I provided the following information to Mr. Hanson:

A spill occurred at about 2:16 pm on 9/21/2025. About 6 ounces of gasoline from a portable generator onto the side of a vehicle and the vegetation and soil underneath vehicle. All of the spill was collected and disposed of. Per the North Dakota Department of Environmental Quality, there is no minimum reporting limit for spills that could impact air, water, or soil ([https://deq.nd.gov/publications/WQ/5\\_SP/SpillBrochure.pdf](https://deq.nd.gov/publications/WQ/5_SP/SpillBrochure.pdf)).

Very respectfully,



**Bill Miller**

Environmental, Projects  
2728 Patton Road  
Saint Paul, MN 55113  
[www.oneok.com](http://www.oneok.com)

Phone: 612-257-3481

Email: [bill.miller@oneok.com](mailto:bill.miller@oneok.com)

