

October 29, 2025

Steve Kahl
 Executive Secretary
 Public Service Commission
 600 East Boulevard Ave., Dept. 408
 Bismarck, ND 58505-0408

Re: Project Code: PU-25-209, Emmons-Logan Energy Storage, LLC in Emmons County

Dear Mr. Kahl:

The North Dakota Department of Environmental Quality (Department) has reviewed the information concerning the above-referenced project received at the Department on September 26, 2025, with respect to possible environmental impacts.

1. Projects disturbing one or more acres are required to have a permit to discharge stormwater runoff until the site is stabilized by the re-establishment of vegetation or other permanent cover. Further information on the stormwater permit may be obtained from the Department's website or by calling the Division of Water Quality at 701-328-5210. Also, cities or counties may impose additional requirements and/or specific best management practices for construction affecting their storm drainage system. Check with the local officials to be sure any local stormwater management considerations are addressed.

A total maximum daily load (TMDL) allocation for *E. coli* has been developed for Long Lake Creek in the area of the project (Assessment Unit ND-10130103-002-S_00). Stormwater runoff from the project should not contribute to the impairment if the appropriate practices are in place to manage sanitary waste.

2. All solid waste materials must be managed and transported in accordance with the state's solid and hazardous waste rules. Appropriate efforts to reduce, reuse and/or recycle waste materials are strongly encouraged. As appropriate, segregation of inert waste from non-inert waste can generally reduce the cost of waste management. Further information on waste management and recycling is available from the Department's Division of Waste Management at 701-328-5166.

The Department owns no land in or adjacent to the proposed improvements, nor does it have any projects scheduled in the area. In addition, we believe the proposed activities are consistent with the State Implementation Plan for the Control of Air Pollution for the State of North Dakota.

If you have any questions regarding our comments, please feel free to contact this office.

Sincerely,

Karl Rockeman, P.E., Deputy Director
 North Dakota Department of Environmental Quality

KR:ll
 Attach.

33 PU-25-209 Filed 11/24/2025 Pages: 2
 Exhibit 5 - Dept of Environmental Quality
 Correspondence Dated 10-29-25 (PSC Dkt #20)

Emmons-Logan Energy Storage, LLC

20 PU-25-209 Filed 11/05/2025 Pages: 2
 Agency Correspondence

North Dakota Department of Environmental Quality (DEQ)
 Karl Rockeman, P.E., Deputy Director

4201 Normandy Street | Bismarck ND 58503-1324 | Fax 701-328-5200 | deq.nd.gov

Director's Office 701-328-5150	Division of Air Quality 701-328-5188	Division of Municipal Facilities 701-328-5211	Division of Waste Management 701-328-5166	Division of Water Quality 701-328-5210	Division of Chemistry 701-328-6140 2635 East Main Ave Bismarck ND 58501
-----------------------------------	--	---	---	--	--

Construction and Environmental Disturbance Requirements

The following are the minimum requirements of the North Dakota Department of Environmental Quality (Department) for projects that involve construction and environmental disturbance in or near waters of the State of North Dakota. They ensure that minimal environmental degradation occurs as a result of construction or related work which has the potential to affect waters of the state. All projects must be constructed to minimize the loss of soil, vegetative cover, and pollutants (chemical or biological) from a site.

Soils

Prevent the erosion and sediment loss using erosion and sediment controls. Fragile and sensitive areas such as wetlands, riparian zones, delicate flora, and land resources must be prohibited against compaction, vegetation loss and unnecessary damage.

Surface Waters

All construction must be managed to minimize impacts to aquatic systems. Follow safe storage and handling procedures to prevent the contamination of water from fuel spills, lubricants, and chemicals. Stream bank and stream bed disturbances must be contained to minimize silt movement, nutrient upsurges, plant dislocations, and any physical chemicals, or biological disruption. The use of pesticides or herbicides in or near surface waters is allowed under the Department's pesticide application permit with notification to the Department.

Fill Material

Any fill material placed below the ordinary high-water mark must be free of topsoil, decomposable materials, and persistent synthetic organic compounds, including, but not limited to, asphalt, tires, treated lumber, and construction debris. The Department may require testing of fill material. All temporary fills must be removed. Debris and solid waste must be properly disposed or recycled. Impacted areas must be restored to near original condition.