



A Subsidiary of MDU Resources Group, Inc.

400 North Fourth Street
Bismarck, ND 58501
701-222-7900
www.montana-dakota.com

March 13, 2026

Executive Secretary
North Dakota Public Service Commission
State Capitol Building
Bismarck, ND 58505-0480

Re: Case No. PU-26-002 (Therm Billing)
Monthly Report – January 2026

Montana-Dakota Utilities Co. (Montana-Dakota or the Company) herewith electronically submits the following information, pursuant to the Ordering paragraphs one and two of the Order issued in Case No. 11,006, dated October 20, 1987 and pursuant to the North Dakota Administrative Code 69-09-01-02, part 2.

1. Attachment A is a schedule showing the thermal billing factors by community that are derived from the BTU values shown on Attachment B and were used for billing purposes in February 2026.
2. Attachment B consists of copies of the monthly Heating Value Test Reports received from our suppliers for the month of January 2026.
3. Attachment C is a listing which states the type of measuring device in place at each zone.
4. Attachment D is a monthly list of the heating value data, by zone, for the most recent 12-month period and an average thereof. It is being provided pursuant to a Staff request.
5. Attachment E provides a brief explanation of the thermal variances, where applicable, for the month of January 2026.

Montana-Dakota respectfully requests this electronic filing, in lieu of an original and one copy, be accepted as being in full compliance with the filing requirements of this Commission.

Sincerely,

/s/ Tyler J Culbertson

Tyler J Culbertson
Director of Regulatory Affairs

Montana-Dakota Utilities Co.
Therm Billing Factors - North Dakota
Feb-26

<u>Town</u>	<u>Heat Zone</u>	<u>Therm Factor</u>
MDU-303-ALEXANDER	025	1.1296
MDU-308-ARNEGARD	025	1.1296
MDU-314-APPLE VALLEY	271	1.1318
MDU-318-BEACH	032	1.0341
MDU-319-BELFIELD	032	1.0417
MDU-323-BERTHOLD	262	1.1400
MDU-327-BISMARCK	028	1.0864
MDU-330-BOWMAN	034	1.0201
MDU-337-BURLINGTON	262	1.1646
MDU-343-CARRINGTON	273	1.1308
MDU-719-CASSELTON	272	1.1388
MDU-344-CLEVELAND	272	1.1229
MDU-364-CAVALIER	273	1.1547
MDU-365-DAWSON	271	1.1238
MDU-368-DES LACS	262	1.1482
MDU-369-DICKINSON	031	1.0615
MDU-374-FT TOTTEN	273	1.1388
MDU-375-DEVILS LAKE	273	1.1388
MDU-379-BARLOW	273	1.1308
MDU-384-EPPING	264	1.1145
MDU-387-ELDRIDGE	272	1.1308
MDU-407-GLADSTONE	031	1.0596
MDU-411-GLEN ULLIN	031	1.0692
MDU-413-GOLVA	032	1.0189
MDU-416-GARRISON	262	1.1482
MDU-417-GRAFTON	273	1.1627
MDU-403-GWINNER	601	1.1320
MDU-429-HEBRON	031	1.1852
MDU-432-HETTINGER	903	2.4049
MDU-449-JAMESTOWN	272	1.1388
MDU-459-KILLDEER	033	1.0937
MDU-751-KINDRED	272	1.0202
MDU-463-LANGDON	273	1.1308
MDU-469-LEFOR	031	1.0615
MDU-474-LIGNITE	263	1.0759
MDU-475-LINTON	802	1.0450
MDU-478-LINCOLN	028	1.0864
MDU-488-MCKENZIE	271	1.1318
MDU-494-MEDINA	271	1.1238
MDU-498-MANDAN	028	1.0864
MDU-500-MARMARTH	034	1.0276
MDU-505-MINOT	262	1.1646
MDU-510-MOTT	031	1.0615
MDU-512-MAX	262	1.1400
MDU-513-MILNOR	601	1.1320
MDU-522-NEW ENGLAND	031	1.0538
MDU-524-NEW SALEM	028	1.0635
MDU-532-NEW ROCKFORD	273	1.1308
MDU-539-PARK RIVER	273	1.1547

MDU-540-PALERMO	262	1.1400
MDU-558-RAY	264	1.1145
MDU-561-REGENT	031	1.0538
MDU-563-RHAME	034	1.0125
MDU-564-RICHARDTON	031	1.0596
MDU-568-ROSS	261	1.0981
MDU-572-RUTHVILLE	262	1.1646
MDU-574-SANBORN	272	1.1388
MDU-583-SENTINEL BUTTE	032	1.0341
MDU-588-SOUTH HEART	031	1.0538
MDU-717-SPIRITWOOD	272	1.1388
MDU-590-SPRINGBROOK	264	1.1145
MDU-591-STANLEY	261	1.1060
MDU-593-STEELE	271	1.1238
MDU-594-STERLING	028	1.0864
MDU-598-SHEYENNE	273	1.1388
MDU-605-SURREY	262	1.1646
MDU-610-TAPPEN	271	1.1238
MDU-611-TAYLOR	031	1.0519
MDU-616-TIOGA	260	1.0990
MDU-619-TURTLE LAKE	262	1.1482
MDU-620-TRENTON	024	1.1349
MDU-624-UNDERWOOD	262	1.1482
MDU-625-VALLEY CITY	272	1.1467
MDU-629-WALHALLA	273	1.1547
MDU-632-WATFORD CITY	610	1.0333
MDU-104-WAHPETON	247	1.0300
MDU-636-WHEELLOCK	264	1.1065
MDU-637-WHITE EARTH	261	1.1088
MDU-642-WILLISTON	024	1.1349
MDU-646-WASHBURN	262	1.1564
MDU-647-WILTON	262	1.1400
MDU-664-RIVERDALE	262	1.1473
MDU-691-FAIRVIEW	241	1.1273
MDU-712-MINOT AFB	262	1.1646
MDU-718-FAIRMOUNT	600	1.1297
MDU-732-NEKOMA	273	1.1308
MDU-732-MSR SITE	273	1.1308

Source Daily Summary

January 2026

Source #: 251
 Name: SDNY BDR-MNDK JNCTN-SDNY PLT

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7201	1159.2	1179.7	1179.4	1.310	3.659	70.326	21.649	2.709	0.112	0.209	0.010	0.008	0.009	0.000	0.000	0.000	0.000	1390.27	
2	0.6983	1157.6	1178.1	1177.8	0.139	3.495	72.925	20.927	2.315	0.067	0.121	0.004	0.003	0.003	0.000	0.000	0.000	0.000	1409.81	
3	0.6963	1157.4	1177.9	1177.6	0.050	3.456	72.996	21.189	2.161	0.051	0.090	0.003	0.002	0.002	0.000	0.000	0.000	0.000	1411.56	
4	0.7194	1164.3	1185.0	1184.6	1.018	3.723	70.392	21.555	2.993	0.104	0.191	0.009	0.007	0.009	0.000	0.000	0.000	0.000	1397.19	
5	0.7274	1168.7	1189.4	1189.0	1.363	3.686	69.194	22.419	2.962	0.121	0.227	0.011	0.008	0.010	0.000	0.000	0.000	0.000	1394.55	
6	0.7268	1166.8	1187.5	1187.1	1.351	3.762	69.288	22.274	2.943	0.121	0.230	0.012	0.010	0.010	0.000	0.000	0.000	0.000	1392.92	
7	0.7189	1164.5	1185.1	1184.8	1.099	3.542	70.666	21.391	2.916	0.118	0.232	0.013	0.012	0.010	0.000	0.000	0.000	0.000	1397.77	
8	0.7182	1167.2	1187.9	1187.5	1.121	3.282	70.827	21.536	2.830	0.121	0.244	0.015	0.015	0.009	0.000	0.000	0.000	0.000	1401.67	
9	0.7193	1167.7	1188.4	1188.1	1.191	3.248	70.659	21.672	2.830	0.121	0.243	0.014	0.013	0.009	0.000	0.000	0.000	0.000	1401.23	
10	0.7198	1170.1	1190.8	1190.4	1.170	3.182	70.612	21.750	2.885	0.120	0.243	0.015	0.014	0.009	0.000	0.000	0.000	0.000	1403.56	
11	0.7186	1167.7	1188.4	1188.0	1.170	3.207	70.932	21.355	2.912	0.126	0.257	0.016	0.015	0.009	0.000	0.000	0.000	0.000	1401.96	
12	0.7180	1167.4	1188.0	1187.7	1.145	3.215	71.062	21.213	2.929	0.129	0.264	0.017	0.017	0.010	0.000	0.000	0.000	0.000	1402.06	
13	0.7193	1170.1	1190.8	1190.4	1.151	3.160	70.760	21.607	2.904	0.123	0.254	0.016	0.016	0.010	0.000	0.000	0.000	0.000	1404.09	
14	0.7197	1166.9	1187.6	1187.2	1.201	3.320	70.551	21.717	2.819	0.118	0.236	0.014	0.013	0.010	0.000	0.000	0.000	0.000	1399.85	
15	0.7154	1162.7	1183.3	1182.9	1.149	3.250	71.256	21.257	2.710	0.115	0.228	0.014	0.013	0.009	0.000	0.000	0.000	0.000	1399.00	
16	0.7168	1164.0	1184.6	1184.3	1.185	3.248	71.124	21.252	2.794	0.121	0.240	0.015	0.013	0.008	0.000	0.000	0.000	0.000	1399.19	
17	0.7195	1170.5	1191.2	1190.9	0.927	3.504	70.216	22.103	2.952	0.095	0.179	0.009	0.007	0.007	0.000	0.000	0.000	0.000	1404.42	
18	0.6996	1152.4	1172.8	1172.5	0.419	3.510	72.704	21.028	2.196	0.051	0.084	0.003	0.002	0.003	0.000	0.000	0.000	0.000	1402.29	
19	0.7297	1172.9	1193.7	1193.3	1.326	3.702	68.887	22.546	3.162	0.121	0.229	0.011	0.008	0.010	0.000	0.000	0.000	0.000	1397.40	
20	0.7156	1167.7	1188.4	1188.1	0.788	3.514	70.555	22.182	2.702	0.083	0.155	0.008	0.007	0.007	0.000	0.000	0.000	0.000	1405.01	
21	0.7245	1169.6	1190.4	1190.1	1.164	3.668	69.393	22.560	2.897	0.103	0.189	0.009	0.007	0.011	0.000	0.000	0.000	0.000	1398.48	
22	0.7208	1171.4	1192.1	1191.8	1.049	3.387	70.216	22.012	3.003	0.104	0.200	0.011	0.009	0.009	0.000	0.000	0.000	0.000	1404.09	
23	0.7180	1160.0	1180.6	1180.3	1.168	3.633	70.320	22.099	2.444	0.108	0.201	0.010	0.008	0.010	0.000	0.000	0.000	0.000	1393.27	
24	0.7089	1154.8	1175.3	1175.0	0.804	3.652	71.348	21.756	2.218	0.075	0.132	0.005	0.004	0.007	0.000	0.000	0.000	0.000	1396.00	
25	0.7203	1158.8	1179.4	1179.1	1.268	3.765	70.164	21.820	2.627	0.116	0.212	0.010	0.007	0.011	0.000	0.000	0.000	0.000	1389.65	
26	0.7065	1156.5	1177.0	1176.7	0.675	3.521	71.761	21.561	2.271	0.070	0.126	0.005	0.004	0.006	0.000	0.000	0.000	0.000	1400.42	
27	0.7021	1154.1	1174.5	1174.2	0.499	3.519	72.335	21.270	2.214	0.056	0.096	0.004	0.003	0.004	0.000	0.000	0.000	0.000	1401.89	
28	0.6895	1148.5	1168.9	1168.5	0.038	3.382	73.728	21.078	1.740	0.017	0.019	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1407.62	
29	0.7124	1161.9	1182.5	1182.1	0.783	3.583	70.822	22.179	2.407	0.074	0.134	0.006	0.005	0.007	0.000	0.000	0.000	0.000	1401.10	
30	0.7228	1172.5	1193.2	1192.9	1.198	3.278	70.140	21.976	2.998	0.123	0.247	0.016	0.014	0.011	0.000	0.000	0.000	0.000	1403.51	
31	0.7216	1173.4	1194.2	1193.9	1.166	3.152	70.591	21.515	3.121	0.133	0.275	0.018	0.018	0.011	0.000	0.000	0.000	0.000	1405.80	
Avg	0.7156	1164.0	1184.7	1184.4	0.971	3.458	70.863	21.692	2.696	0.100	0.193	0.011	0.009	0.008	0.000	0.000	0.000	0.000	1400.57	

Source Daily Summary

January 2026

Source #: 571
 Name: WILLISTON BDR-CHARBN STN

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7193	1175.4	1196.2	1195.9	1.129	2.868	70.964	21.512	3.124	0.115	0.250	0.016	0.018	0.003	0.000	0.000	0.000	0.000	1410.42	
2	0.7190	1173.1	1193.8	1193.5	1.135	2.975	70.988	21.396	3.107	0.114	0.248	0.016	0.018	0.003	0.000	0.000	0.000	0.000	1407.91	
3	0.7200	1175.9	1196.7	1196.4	1.122	2.915	70.770	21.690	3.106	0.114	0.247	0.016	0.018	0.003	0.000	0.000	0.000	0.000	1410.36	
4	0.7220	1176.7	1197.6	1197.3	1.139	3.024	70.410	21.878	3.156	0.112	0.245	0.016	0.018	0.003	0.000	0.000	0.000	0.000	1409.43	
5	0.7210	1175.3	1196.1	1195.8	1.137	3.019	70.640	21.643	3.156	0.114	0.252	0.017	0.019	0.003	0.000	0.000	0.000	0.000	1408.69	
6	0.7173	1175.7	1196.5	1196.2	1.091	2.718	71.314	21.400	3.071	0.118	0.251	0.016	0.018	0.003	0.000	0.000	0.000	0.000	1412.79	
7	0.7105	1170.1	1190.9	1190.6	1.045	2.487	72.319	21.005	2.775	0.109	0.228	0.015	0.016	0.002	0.000	0.000	0.000	0.000	1412.83	
8	0.7117	1171.4	1192.1	1191.9	1.051	2.523	72.119	21.108	2.825	0.110	0.231	0.015	0.016	0.002	0.000	0.000	0.000	0.000	1413.05	
9	0.7095	1169.7	1190.4	1190.1	1.037	2.434	72.456	20.992	2.717	0.107	0.225	0.014	0.015	0.002	0.000	0.000	0.000	0.000	1413.27	
10	0.7103	1170.2	1190.9	1190.6	1.042	2.471	72.302	21.095	2.723	0.107	0.227	0.014	0.016	0.002	0.000	0.000	0.000	0.000	1413.08	
11	0.7100	1169.9	1190.7	1190.4	1.042	2.463	72.381	21.005	2.734	0.110	0.232	0.015	0.016	0.002	0.000	0.000	0.000	0.000	1413.02	
12	0.7162	1174.3	1195.1	1194.8	1.089	2.708	71.390	21.448	2.978	0.112	0.241	0.015	0.017	0.002	0.000	0.000	0.000	0.000	1412.16	
13	0.7069	1167.2	1187.8	1187.6	1.019	2.375	72.787	20.905	2.566	0.103	0.215	0.014	0.015	0.001	0.000	0.000	0.000	0.000	1412.79	
14	0.7039	1163.8	1184.4	1184.2	1.007	2.314	73.202	20.741	2.408	0.097	0.203	0.013	0.014	0.001	0.000	0.000	0.000	0.000	1411.76	
15	0.7038	1163.9	1184.5	1184.2	1.004	2.308	73.185	20.799	2.381	0.096	0.199	0.013	0.014	0.002	0.000	0.000	0.000	0.000	1411.90	
16	0.7107	1170.8	1191.6	1191.3	1.038	2.479	72.205	21.186	2.732	0.107	0.222	0.014	0.015	0.002	0.000	0.000	0.000	0.000	1413.44	
17	0.7154	1174.8	1195.6	1195.3	1.069	2.633	71.559	21.370	2.978	0.115	0.242	0.015	0.017	0.003	0.000	0.000	0.000	0.000	1413.53	
18	0.7167	1174.4	1195.2	1194.9	1.085	2.751	71.384	21.337	3.045	0.115	0.247	0.016	0.017	0.003	0.000	0.000	0.000	0.000	1411.81	
19	0.7166	1175.2	1196.0	1195.8	1.082	2.700	71.377	21.413	3.033	0.115	0.244	0.016	0.017	0.003	0.000	0.000	0.000	0.000	1412.86	
20	0.7139	1173.0	1193.8	1193.5	1.062	2.608	71.851	21.134	2.954	0.115	0.242	0.015	0.017	0.003	0.000	0.000	0.000	0.000	1412.89	
21	0.7107	1171.6	1192.3	1192.1	1.032	2.438	72.392	20.922	2.809	0.118	0.251	0.017	0.018	0.003	0.000	0.000	0.000	0.000	1414.35	
22	0.7090	1168.7	1189.4	1189.2	1.034	2.453	72.407	21.149	2.616	0.101	0.211	0.013	0.014	0.002	0.000	0.000	0.000	0.000	1412.57	
23	0.7121	1170.9	1191.7	1191.4	1.064	2.569	71.979	21.243	2.783	0.106	0.224	0.014	0.015	0.002	0.000	0.000	0.000	0.000	1412.12	
24	0.7109	1169.8	1190.5	1190.2	1.063	2.529	72.236	21.019	2.789	0.108	0.225	0.014	0.015	0.002	0.000	0.000	0.000	0.000	1411.89	
25	0.7128	1171.2	1192.0	1191.7	1.076	2.590	71.860	21.326	2.789	0.106	0.222	0.014	0.015	0.003	0.000	0.000	0.000	0.000	1411.88	
26	0.7134	1171.7	1192.5	1192.2	1.075	2.619	71.891	21.130	2.900	0.113	0.238	0.015	0.016	0.003	0.000	0.000	0.000	0.000	1411.84	
27	0.7182	1173.7	1194.5	1194.2	1.118	2.888	71.059	21.499	3.049	0.111	0.240	0.016	0.017	0.003	0.000	0.000	0.000	0.000	1409.46	
28	0.7155	1171.8	1192.6	1192.3	1.107	2.764	71.545	21.224	2.971	0.111	0.240	0.016	0.017	0.003	0.000	0.000	0.000	0.000	1409.87	
29	0.7115	1171.0	1191.7	1191.5	1.073	2.493	72.191	21.048	2.815	0.111	0.235	0.015	0.016	0.003	0.000	0.000	0.000	0.000	1412.81	
30	0.7105	1168.4	1189.1	1188.9	1.077	2.553	72.169	21.179	2.687	0.100	0.208	0.013	0.014	0.002	0.000	0.000	0.000	0.000	1410.66	
31	0.7145	1174.9	1195.7	1195.5	1.070	2.530	71.944	20.949	3.082	0.125	0.263	0.017	0.018	0.002	0.000	0.000	0.000	0.000	1414.66	
Avg	0.7133	1172.0	1192.5	1192.2	1.071	2.619	71.848	21.218	2.866	0.110	0.234	0.015	0.016	0.002	0.000	0.000	0.000	0.000	1411.94	

Source Daily Summary

January 2026

Source #: 602
Name: TIOGA STN-N TIOGA TRANSFER

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6935	1155.5	1175.9	1175.7	0.913	1.988	74.587	20.398	1.864	0.073	0.151	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1412.12	-14.85
2	0.6955	1158.8	1179.3	1179.1	0.914	1.977	74.371	20.449	2.013	0.082	0.168	0.012	0.013	0.002	0.000	0.000	0.000	0.000	1414.10	-12.93
3	0.6961	1159.9	1180.5	1180.2	0.910	1.973	74.256	20.559	2.025	0.083	0.167	0.012	0.013	0.002	0.000	0.000	0.000	0.000	1414.82	-12.64
4	0.6961	1159.6	1180.2	1179.9	0.913	1.979	74.329	20.428	2.065	0.086	0.173	0.012	0.013	0.002	0.000	0.000	0.000	0.000	1414.55	-12.36
5	0.6966	1160.3	1180.9	1180.6	0.918	1.982	74.305	20.380	2.116	0.090	0.182	0.013	0.014	0.002	0.000	0.000	0.000	0.000	1414.81	-11.71
6	0.6939	1156.2	1176.7	1176.4	0.912	1.990	74.513	20.453	1.879	0.074	0.154	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1412.52	-14.56
7	0.6891	1148.5	1168.9	1168.6	0.910	2.005	75.148	20.107	1.621	0.060	0.125	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1408.09	-18.38
8	0.6879	1146.6	1166.9	1166.6	0.917	2.009	75.498	19.646	1.710	0.065	0.132	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1406.82	-18.32
9	0.6885	1147.6	1167.9	1167.7	0.925	1.989	75.272	19.990	1.612	0.062	0.125	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1407.49	-18.58
10	0.6876	1146.0	1166.3	1166.0	0.935	1.989	75.359	19.992	1.522	0.060	0.121	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1406.44	-19.51
11	0.6871	1145.3	1165.6	1165.3	0.932	1.990	75.419	19.963	1.504	0.057	0.115	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1406.10	-19.99
12	0.6879	1146.3	1166.6	1166.3	0.931	2.004	75.442	19.764	1.639	0.064	0.132	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1406.49	-18.70
13	0.6883	1146.7	1167.0	1166.8	0.931	2.014	75.358	19.837	1.648	0.062	0.128	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1406.62	-18.64
14	0.6870	1145.0	1165.3	1165.0	0.933	1.993	75.516	19.797	1.562	0.058	0.119	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1405.86	-19.75
15	0.6871	1145.2	1165.5	1165.3	0.928	1.991	75.473	19.874	1.537	0.057	0.117	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1406.09	-19.83
16	0.6881	1147.0	1167.3	1167.1	0.928	1.987	75.245	20.119	1.520	0.059	0.120	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1407.14	-19.33
17	0.6899	1149.7	1170.0	1169.8	0.924	1.988	75.081	20.122	1.659	0.066	0.135	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1408.68	-17.60
18	0.6916	1152.4	1172.8	1172.5	0.924	1.988	74.931	20.087	1.822	0.075	0.149	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1410.19	-15.83
19	0.6915	1152.1	1172.5	1172.3	0.927	1.984	74.919	20.142	1.787	0.072	0.146	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1410.08	-16.13
20	0.6903	1150.3	1170.7	1170.5	0.923	1.994	74.947	20.272	1.648	0.064	0.130	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1409.02	-17.64
21	0.6888	1147.7	1168.0	1167.8	0.923	2.008	75.102	20.252	1.514	0.059	0.121	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1407.41	-19.14
22	0.6876	1146.4	1166.7	1166.5	0.902	2.009	75.308	20.077	1.502	0.059	0.122	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1407.01	-19.67
23	0.6887	1146.7	1167.0	1166.8	0.904	2.091	75.013	20.346	1.443	0.059	0.122	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1406.27	-19.53
24	0.6909	1150.4	1170.8	1170.6	0.900	2.082	74.470	20.975	1.389	0.055	0.110	0.008	0.009	0.002	0.000	0.000	0.000	0.000	1408.52	-19.10
25	0.6925	1153.5	1173.9	1173.7	0.892	2.059	74.271	21.060	1.536	0.054	0.109	0.008	0.008	0.002	0.000	0.000	0.000	0.000	1410.62	-17.83
26	0.6968	1160.2	1180.8	1180.6	0.892	2.052	73.777	21.212	1.852	0.064	0.130	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1414.47	-14.20
27	0.6972	1159.9	1180.5	1180.3	0.929	2.041	74.098	20.577	2.080	0.082	0.167	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1413.79	-12.31
28	0.6935	1154.2	1174.7	1174.5	0.918	2.061	74.360	20.724	1.723	0.063	0.130	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1410.59	-16.18
29	0.6921	1153.0	1173.4	1173.2	0.902	2.032	74.476	20.778	1.626	0.055	0.113	0.008	0.009	0.002	0.000	0.000	0.000	0.000	1410.46	-17.53
30	0.6917	1152.5	1172.9	1172.7	0.900	2.025	74.620	20.595	1.662	0.059	0.119	0.009	0.009	0.002	0.000	0.000	0.000	0.000	1410.30	-17.37
31	0.6922	1153.2	1173.6	1173.4	0.905	2.018	74.735	20.300	1.821	0.065	0.133	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1410.67	-16.10
Avg	0.6912	1152.0	1171.9	1171.7	0.917	2.009	74.845	20.299	1.707	0.066	0.134	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1409.62	-16.98

Source Daily Summary

January 2026

Source #: 601
Name: TIOGA STN-ROBINSON LAKE PLNT

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6919	1151.6	1172.0	1171.8	0.917	2.075	74.982	19.833	1.935	0.074	0.156	0.012	0.013	0.003	0.000	0.000	0.000	0.000	1408.92	
2	0.6952	1157.1	1177.6	1177.4	0.919	2.046	74.591	20.015	2.133	0.086	0.180	0.013	0.014	0.003	0.000	0.000	0.000	0.000	1412.27	
3	0.6948	1156.4	1176.9	1176.7	0.915	2.047	74.692	19.903	2.148	0.086	0.178	0.013	0.015	0.003	0.000	0.000	0.000	0.000	1411.97	
4	0.6963	1158.8	1179.3	1179.1	0.917	2.044	74.416	20.151	2.169	0.089	0.183	0.013	0.015	0.003	0.000	0.000	0.000	0.000	1413.30	
5	0.6963	1159.0	1179.5	1179.3	0.919	2.032	74.464	20.073	2.202	0.091	0.187	0.014	0.015	0.003	0.000	0.000	0.000	0.000	1413.50	
6	0.6952	1157.2	1177.7	1177.5	0.917	2.033	74.610	20.010	2.129	0.087	0.183	0.013	0.015	0.003	0.000	0.000	0.000	0.000	1412.54	
7	0.6901	1148.8	1169.2	1169.0	0.909	2.087	75.207	19.714	1.841	0.069	0.147	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1407.36	
8	0.6880	1145.5	1165.8	1165.6	0.911	2.084	75.579	19.429	1.750	0.070	0.149	0.012	0.014	0.003	0.000	0.000	0.000	0.000	1405.49	
9	0.6859	1142.1	1162.3	1162.2	0.918	2.085	76.058	18.868	1.834	0.068	0.142	0.011	0.013	0.003	0.000	0.000	0.000	0.000	1403.45	
10	0.6876	1144.8	1165.1	1164.9	0.935	2.052	75.612	19.464	1.707	0.066	0.137	0.011	0.013	0.003	0.000	0.000	0.000	0.000	1405.07	
11	0.6876	1144.7	1165.0	1164.8	0.937	2.060	75.550	19.566	1.659	0.065	0.136	0.011	0.013	0.003	0.000	0.000	0.000	0.000	1404.90	
12	0.6880	1145.4	1165.7	1165.5	0.925	2.069	75.695	19.209	1.858	0.070	0.147	0.012	0.013	0.003	0.000	0.000	0.000	0.000	1405.37	
13	0.6937	1154.4	1174.8	1174.6	0.927	2.056	74.747	19.988	2.002	0.080	0.170	0.013	0.014	0.003	0.000	0.000	0.000	0.000	1410.51	
14	0.6908	1149.9	1170.2	1170.0	0.931	2.053	75.150	19.745	1.868	0.072	0.153	0.012	0.013	0.003	0.000	0.000	0.000	0.000	1407.98	
15	0.6871	1144.0	1164.2	1164.0	0.935	2.057	75.627	19.509	1.659	0.061	0.127	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1404.54	
16	0.6870	1144.1	1164.3	1164.2	0.930	2.047	75.644	19.516	1.641	0.063	0.132	0.011	0.012	0.003	0.000	0.000	0.000	0.000	1404.80	
17	0.6892	1147.4	1167.7	1167.6	0.927	2.059	75.170	19.993	1.628	0.065	0.134	0.010	0.012	0.002	0.000	0.000	0.000	0.000	1406.61	
18	0.6910	1150.3	1170.7	1170.6	0.929	2.042	75.160	19.709	1.902	0.076	0.155	0.012	0.013	0.002	0.000	0.000	0.000	0.000	1408.39	
19	0.6925	1152.5	1173.0	1172.8	0.927	2.051	74.881	19.963	1.910	0.079	0.161	0.012	0.013	0.003	0.000	0.000	0.000	0.000	1409.56	
20	0.6909	1150.1	1170.5	1170.3	0.929	2.050	75.058	19.910	1.808	0.072	0.147	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1408.17	
21	0.6888	1146.6	1166.9	1166.8	0.926	2.069	75.352	19.710	1.717	0.065	0.136	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1406.04	
22	0.6897	1148.0	1168.3	1168.2	0.927	2.070	75.019	20.175	1.592	0.063	0.131	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1406.83	
23	0.6875	1144.7	1165.0	1164.9	0.896	2.112	75.409	19.801	1.556	0.065	0.137	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1405.03	
24	0.6926	1152.1	1172.5	1172.3	0.907	2.131	74.336	20.869	1.543	0.063	0.130	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1408.81	
25	0.6918	1151.5	1171.9	1171.8	0.897	2.098	74.365	20.996	1.453	0.056	0.115	0.009	0.009	0.002	0.000	0.000	0.000	0.000	1409.03	
26	0.6966	1158.9	1179.4	1179.3	0.896	2.103	73.835	21.103	1.837	0.067	0.137	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1413.12	
27	0.6971	1159.9	1180.4	1180.3	0.901	2.085	73.867	20.968	1.935	0.071	0.149	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1413.78	
28	0.6948	1155.8	1176.3	1176.1	0.899	2.122	74.098	20.918	1.735	0.065	0.139	0.010	0.012	0.002	0.000	0.000	0.000	0.000	1411.10	
29	0.6927	1152.3	1172.7	1172.6	0.906	2.120	74.431	20.681	1.653	0.060	0.127	0.010	0.011	0.003	0.000	0.000	0.000	0.000	1409.07	
30	0.6929	1153.2	1173.6	1173.4	0.902	2.091	74.477	20.582	1.733	0.062	0.129	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1409.93	
31	0.6926	1152.8	1173.2	1173.1	0.907	2.084	74.585	20.429	1.772	0.065	0.134	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1409.72	
Avg	0.6915	1151.0	1171.3	1171.2	0.917	2.071	74.925	20.026	1.816	0.071	0.147	0.011	0.012	0.003	0.000	0.000	0.000	0.000	1408.62	

Source Daily Summary

January 2026

Source #: 091
Name: MNT BRD-PLRMO BRD-BIS STN

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7574	1184.1	1205.0	1204.8	1.044	6.039	65.849	20.630	5.719	0.193	0.457	0.029	0.032	0.007	0.000	0.000	0.000	0.000	1384.61	
2	0.7580	1183.9	1204.8	1204.6	1.046	6.102	65.769	20.606	5.751	0.195	0.462	0.029	0.032	0.007	0.000	0.000	0.000	0.000	1383.87	
3	0.7611	1186.9	1207.9	1207.6	1.049	6.204	65.391	20.658	5.933	0.204	0.487	0.031	0.034	0.008	0.000	0.000	0.000	0.000	1384.54	
4	0.7630	1190.5	1211.5	1211.3	1.045	6.172	65.172	20.780	6.032	0.210	0.509	0.034	0.037	0.008	0.000	0.000	0.000	0.000	1386.95	
5	0.7585	1181.7	1202.6	1202.3	1.045	6.281	65.655	20.531	5.769	0.193	0.459	0.029	0.032	0.007	0.000	0.000	0.000	0.000	1380.86	
6	0.7595	1183.0	1204.0	1203.8	1.046	6.292	65.522	20.587	5.820	0.196	0.468	0.030	0.033	0.007	0.000	0.000	0.000	0.000	1381.52	
7	0.7598	1183.6	1204.6	1204.4	1.048	6.278	65.505	20.595	5.832	0.198	0.473	0.030	0.033	0.007	0.000	0.000	0.000	0.000	1381.98	
8	0.7581	1180.5	1201.4	1201.1	1.048	6.319	65.680	20.501	5.735	0.193	0.457	0.029	0.032	0.007	0.000	0.000	0.000	0.000	1379.77	
9	0.7612	1186.4	1207.4	1207.1	1.044	6.255	65.352	20.659	5.918	0.205	0.491	0.032	0.035	0.008	0.000	0.000	0.000	0.000	1383.83	
10	0.7603	1185.2	1206.2	1206.0	1.046	6.237	65.458	20.638	5.865	0.202	0.481	0.031	0.034	0.008	0.000	0.000	0.000	0.000	1383.32	
11	0.7607	1184.6	1205.6	1205.3	1.046	6.308	65.395	20.610	5.884	0.202	0.481	0.031	0.035	0.008	0.000	0.000	0.000	0.000	1382.27	
12	0.7598	1183.3	1204.3	1204.0	1.049	6.299	65.500	20.572	5.838	0.199	0.473	0.030	0.033	0.007	0.000	0.000	0.000	0.000	1381.59	
13	0.7615	1186.1	1207.1	1206.9	1.051	6.284	65.313	20.654	5.925	0.206	0.491	0.032	0.035	0.008	0.000	0.000	0.000	0.000	1383.28	
14	0.7615	1186.4	1207.5	1207.2	1.048	6.269	65.307	20.693	5.902	0.208	0.497	0.033	0.036	0.008	0.000	0.000	0.000	0.000	1383.67	
15	0.7613	1186.2	1207.2	1206.9	1.049	6.265	65.327	20.711	5.857	0.209	0.502	0.034	0.038	0.008	0.000	0.000	0.000	0.000	1383.54	
16	0.7632	1189.1	1210.2	1209.9	1.053	6.259	65.095	20.811	5.969	0.215	0.515	0.035	0.038	0.009	0.000	0.000	0.000	0.000	1385.24	
17	0.7558	1186.4	1207.4	1207.2	1.038	5.756	66.119	20.791	5.544	0.200	0.477	0.032	0.035	0.009	0.000	0.000	0.000	0.000	1388.81	
18	0.7569	1186.3	1207.3	1207.0	1.041	5.862	65.946	20.788	5.611	0.200	0.477	0.032	0.035	0.008	0.000	0.000	0.000	0.000	1387.65	
19	0.7545	1183.0	1203.9	1203.7	1.039	5.840	66.247	20.669	5.483	0.194	0.458	0.030	0.032	0.008	0.000	0.000	0.000	0.000	1386.00	
20	0.7593	1187.4	1208.4	1208.2	1.046	6.012	65.618	20.812	5.732	0.207	0.497	0.033	0.036	0.008	0.000	0.000	0.000	0.000	1386.74	
21	0.7586	1185.2	1206.1	1205.9	1.056	6.066	65.737	20.653	5.708	0.208	0.495	0.033	0.036	0.008	0.000	0.000	0.000	0.000	1384.79	
22	0.7583	1186.2	1207.2	1207.0	1.050	5.980	65.797	20.684	5.722	0.206	0.487	0.032	0.035	0.008	0.000	0.000	0.000	0.000	1386.32	
23	0.7556	1185.6	1206.6	1206.3	1.042	5.777	66.162	20.715	5.559	0.200	0.473	0.031	0.033	0.008	0.000	0.000	0.000	0.000	1388.06	
24	0.7598	1189.9	1211.0	1210.7	1.039	5.909	65.648	20.807	5.794	0.211	0.512	0.034	0.037	0.008	0.000	0.000	0.000	0.000	1389.28	
25	0.7587	1188.0	1209.0	1208.8	1.043	5.924	65.691	20.881	5.687	0.205	0.492	0.032	0.036	0.008	0.000	0.000	0.000	0.000	1387.97	
26	0.7628	1191.4	1212.5	1212.3	1.049	6.084	65.219	20.881	5.937	0.218	0.527	0.035	0.039	0.010	0.000	0.000	0.000	0.000	1388.28	
27	0.7596	1184.1	1205.0	1204.8	1.059	6.216	65.526	20.670	5.781	0.202	0.478	0.030	0.032	0.007	0.000	0.000	0.000	0.000	1382.68	
28	0.7604	1184.3	1205.3	1205.1	1.055	6.289	65.440	20.608	5.837	0.205	0.491	0.032	0.035	0.008	0.000	0.000	0.000	0.000	1382.15	
29	0.7612	1185.9	1206.9	1206.7	1.054	6.263	65.358	20.656	5.889	0.208	0.497	0.032	0.035	0.008	0.000	0.000	0.000	0.000	1383.37	
30	0.7590	1182.8	1203.8	1203.6	1.054	6.247	65.608	20.585	5.760	0.200	0.474	0.030	0.034	0.008	0.000	0.000	0.000	0.000	1381.71	
31	0.7582	1181.6	1202.5	1202.3	1.051	6.253	65.689	20.542	5.747	0.196	0.460	0.027	0.029	0.006	0.000	0.000	0.000	0.000	1380.98	
Avg	0.7595	1185.0	1206.5	1206.2	1.048	6.140	65.584	20.677	5.792	0.203	0.484	0.031	0.034	0.008	0.000	0.000	0.000	0.000	1384.38	

Gas Composition and Properties

Effective October 1, 2021

Attachment B
Page 8 of 25

Source #: 2501030
Name: LIGNITE PLANT

Component	Mole %	Liquid Content	Mass %
Carbon Dioxide (CO2)	0.2283		0.5237
Nitrogen (N2)	2.9631		4.3268
Methane (C1)	79.4957		66.4767
Ethane (C2)	15.2390	4.0765	23.8852
Propane (C3)	2.0456	0.5637	4.7019
Isobutane (IC4)	0.0244	0.0080	0.0739
n-Butane (NC4)	0.0039	0.0012	0.0118
Isopentane (IC5)			
n-Pentane (NC5)			
Hexanes Plus (C6+)			
Argon (Ar)			
Carbon Monoxide (CO)			
Hydrogen (H2)			
Oxygen (O2)			
Helium (He)			
Water (H2O)			
Hydrogen Sulfide (H2S)			
Totals	100.0000	4.6490	100.0000

Property	Total Sample
Pressure Base	14.73
Temperature Base	60
HCDP @ Sample Pressure	
Cricondentherm	-32.804
HV, Dry @ Base P, T	1130.73
HV, Sat @ Base P, T	1111.05
HV, Sat @ Sample P, T	1130.73
Relative Density	0.6640
C6+: 100	

Sample

Date: 10/01/2021 Type:

Tech: Wayne Sampson

Pressure: Temp.:

Gauge: H2O:

Atm. Pressure: H2S:

Remarks:

Analysis

Date: Instrument:

Tech: Cylinder:

Remarks:

Source Daily Summary

January 2026

Source #: 603
Name: TIOGA STN-COUNTY LINE PLANT

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7231	1168.6	1189.3	1189.1	1.087	3.698	71.042	20.072	3.351	0.171	0.451	0.047	0.061	0.021	0.000	0.000	0.000	0.000	1398.60	
2	0.7247	1171.4	1192.1	1191.9	1.090	3.675	70.815	20.251	3.394	0.177	0.464	0.048	0.064	0.022	0.000	0.000	0.000	0.000	1400.35	
3	0.7293	1178.5	1199.4	1199.1	1.090	3.673	70.312	20.387	3.692	0.198	0.512	0.050	0.064	0.021	0.000	0.000	0.000	0.000	1404.39	
4	0.7295	1177.2	1198.0	1197.8	1.098	3.757	70.215	20.427	3.683	0.190	0.494	0.050	0.065	0.021	0.000	0.000	0.000	0.000	1402.66	
5	0.7297	1179.5	1200.4	1200.2	1.097	3.631	70.451	20.141	3.798	0.203	0.532	0.053	0.070	0.024	0.000	0.000	0.000	0.000	1405.28	
6	0.7275	1176.5	1197.3	1197.1	1.101	3.606	70.611	20.225	3.635	0.189	0.496	0.048	0.064	0.024	0.000	0.000	0.000	0.000	1403.75	
7	0.7236	1170.8	1191.5	1191.3	1.101	3.594	70.933	20.263	3.380	0.171	0.444	0.042	0.055	0.018	0.000	0.000	0.000	0.000	1400.69	
8	0.7274	1176.7	1197.6	1197.4	1.099	3.589	70.579	20.322	3.591	0.188	0.493	0.050	0.066	0.023	0.000	0.000	0.000	0.000	1404.11	
9	0.7325	1185.1	1206.1	1205.9	1.092	3.565	69.990	20.526	3.963	0.205	0.525	0.049	0.063	0.022	0.000	0.000	0.000	0.000	1409.19	
10	0.7320	1183.8	1204.8	1204.5	1.095	3.586	70.111	20.358	4.008	0.201	0.512	0.048	0.061	0.020	0.000	0.000	0.000	0.000	1408.14	
11	0.7302	1180.1	1201.0	1200.8	1.107	3.628	70.437	20.056	3.903	0.202	0.522	0.052	0.068	0.024	0.000	0.000	0.000	0.000	1405.47	
12	0.7310	1180.7	1201.6	1201.4	1.097	3.679	70.496	19.792	4.004	0.213	0.562	0.055	0.073	0.027	0.000	0.000	0.000	0.000	1405.41	
13	0.7306	1180.0	1200.9	1200.7	1.089	3.692	70.581	19.692	4.013	0.214	0.564	0.055	0.072	0.027	0.000	0.000	0.000	0.000	1405.04	
14	0.7298	1179.6	1200.5	1200.2	1.081	3.663	70.535	19.883	3.967	0.204	0.533	0.049	0.063	0.022	0.000	0.000	0.000	0.000	1405.22	
15	0.7192	1162.7	1183.3	1183.1	1.079	3.707	71.729	19.419	3.364	0.161	0.422	0.043	0.057	0.019	0.000	0.000	0.000	0.000	1395.23	
16	0.7264	1174.4	1195.2	1195.0	1.085	3.656	70.917	19.745	3.801	0.186	0.479	0.047	0.062	0.022	0.000	0.000	0.000	0.000	1402.28	
17	0.7225	1166.5	1187.2	1187.0	1.092	3.762	70.993	20.017	3.522	0.158	0.381	0.029	0.035	0.011	0.000	0.000	0.000	0.000	1396.67	
18	0.7254	1170.9	1191.6	1191.4	1.083	3.780	70.897	19.726	3.792	0.181	0.446	0.038	0.046	0.012	0.000	0.000	0.000	0.000	1399.09	
19	0.7237	1167.4	1188.0	1187.8	1.085	3.831	71.130	19.555	3.678	0.177	0.439	0.039	0.050	0.015	0.000	0.000	0.000	0.000	1396.51	
20	0.7267	1173.4	1194.1	1193.9	1.090	3.739	70.696	19.934	3.799	0.186	0.459	0.039	0.047	0.012	0.000	0.000	0.000	0.000	1400.81	
21	0.7316	1181.6	1202.6	1202.4	1.088	3.698	70.292	19.931	4.131	0.207	0.529	0.047	0.060	0.017	0.000	0.000	0.000	0.000	1405.91	
22	0.7320	1182.1	1203.1	1202.9	1.085	3.703	70.283	19.840	4.251	0.208	0.516	0.043	0.054	0.016	0.000	0.000	0.000	0.000	1406.18	
23	0.7347	1187.7	1208.7	1208.5	1.088	3.612	70.090	19.797	4.536	0.226	0.548	0.040	0.048	0.014	0.000	0.000	0.000	0.000	1410.18	
24	0.7353	1188.7	1209.7	1209.5	1.062	3.647	70.080	19.669	4.639	0.241	0.572	0.037	0.042	0.010	0.000	0.000	0.000	0.000	1410.78	
25	0.7304	1180.8	1201.8	1201.6	1.065	3.665	70.717	19.415	4.224	0.227	0.567	0.047	0.057	0.016	0.000	0.000	0.000	0.000	1406.14	
26	0.7284	1177.3	1198.1	1197.9	1.063	3.690	71.120	19.049	4.121	0.233	0.596	0.050	0.060	0.016	0.000	0.000	0.000	0.000	1403.87	
27	0.7345	1186.6	1207.6	1207.4	1.058	3.707	70.556	19.088	4.489	0.259	0.680	0.062	0.078	0.022	0.000	0.000	0.000	0.000	1409.01	
28	0.7358	1189.1	1210.1	1209.9	1.062	3.669	70.435	19.192	4.482	0.267	0.715	0.067	0.085	0.027	0.000	0.000	0.000	0.000	1410.73	
29	0.7284	1177.0	1197.9	1197.7	1.070	3.698	70.949	19.366	4.007	0.209	0.547	0.054	0.072	0.027	0.000	0.000	0.000	0.000	1403.57	
30	0.7284	1176.1	1196.9	1196.7	1.067	3.758	70.802	19.499	4.038	0.201	0.506	0.046	0.060	0.023	0.000	0.000	0.000	0.000	1402.49	
31	0.7265	1173.5	1194.2	1194.0	1.071	3.745	70.971	19.470	3.957	0.193	0.483	0.041	0.052	0.017	0.000	0.000	0.000	0.000	1401.06	
Avg	0.7287	1178.0	1198.4	1198.2	1.084	3.681	70.638	19.842	3.910	0.201	0.516	0.047	0.060	0.020	0.000	0.000	0.000	0.000	1403.83	

Source Daily Summary

January 2026

Source #: 043
Name: BISMARCK STN-CLEVELAND STN

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7255	1157.4	1177.9	1177.2	0.864	4.944	70.349	19.192	4.141	0.137	0.325	0.020	0.021	0.007	0.000	0.000	0.000	0.000	1382.92	
2	0.7219	1151.6	1172.0	1171.3	0.905	4.906	70.861	18.906	3.940	0.130	0.308	0.019	0.019	0.006	0.000	0.000	0.000	0.000	1379.33	
3	0.7230	1152.1	1172.5	1171.8	0.901	4.979	70.771	18.809	4.034	0.135	0.322	0.020	0.021	0.007	0.000	0.000	0.000	0.000	1378.91	
4	0.7292	1160.4	1181.0	1180.3	0.876	5.095	69.948	19.114	4.403	0.150	0.361	0.023	0.024	0.008	0.000	0.000	0.000	0.000	1382.93	
5	0.7324	1163.3	1183.9	1183.2	0.870	5.224	69.461	19.312	4.552	0.154	0.372	0.023	0.025	0.008	0.000	0.000	0.000	0.000	1383.39	
6	0.7328	1161.5	1182.0	1181.3	0.877	5.367	69.272	19.399	4.533	0.148	0.354	0.021	0.022	0.007	0.000	0.000	0.000	0.000	1380.80	
7	0.7449	1173.4	1194.2	1193.4	0.934	5.684	67.651	19.919	5.155	0.173	0.421	0.026	0.027	0.008	0.000	0.000	0.000	0.000	1383.63	
8	0.7394	1167.1	1187.7	1186.9	0.915	5.581	68.335	19.742	4.829	0.159	0.384	0.023	0.024	0.008	0.000	0.000	0.000	0.000	1381.30	
9	0.7396	1168.1	1188.8	1188.0	0.944	5.491	68.393	19.711	4.844	0.163	0.395	0.024	0.026	0.008	0.000	0.000	0.000	0.000	1382.34	
10	0.7323	1162.7	1183.3	1182.5	0.938	5.152	69.455	19.409	4.473	0.152	0.366	0.023	0.024	0.008	0.000	0.000	0.000	0.000	1382.73	
11	0.7330	1162.7	1183.3	1182.5	0.925	5.233	69.416	19.275	4.564	0.155	0.375	0.023	0.025	0.008	0.000	0.000	0.000	0.000	1382.08	
12	0.7352	1162.9	1183.5	1182.7	0.952	5.385	69.103	19.278	4.695	0.157	0.377	0.023	0.024	0.008	0.000	0.000	0.000	0.000	1380.29	
13	0.7353	1163.6	1184.2	1183.4	0.973	5.323	69.090	19.358	4.660	0.158	0.381	0.024	0.025	0.008	0.000	0.000	0.000	0.000	1380.95	
14	0.7303	1158.4	1178.9	1178.1	0.990	5.143	69.807	19.127	4.368	0.149	0.360	0.023	0.024	0.008	0.000	0.000	0.000	0.000	1379.53	
15	0.7331	1162.9	1183.5	1182.8	0.963	5.174	69.463	19.244	4.544	0.160	0.390	0.025	0.027	0.009	0.000	0.000	0.000	0.000	1382.25	
16	0.7223	1153.8	1174.3	1173.6	0.904	4.800	70.823	19.063	3.903	0.135	0.323	0.020	0.021	0.007	0.000	0.000	0.000	0.000	1381.73	
17	0.7212	1151.7	1172.1	1171.4	0.936	4.786	71.000	18.928	3.854	0.132	0.316	0.020	0.021	0.007	0.000	0.000	0.000	0.000	1380.14	
18	0.7222	1155.4	1175.9	1175.2	0.861	4.760	70.845	19.098	3.922	0.137	0.327	0.021	0.022	0.007	0.000	0.000	0.000	0.000	1383.72	
19	0.7141	1144.8	1165.1	1164.4	0.857	4.658	72.027	18.422	3.581	0.122	0.288	0.018	0.019	0.007	0.000	0.000	0.000	0.000	1378.72	
20	0.7157	1146.8	1167.1	1166.4	0.828	4.725	71.743	18.607	3.641	0.123	0.290	0.018	0.019	0.006	0.000	0.000	0.000	0.000	1379.61	
21	0.7113	1142.0	1162.2	1161.6	0.856	4.567	72.478	18.193	3.463	0.119	0.280	0.018	0.019	0.006	0.000	0.000	0.000	0.000	1378.03	
22	0.7066	1138.7	1158.9	1158.2	0.826	4.375	73.112	18.067	3.215	0.111	0.257	0.016	0.017	0.006	0.000	0.000	0.000	0.000	1378.60	
23	0.7056	1139.1	1159.3	1158.7	0.837	4.238	73.292	18.055	3.182	0.109	0.251	0.015	0.016	0.005	0.000	0.000	0.000	0.000	1380.10	
24	0.7044	1137.4	1157.6	1156.9	0.847	4.211	73.578	17.769	3.197	0.108	0.253	0.016	0.016	0.005	0.000	0.000	0.000	0.000	1379.23	
25	0.7042	1136.2	1156.3	1155.7	0.869	4.233	73.693	17.577	3.211	0.112	0.265	0.017	0.018	0.006	0.000	0.000	0.000	0.000	1377.92	
26	0.7079	1140.7	1160.9	1160.2	0.867	4.311	73.085	17.955	3.351	0.115	0.274	0.017	0.018	0.006	0.000	0.000	0.000	0.000	1379.75	
27	0.7097	1140.8	1161.0	1160.3	0.901	4.424	72.752	18.109	3.389	0.114	0.271	0.017	0.017	0.005	0.000	0.000	0.000	0.000	1378.10	
28	0.7126	1142.0	1162.2	1161.5	0.924	4.587	72.245	18.352	3.463	0.115	0.273	0.017	0.018	0.006	0.000	0.000	0.000	0.000	1376.76	
29	0.7109	1139.9	1160.1	1159.4	0.888	4.610	72.493	18.175	3.412	0.114	0.269	0.017	0.018	0.006	0.000	0.000	0.000	0.000	1375.88	
30	0.7114	1141.8	1162.0	1161.3	0.838	4.622	72.416	18.215	3.476	0.116	0.275	0.017	0.018	0.006	0.000	0.000	0.000	0.000	1377.62	
31	0.7185	1149.0	1169.3	1168.7	0.846	4.832	71.251	18.870	3.753	0.123	0.286	0.017	0.017	0.006	0.000	0.000	0.000	0.000	1379.52	
Avg	0.7221	1153.0	1172.9	1172.2	0.894	4.885	70.910	18.815	3.992	0.135	0.322	0.020	0.021	0.007	0.000	0.000	0.000	0.000	1380.28	

Source Daily Summary

January 2026

Source #: 063
Name: CLEVELAND STN-MAPLETON

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7250	1153.4	1173.8	1172.9	0.937	5.033	70.295	19.274	3.988	0.133	0.301	0.019	0.021	0.000	0.000	0.000	0.000	0.000	1378.57	
2	0.7266	1157.1	1177.6	1176.7	0.903	5.008	70.147	19.297	4.147	0.139	0.317	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1381.49	
3	0.7229	1150.8	1171.2	1170.5	0.951	4.973	70.688	18.981	3.934	0.132	0.300	0.019	0.021	0.000	0.000	0.000	0.000	0.000	1377.46	
4	0.7236	1151.2	1171.5	1170.9	0.938	5.037	70.637	18.887	4.012	0.136	0.311	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1377.22	
5	0.7310	1161.0	1181.6	1181.0	0.911	5.163	69.646	19.300	4.424	0.153	0.354	0.023	0.026	0.000	0.000	0.000	0.000	0.000	1382.05	
6	0.7330	1162.0	1182.6	1182.0	0.907	5.302	69.297	19.419	4.516	0.153	0.357	0.023	0.026	0.000	0.000	0.000	0.000	0.000	1381.29	
7	0.7325	1159.1	1179.6	1179.0	0.912	5.428	69.229	19.466	4.443	0.146	0.333	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1378.25	
8	0.7443	1171.3	1192.1	1191.4	0.966	5.704	67.659	19.999	5.047	0.171	0.400	0.026	0.029	0.000	0.000	0.000	0.000	0.000	1381.73	
9	0.7399	1165.8	1186.5	1185.8	0.953	5.651	68.193	19.826	4.799	0.160	0.369	0.023	0.025	0.000	0.000	0.000	0.000	0.000	1379.31	
10	0.7403	1167.7	1188.4	1187.6	0.987	5.517	68.265	19.795	4.831	0.165	0.386	0.025	0.028	0.000	0.000	0.000	0.000	0.000	1381.18	
11	0.7313	1160.0	1180.5	1179.8	0.972	5.172	69.533	19.418	4.365	0.149	0.344	0.022	0.025	0.000	0.000	0.000	0.000	0.000	1380.40	
12	0.7351	1162.8	1183.4	1182.7	0.971	5.353	69.038	19.461	4.606	0.157	0.365	0.023	0.026	0.000	0.000	0.000	0.000	0.000	1380.26	
13	0.7362	1162.5	1183.1	1182.4	1.003	5.427	68.874	19.477	4.647	0.158	0.365	0.023	0.026	0.000	0.000	0.000	0.000	0.000	1378.86	
14	0.7345	1161.5	1182.0	1181.1	1.016	5.315	69.214	19.281	4.596	0.158	0.370	0.024	0.027	0.000	0.000	0.000	0.000	0.000	1379.18	
15	0.7326	1159.0	1179.5	1178.8	1.031	5.256	69.441	19.282	4.427	0.154	0.359	0.024	0.026	0.000	0.000	0.000	0.000	0.000	1378.11	
16	0.7295	1157.7	1178.2	1177.4	0.992	5.105	69.923	19.123	4.299	0.152	0.355	0.024	0.027	0.000	0.000	0.000	0.000	0.000	1379.46	
17	0.7237	1153.1	1173.5	1172.7	0.960	4.895	70.622	19.077	3.943	0.139	0.320	0.021	0.023	0.000	0.000	0.000	0.000	0.000	1379.46	
18	0.7234	1154.5	1174.9	1174.1	0.947	4.800	70.629	19.231	3.895	0.138	0.315	0.021	0.024	0.000	0.000	0.000	0.000	0.000	1381.41	
19	0.7197	1150.6	1171.0	1170.1	0.890	4.777	71.170	18.909	3.777	0.133	0.303	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1380.33	
20	0.7147	1144.2	1164.4	1163.6	0.881	4.710	71.877	18.556	3.542	0.121	0.275	0.018	0.020	0.000	0.000	0.000	0.000	0.000	1377.42	
21	0.7189	1148.9	1169.2	1168.4	0.875	4.830	71.246	18.856	3.726	0.130	0.296	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1378.98	
22	0.7077	1137.0	1157.1	1156.5	0.893	4.477	72.983	17.996	3.250	0.113	0.254	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1375.50	
23	0.7068	1138.1	1158.3	1157.8	0.840	4.403	73.008	18.201	3.167	0.108	0.241	0.015	0.017	0.000	0.000	0.000	0.000	0.000	1377.72	
24	0.7025	1134.7	1154.8	1154.4	0.877	4.156	73.790	17.775	3.034	0.104	0.233	0.015	0.017	0.000	0.000	0.000	0.000	0.000	1377.74	
25	0.7054	1136.4	1156.6	1156.2	0.892	4.298	73.431	17.763	3.219	0.111	0.251	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1377.03	
26	0.7045	1134.8	1154.9	1154.4	0.907	4.286	73.627	17.594	3.182	0.112	0.255	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1375.95	
27	0.7084	1139.9	1160.0	1159.5	0.905	4.348	72.982	18.026	3.322	0.116	0.265	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1378.28	
28	0.7103	1140.3	1160.5	1159.8	0.938	4.454	72.618	18.222	3.356	0.115	0.261	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1376.91	
29	0.7125	1140.2	1160.4	1159.7	0.961	4.624	72.236	18.356	3.413	0.115	0.260	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1374.77	
30	0.7112	1138.6	1158.7	1158.0	0.927	4.660	72.424	18.191	3.389	0.115	0.259	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1373.97	
31	0.7119	1140.9	1161.1	1160.3	0.875	4.665	72.314	18.277	3.451	0.117	0.265	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1376.06	
Avg	0.7226	1151.0	1171.8	1171.1	0.933	4.930	70.808	18.881	3.960	0.136	0.311	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1378.59	

Source Daily Summary

January 2026

Source #: 061
Name: CLEVELAND STN-GRAFTON BDR

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7245	1152.9	1173.4	1173.1	0.935	5.019	70.366	19.242	3.968	0.132	0.299	0.019	0.021	0.000	0.000	0.000	0.000	0.000	1378.50	
2	0.7260	1156.2	1176.7	1176.4	0.901	5.013	70.235	19.229	4.126	0.139	0.315	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1380.94	
3	0.7229	1150.4	1170.8	1170.4	0.955	4.987	70.696	18.957	3.933	0.132	0.300	0.019	0.021	0.000	0.000	0.000	0.000	0.000	1377.06	
4	0.7238	1151.4	1171.8	1171.4	0.933	5.044	70.612	18.894	4.026	0.137	0.312	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1377.40	
5	0.7320	1162.3	1182.9	1182.5	0.913	5.182	69.507	19.351	4.481	0.155	0.361	0.024	0.027	0.000	0.000	0.000	0.000	0.000	1382.57	
6	0.7326	1161.0	1181.6	1181.2	0.906	5.326	69.330	19.397	4.492	0.152	0.350	0.022	0.025	0.000	0.000	0.000	0.000	0.000	1380.50	
7	0.7364	1163.9	1184.5	1184.1	0.923	5.479	68.731	19.657	4.648	0.156	0.359	0.022	0.025	0.000	0.000	0.000	0.000	0.000	1380.35	
8	0.7447	1171.6	1192.3	1191.8	0.972	5.723	67.598	20.010	5.072	0.172	0.400	0.025	0.028	0.000	0.000	0.000	0.000	0.000	1381.61	
9	0.7411	1167.0	1187.7	1187.2	0.959	5.683	68.034	19.872	4.864	0.163	0.376	0.024	0.026	0.000	0.000	0.000	0.000	0.000	1379.59	
10	0.7403	1167.7	1188.4	1187.6	0.987	5.517	68.265	19.795	4.831	0.165	0.386	0.025	0.028	0.000	0.000	0.000	0.000	0.000	1381.18	
11	0.7313	1160.0	1180.5	1179.8	0.972	5.172	69.533	19.418	4.365	0.149	0.344	0.022	0.025	0.000	0.000	0.000	0.000	0.000	1380.40	
12	0.7351	1162.8	1183.4	1182.7	0.971	5.353	69.038	19.461	4.606	0.157	0.365	0.023	0.026	0.000	0.000	0.000	0.000	0.000	1380.26	
13	0.7362	1162.5	1183.1	1182.4	1.003	5.427	68.874	19.477	4.647	0.158	0.365	0.023	0.026	0.000	0.000	0.000	0.000	0.000	1378.86	
14	0.7345	1161.5	1182.0	1181.1	1.016	5.315	69.214	19.281	4.596	0.158	0.370	0.024	0.027	0.000	0.000	0.000	0.000	0.000	1379.18	
15	0.7326	1159.0	1179.5	1178.8	1.031	5.256	69.441	19.282	4.427	0.154	0.359	0.024	0.026	0.000	0.000	0.000	0.000	0.000	1378.11	
16	0.7295	1157.7	1178.2	1177.4	0.992	5.105	69.923	19.123	4.299	0.152	0.355	0.024	0.027	0.000	0.000	0.000	0.000	0.000	1379.46	
17	0.7237	1153.1	1173.5	1172.7	0.960	4.895	70.622	19.077	3.943	0.139	0.320	0.021	0.023	0.000	0.000	0.000	0.000	0.000	1379.46	
18	0.7234	1154.5	1174.9	1174.1	0.947	4.800	70.629	19.231	3.895	0.138	0.315	0.021	0.024	0.000	0.000	0.000	0.000	0.000	1381.41	
19	0.7197	1150.6	1171.0	1170.1	0.890	4.777	71.170	18.909	3.777	0.133	0.303	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1380.33	
20	0.7147	1144.2	1164.4	1163.6	0.881	4.710	71.877	18.556	3.542	0.121	0.275	0.018	0.020	0.000	0.000	0.000	0.000	0.000	1377.42	
21	0.7189	1148.9	1169.2	1168.4	0.875	4.830	71.246	18.856	3.726	0.130	0.296	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1378.98	
22	0.7077	1137.0	1157.1	1156.5	0.893	4.477	72.983	17.996	3.250	0.113	0.254	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1375.50	
23	0.7068	1138.1	1158.3	1157.8	0.840	4.403	73.008	18.201	3.167	0.108	0.241	0.015	0.017	0.000	0.000	0.000	0.000	0.000	1377.72	
24	0.7025	1134.7	1154.8	1154.4	0.877	4.156	73.790	17.775	3.034	0.104	0.233	0.015	0.017	0.000	0.000	0.000	0.000	0.000	1377.74	
25	0.7054	1136.4	1156.6	1156.2	0.892	4.298	73.431	17.763	3.219	0.111	0.251	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1377.03	
26	0.7045	1134.8	1154.9	1154.4	0.907	4.286	73.627	17.594	3.182	0.112	0.255	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1375.95	
27	0.7099	1141.5	1161.7	1161.4	0.910	4.382	72.747	18.156	3.380	0.118	0.270	0.018	0.020	0.000	0.000	0.000	0.000	0.000	1378.79	
28	0.7100	1139.1	1159.3	1159.0	0.950	4.481	72.655	18.172	3.338	0.114	0.257	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1375.77	
29	0.7121	1139.5	1159.7	1159.5	0.954	4.644	72.277	18.322	3.396	0.115	0.258	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1374.27	
30	0.7115	1138.8	1159.0	1158.8	0.927	4.666	72.394	18.199	3.403	0.116	0.260	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1374.06	
31	0.7123	1141.4	1161.6	1161.4	0.859	4.694	72.248	18.296	3.481	0.118	0.268	0.017	0.020	0.000	0.000	0.000	0.000	0.000	1376.34	
Avg	0.7228	1152.0	1172.0	1171.5	0.933	4.939	70.777	18.889	3.971	0.136	0.312	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1378.60	

Source Daily Summary

January 2026

Source #: 662
Name: MAPLETON-WAHPETON

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.5897	1028.8	1047.0	1046.8	0.569	0.471	93.466	5.356	0.129	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1363.42	-89.83
2	0.5895	1029.0	1047.2	1046.9	0.558	0.458	93.496	5.360	0.121	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1363.88	-89.97
3	0.5899	1029.1	1047.3	1047.1	0.558	0.483	93.464	5.334	0.145	0.007	0.007	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1363.64	-89.35
4	0.5927	1032.3	1050.6	1050.3	0.569	0.532	93.117	5.453	0.275	0.022	0.024	0.004	0.003	0.000	0.000	0.000	0.000	0.000	1364.67	-84.77
5	0.5920	1031.0	1049.2	1049.0	0.566	0.553	93.241	5.322	0.265	0.022	0.024	0.005	0.003	0.000	0.000	0.000	0.000	0.000	1363.71	-85.52
6	0.5928	1032.5	1050.8	1050.6	0.566	0.538	93.148	5.369	0.311	0.027	0.031	0.006	0.004	0.000	0.000	0.000	0.000	0.000	1364.77	-83.35
7	0.5933	1033.8	1052.1	1051.9	0.583	0.482	93.028	5.564	0.284	0.024	0.027	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1365.85	-83.72
8	0.5924	1032.1	1050.4	1050.2	0.576	0.508	93.178	5.409	0.276	0.022	0.024	0.004	0.003	0.000	0.000	0.000	0.000	0.000	1364.74	-84.91
9	0.5902	1030.2	1048.5	1048.2	0.568	0.432	93.477	5.309	0.185	0.012	0.012	0.002	0.002	0.000	0.000	0.000	0.000	0.000	1364.71	-88.22
10	0.5886	1028.1	1046.3	1046.0	0.550	0.437	93.665	5.238	0.103	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1363.76	-90.80
11	0.5890	1028.6	1046.8	1046.6	0.554	0.444	93.569	5.327	0.100	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1363.90	-90.45
12	0.5892	1029.2	1047.4	1047.2	0.558	0.410	93.557	5.364	0.103	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1364.60	-90.19
13	0.5894	1029.2	1047.4	1047.2	0.573	0.409	93.538	5.363	0.110	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1364.32	-90.06
14	0.5897	1030.3	1048.6	1048.4	0.564	0.386	93.453	5.483	0.105	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.42	-89.58
15	0.5908	1032.1	1050.4	1050.2	0.558	0.386	93.239	5.695	0.113	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.59	-88.49
16	0.5914	1032.8	1051.0	1050.8	0.557	0.406	93.147	5.731	0.150	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1366.72	-87.85
17	0.5950	1038.3	1056.6	1056.4	0.567	0.392	92.794	5.811	0.358	0.032	0.035	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1369.82	-79.84
18	0.5951	1037.8	1056.2	1056.0	0.580	0.411	92.831	5.705	0.382	0.036	0.040	0.008	0.006	0.000	0.000	0.000	0.000	0.000	1369.09	-78.64
19	0.5932	1033.8	1052.1	1051.9	0.609	0.432	93.044	5.594	0.270	0.021	0.022	0.004	0.003	0.000	0.000	0.000	0.000	0.000	1366.02	-84.07
20	0.5917	1031.4	1049.6	1049.4	0.616	0.430	93.120	5.698	0.125	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1364.51	-88.08
21	0.5912	1031.0	1049.3	1049.0	0.609	0.416	93.194	5.662	0.112	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1364.62	-88.60
22	0.5914	1031.6	1049.8	1049.6	0.593	0.423	93.147	5.714	0.116	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1365.15	-88.36
23	0.5914	1031.1	1049.4	1049.1	0.605	0.433	93.163	5.669	0.121	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1364.53	-88.39
24	0.5915	1031.6	1049.9	1049.6	0.596	0.431	93.151	5.672	0.138	0.006	0.005	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1365.01	-87.98
25	0.5911	1030.8	1049.0	1048.8	0.590	0.452	93.229	5.575	0.139	0.007	0.006	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1364.37	-88.37
26	0.5922	1031.9	1050.1	1049.9	0.602	0.467	93.079	5.652	0.179	0.010	0.009	0.002	0.001	0.000	0.000	0.000	0.000	0.000	1364.61	-87.10
27	0.5923	1032.8	1051.1	1050.8	0.586	0.440	93.024	5.769	0.167	0.007	0.005	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1365.78	-87.12
28	0.5919	1032.8	1051.1	1050.8	0.561	0.440	93.053	5.787	0.145	0.006	0.005	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1366.26	-87.49
29	0.5916	1032.3	1050.5	1050.3	0.553	0.457	93.092	5.753	0.132	0.006	0.005	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1365.88	-87.89
30	0.5910	1031.2	1049.5	1049.2	0.562	0.458	93.197	5.652	0.119	0.006	0.005	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1365.10	-88.50
31	0.5910	1031.3	1049.6	1049.3	0.568	0.437	93.208	5.664	0.114	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1365.29	-88.64
Avg	0.5914	1032.0	1049.8	1049.6	0.575	0.447	93.229	5.550	0.174	0.011	0.011	0.002	0.001	0.000	0.000	0.000	0.000	0.000	1365.19	-87.29

Source Daily Summary

January 2026

Source #: 041
Name: BISMARCK STN-GLEN ULLIN STN

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6768	1111.4	1131.1	1130.8	0.677	3.472	77.015	17.125	1.555	0.049	0.094	0.006	0.005	0.003	0.000	0.000	0.000	0.000	1374.89	
2	0.6749	1105.6	1125.2	1124.8	0.764	3.511	77.368	16.758	1.456	0.045	0.085	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1369.66	
3	0.6723	1101.4	1120.9	1120.6	0.778	3.506	77.803	16.409	1.367	0.042	0.081	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1367.04	
4	0.6720	1104.8	1124.4	1124.1	0.672	3.423	77.857	16.476	1.428	0.044	0.084	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1371.66	
5	0.6723	1106.8	1126.4	1126.1	0.605	3.437	77.743	16.618	1.455	0.045	0.084	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1373.77	
6	0.6745	1110.3	1129.9	1129.6	0.598	3.448	77.288	17.054	1.473	0.044	0.082	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1375.79	
7	0.6769	1112.4	1132.1	1131.7	0.628	3.491	76.990	17.140	1.594	0.049	0.093	0.006	0.005	0.003	0.000	0.000	0.000	0.000	1376.06	
8	0.6767	1113.1	1132.8	1132.5	0.620	3.444	76.847	17.498	1.458	0.043	0.079	0.005	0.004	0.003	0.000	0.000	0.000	0.000	1377.12	
9	0.6746	1107.7	1127.3	1126.9	0.782	3.340	77.350	17.018	1.379	0.042	0.078	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1372.42	
10	0.6735	1106.0	1125.6	1125.2	0.837	3.244	77.599	16.870	1.324	0.040	0.075	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1371.59	
11	0.6727	1107.2	1126.8	1126.5	0.776	3.185	77.840	16.636	1.420	0.045	0.085	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1373.93	
12	0.6704	1102.5	1122.0	1121.6	0.825	3.192	78.265	16.221	1.366	0.042	0.078	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1370.30	
13	0.6684	1098.6	1118.1	1117.7	0.915	3.096	78.593	16.086	1.193	0.037	0.070	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1367.62	
14	0.6676	1095.6	1115.0	1114.7	0.982	3.108	78.690	16.011	1.103	0.033	0.063	0.004	0.003	0.002	0.000	0.000	0.000	0.000	1364.67	
15	0.6670	1098.5	1118.0	1117.6	0.888	3.014	78.907	15.843	1.224	0.039	0.074	0.005	0.004	0.003	0.000	0.000	0.000	0.000	1368.89	
16	0.6876	1121.8	1141.7	1141.4	0.836	3.605	75.694	17.506	2.111	0.070	0.154	0.010	0.010	0.004	0.000	0.000	0.000	0.000	1376.96	
17	0.6775	1107.5	1127.1	1126.8	0.858	3.502	77.066	16.848	1.564	0.049	0.098	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1369.33	
18	0.6824	1115.9	1135.7	1135.4	0.725	3.645	76.333	17.204	1.885	0.061	0.127	0.008	0.008	0.004	0.000	0.000	0.000	0.000	1374.87	
19	0.6739	1102.5	1122.1	1121.8	0.724	3.663	77.644	16.254	1.558	0.047	0.094	0.006	0.006	0.004	0.000	0.000	0.000	0.000	1366.90	
20	0.6714	1102.9	1122.5	1122.2	0.650	3.527	77.853	16.448	1.401	0.039	0.071	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1369.82	
21	0.6703	1101.6	1121.1	1120.8	0.724	3.385	78.195	16.175	1.393	0.040	0.076	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1369.34	
22	0.6774	1110.8	1130.5	1130.3	0.721	3.490	77.216	16.625	1.760	0.056	0.115	0.007	0.007	0.004	0.000	0.000	0.000	0.000	1373.66	
23	0.6746	1108.8	1128.5	1128.2	0.743	3.322	77.666	16.454	1.645	0.051	0.102	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1373.94	
24	0.6765	1109.7	1129.3	1129.1	0.772	3.400	77.577	16.197	1.853	0.058	0.124	0.008	0.008	0.004	0.000	0.000	0.000	0.000	1373.12	
25	0.6963	1128.2	1148.1	1147.9	0.852	4.006	74.828	17.125	2.824	0.098	0.230	0.015	0.016	0.005	0.000	0.000	0.000	0.000	1375.99	
26	0.6671	1099.8	1119.2	1119.0	0.775	3.115	78.941	15.658	1.374	0.041	0.082	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1370.39	
27	0.6673	1100.1	1119.6	1119.3	0.807	3.068	78.749	16.022	1.245	0.034	0.065	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1370.56	
28	0.6697	1099.9	1119.4	1119.2	0.856	3.233	78.248	16.325	1.235	0.033	0.060	0.004	0.003	0.003	0.000	0.000	0.000	0.000	1367.86	
29	0.6699	1100.4	1119.9	1119.7	0.795	3.309	78.244	16.234	1.300	0.037	0.068	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1368.32	
30	0.6680	1100.1	1119.6	1119.3	0.697	3.304	78.508	16.091	1.285	0.036	0.067	0.005	0.004	0.003	0.000	0.000	0.000	0.000	1369.80	
31	0.6753	1111.1	1130.8	1130.5	0.669	3.363	77.169	17.218	1.449	0.042	0.077	0.005	0.004	0.003	0.000	0.000	0.000	0.000	1376.04	
Avg	0.6741	1107.0	1126.1	1125.9	0.760	3.382	77.616	16.585	1.506	0.046	0.091	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1371.69	

Source Daily Summary

January 2026

Source #: 271
Name: DCKSN BRD-BLFD TSF-G.U. STN

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6771	1109.0	1128.6	1128.4	0.733	3.560	76.907	17.161	1.499	0.047	0.084	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1371.62
2	0.6751	1104.0	1123.5	1123.3	0.820	3.551	77.279	16.817	1.396	0.045	0.082	0.005	0.005	0.000	0.000	0.000	0.000	0.000	0.000	1367.36
3	0.6736	1103.9	1123.4	1123.2	0.749	3.523	77.488	16.735	1.374	0.043	0.078	0.004	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1368.78
4	0.6741	1108.0	1127.6	1127.3	0.635	3.490	77.367	16.923	1.449	0.045	0.082	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1373.41
5	0.6757	1110.7	1130.4	1130.2	0.610	3.511	77.015	17.274	1.458	0.044	0.079	0.004	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1375.17
6	0.6781	1113.2	1132.9	1132.7	0.655	3.521	76.659	17.495	1.528	0.048	0.086	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1375.75
7	0.6781	1114.1	1133.8	1133.5	0.633	3.501	76.492	17.822	1.428	0.042	0.075	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	1376.87
8	0.6847	1119.6	1139.4	1139.3	0.765	3.585	75.390	18.601	1.515	0.048	0.087	0.004	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1376.98
9	0.6864	1121.9	1141.8	1141.6	0.810	3.533	75.102	18.895	1.513	0.049	0.088	0.004	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1378.15
10	0.6859	1124.7	1144.6	1144.5	0.722	3.451	75.298	18.721	1.641	0.055	0.101	0.005	0.005	0.000	0.000	0.000	0.000	0.000	0.000	1382.06
11	0.6851	1119.8	1139.6	1139.3	0.837	3.498	75.447	18.524	1.542	0.051	0.093	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1376.87
12	0.6856	1120.9	1140.8	1140.4	0.853	3.453	75.274	18.809	1.465	0.049	0.088	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1377.75
13	0.6852	1113.0	1132.8	1132.3	1.068	3.533	75.102	18.752	1.234	0.040	0.072	0.003	0.003	0.000	0.000	0.000	0.000	0.000	0.000	1368.40
14	0.6860	1122.3	1142.2	1141.8	0.835	3.435	75.305	18.697	1.564	0.053	0.099	0.006	0.005	0.000	0.000	0.000	0.000	0.000	0.000	1379.01
15	0.6867	1125.3	1145.2	1145.0	0.756	3.441	75.083	18.983	1.582	0.053	0.093	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1381.94
16	0.6831	1116.1	1135.9	1135.7	0.858	3.502	75.821	18.178	1.495	0.050	0.088	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1374.32
17	0.6783	1110.4	1130.1	1129.8	0.787	3.507	76.714	17.361	1.489	0.048	0.085	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1372.14
18	0.6734	1103.5	1123.1	1122.8	0.734	3.547	77.560	16.608	1.418	0.044	0.079	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1368.57
19	0.6723	1101.9	1121.4	1121.2	0.703	3.591	77.656	16.569	1.364	0.039	0.069	0.004	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1367.67
20	0.6751	1106.3	1125.9	1125.7	0.697	3.591	77.144	17.033	1.416	0.041	0.071	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	1370.34
21	0.6767	1109.8	1129.4	1129.2	0.714	3.509	76.963	17.177	1.498	0.046	0.083	0.005	0.005	0.000	0.000	0.000	0.000	0.000	0.000	1372.93
22	0.6786	1113.6	1133.3	1133.2	0.660	3.532	76.530	17.623	1.526	0.044	0.077	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1375.80
23	0.6790	1112.7	1132.4	1132.2	0.710	3.554	76.550	17.478	1.573	0.045	0.081	0.005	0.005	0.000	0.000	0.000	0.000	0.000	0.000	1374.20
24	0.6755	1106.8	1126.4	1126.2	0.745	3.531	77.154	17.003	1.436	0.044	0.078	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1370.46
25	0.6755	1107.6	1127.2	1127.1	0.718	3.514	77.143	17.063	1.430	0.044	0.078	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1371.56
26	0.6797	1114.5	1134.2	1134.1	0.712	3.503	76.181	18.110	1.389	0.037	0.063	0.003	0.002	0.000	0.000	0.000	0.000	0.000	0.000	1375.78
27	0.6803	1109.6	1129.3	1129.1	0.867	3.623	76.218	17.772	1.407	0.039	0.067	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	1369.16
28	0.6773	1106.9	1126.5	1126.3	0.813	3.590	76.758	17.342	1.386	0.038	0.067	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	1368.80
29	0.6741	1104.0	1123.6	1123.4	0.755	3.549	77.403	16.775	1.392	0.042	0.074	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1368.49
30	0.6758	1110.8	1130.5	1130.3	0.592	3.546	76.891	17.444	1.411	0.039	0.068	0.004	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1375.13
31	0.6827	1119.3	1139.1	1138.9	0.697	3.514	75.946	18.019	1.658	0.054	0.097	0.006	0.008	0.000	0.000	0.000	0.000	0.000	0.000	1378.64
Avg	0.6792	1112.0	1132.1	1131.9	0.750	3.527	76.451	17.670	1.467	0.045	0.081	0.005	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1373.68

Source Daily Summary

January 2026

Source #: 051
Name: CABIN CRK STN-BELFIELD TRSFR

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6692	1090.8	1110.1	1109.4	0.871	3.722	78.603	15.196	1.465	0.048	0.085	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1356.96	
2	0.6664	1086.5	1105.7	1105.0	0.864	3.733	79.016	14.911	1.347	0.043	0.075	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1354.43	
3	0.6658	1085.0	1104.2	1103.3	0.870	3.757	79.112	14.817	1.319	0.042	0.073	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1353.18	
4	0.6663	1089.4	1108.7	1107.8	0.737	3.736	78.985	15.004	1.409	0.044	0.076	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1358.19	
5	0.6713	1101.6	1121.1	1120.2	0.617	3.639	78.107	15.883	1.605	0.051	0.088	0.006	0.004	0.000	0.000	0.000	0.000	0.000	1368.32	
6	0.6690	1085.2	1104.4	1103.5	1.001	3.844	78.620	15.051	1.360	0.043	0.073	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1350.23	
7	0.6774	1108.0	1127.6	1126.7	0.678	3.729	77.080	16.605	1.737	0.059	0.103	0.006	0.004	0.000	0.000	0.000	0.000	0.000	1370.07	
8	0.6770	1102.1	1121.7	1120.9	0.843	3.807	77.073	16.567	1.561	0.051	0.089	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1363.17	
9	0.6790	1110.0	1129.7	1128.7	0.747	3.655	76.849	16.824	1.745	0.060	0.108	0.007	0.005	0.000	0.000	0.000	0.000	0.000	1370.93	
10	0.6782	1107.5	1127.1	1126.1	0.785	3.681	77.055	16.539	1.762	0.060	0.107	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1368.55	
11	0.6770	1104.4	1124.0	1123.1	0.818	3.698	77.275	16.333	1.699	0.059	0.106	0.007	0.005	0.000	0.000	0.000	0.000	0.000	1366.05	
12	0.6803	1108.6	1128.3	1127.7	0.850	3.708	76.796	16.615	1.832	0.066	0.120	0.007	0.005	0.000	0.000	0.000	0.000	0.000	1367.87	
13	0.6757	1101.4	1120.9	1120.0	0.854	3.711	77.536	16.054	1.668	0.059	0.107	0.007	0.005	0.000	0.000	0.000	0.000	0.000	1363.55	
14	0.6738	1097.9	1117.3	1116.3	0.876	3.705	77.764	15.972	1.536	0.050	0.088	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1361.23	
15	0.6743	1098.8	1118.3	1117.6	0.883	3.691	77.711	15.993	1.565	0.053	0.095	0.006	0.003	0.000	0.000	0.000	0.000	0.000	1361.78	
16	0.6797	1115.0	1134.8	1134.3	0.706	3.480	76.702	17.167	1.776	0.058	0.103	0.006	0.002	0.000	0.000	0.000	0.000	0.000	1376.37	
17	0.6728	1104.6	1124.2	1123.3	0.670	3.520	77.919	16.090	1.643	0.054	0.096	0.006	0.003	0.000	0.000	0.000	0.000	0.000	1370.50	
18	0.6686	1100.2	1119.6	1118.9	0.586	3.524	78.597	15.576	1.571	0.050	0.087	0.006	0.003	0.000	0.000	0.000	0.000	0.000	1369.27	
19	0.6682	1096.6	1116.0	1115.3	0.635	3.623	78.588	15.550	1.478	0.044	0.075	0.005	0.002	0.000	0.000	0.000	0.000	0.000	1365.33	
20	0.6685	1096.2	1115.6	1114.8	0.672	3.625	78.628	15.410	1.529	0.048	0.082	0.005	0.002	0.000	0.000	0.000	0.000	0.000	1364.44	
21	0.6739	1108.1	1127.7	1126.8	0.589	3.530	77.713	16.276	1.732	0.055	0.097	0.006	0.003	0.000	0.000	0.000	0.000	0.000	1373.76	
22	0.6704	1092.4	1111.7	1110.9	0.860	3.745	78.248	15.626	1.400	0.043	0.072	0.004	0.001	0.000	0.000	0.000	0.000	0.000	1357.83	
23	0.6695	1087.9	1107.1	1106.3	0.940	3.821	78.342	15.502	1.294	0.037	0.060	0.003	0.001	0.000	0.000	0.000	0.000	0.000	1353.07	
24	0.6677	1081.9	1101.0	1100.2	1.021	3.893	78.671	15.120	1.203	0.034	0.055	0.003	0.001	0.000	0.000	0.000	0.000	0.000	1347.45	
25	0.6682	1085.1	1104.3	1103.5	0.962	3.836	78.600	15.236	1.261	0.038	0.063	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1350.91	
26	0.6741	1105.0	1124.5	1123.7	0.686	3.598	77.524	16.486	1.577	0.047	0.079	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1369.65	
27	0.6741	1105.0	1124.5	1123.7	0.686	3.598	77.524	16.486	1.577	0.047	0.079	0.004	0.000	0.000	0.000	0.000	0.000	0.000	1369.65	
28	0.6732	1099.3	1118.8	1118.1	0.803	3.679	77.797	16.035	1.560	0.045	0.074	0.005	0.003	0.000	0.000	0.000	0.000	0.000	1363.55	
29	0.6688	1097.1	1116.5	1115.7	0.648	3.634	78.531	15.524	1.537	0.044	0.074	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1365.28	
30	0.6766	1111.7	1131.4	1130.5	0.578	3.583	77.103	16.865	1.716	0.053	0.091	0.006	0.004	0.000	0.000	0.000	0.000	0.000	1375.47	
31	0.6791	1115.7	1135.5	1134.5	0.604	3.531	76.932	16.814	1.923	0.065	0.117	0.008	0.006	0.000	0.000	0.000	0.000	0.000	1377.88	
Avg	0.6727	1099.0	1118.8	1118.0	0.772	3.678	77.903	15.939	1.561	0.050	0.087	0.005	0.003	0.000	0.000	0.000	0.000	0.000	1364.03	

Source Daily Summary

January 2026

Source #: 111
Name: LITTLE KNIFE PLANT

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6965	1138.1	1158.3	1156.5	1.190	2.930	72.150	23.290	0.425	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.87	-25.40
2	0.6971	1138.9	1159.1	1157.2	1.199	2.928	72.057	23.351	0.449	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.19	-25.00
3	0.6968	1138.6	1158.7	1157.0	1.190	2.937	72.102	23.308	0.448	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.07	-25.14
4	0.6972	1139.4	1159.6	1157.9	1.186	2.921	72.043	23.378	0.456	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.77	-24.89
5	0.6968	1139.1	1159.2	1157.8	1.180	2.917	72.091	23.360	0.436	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.72	-25.13
6	0.6962	1137.8	1158.0	1156.1	1.186	2.925	72.237	23.189	0.449	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.82	-25.45
7	0.6966	1138.0	1158.1	1156.5	1.199	2.939	72.155	23.239	0.453	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.56	-25.26
8	0.6966	1137.9	1158.0	1156.3	1.194	2.949	72.156	23.235	0.451	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.46	-25.30
9	0.6967	1137.6	1157.8	1155.8	1.197	2.970	72.142	23.215	0.461	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.05	-25.26
10	0.6969	1138.4	1158.6	1156.5	1.185	2.957	72.097	23.284	0.462	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.86	-25.10
11	0.6969	1138.2	1158.4	1156.7	1.192	2.955	72.106	23.274	0.458	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.63	-25.15
12	0.6968	1137.8	1157.9	1156.2	1.209	2.956	72.128	23.233	0.459	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.08	-25.21
13	0.6968	1137.5	1157.6	1156.1	1.209	2.964	72.151	23.199	0.462	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.85	-25.26
14	0.6968	1137.3	1157.4	1155.6	1.209	2.976	72.137	23.213	0.451	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.62	-25.34
15	0.6963	1136.7	1156.8	1155.3	1.198	2.990	72.198	23.162	0.437	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.30	-25.60
16	0.6962	1136.5	1156.6	1155.0	1.204	2.978	72.207	23.185	0.412	0.006	0.008	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.21	-25.76
17	0.6965	1136.7	1156.8	1154.5	1.215	2.976	72.181	23.181	0.433	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.18	-25.56
18	0.6970	1137.9	1158.1	1156.4	1.216	2.955	72.066	23.315	0.434	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.09	-25.21
19	0.6968	1137.9	1158.0	1155.7	1.215	2.937	72.122	23.272	0.439	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.27	-25.27
20	0.6966	1137.9	1158.1	1156.2	1.198	2.939	72.152	23.259	0.438	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.55	-25.35
21	0.6962	1136.8	1157.0	1155.0	1.214	2.946	72.224	23.180	0.422	0.006	0.008	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.58	-25.66
22	0.6967	1137.8	1157.9	1155.9	1.214	2.940	72.119	23.290	0.424	0.006	0.008	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.20	-25.36
23	0.6969	1137.8	1157.9	1155.3	1.214	2.948	72.193	23.112	0.517	0.007	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.13	-24.98
24	0.6965	1137.6	1157.7	1155.5	1.202	2.947	72.170	23.227	0.439	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.20	-25.40
25	0.6966	1137.6	1157.7	1155.6	1.213	2.937	72.182	23.205	0.448	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.14	-25.35
26	0.6983	1140.6	1160.8	1159.0	1.206	2.927	71.998	23.291	0.518	0.014	0.035	0.005	0.005	0.001	0.000	0.000	0.000	0.000	1389.04	-23.37
27	0.6975	1138.6	1158.8	1156.4	1.224	2.940	72.017	23.349	0.455	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.51	-24.92
28	0.6967	1137.8	1157.9	1155.7	1.197	2.963	72.119	23.267	0.440	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.21	-25.31
29	0.6969	1138.0	1158.2	1156.1	1.198	2.960	72.093	23.286	0.447	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.38	-25.20
30	0.6963	1136.5	1156.6	1155.0	1.212	2.977	72.207	23.159	0.430	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.10	-25.64
31	0.6971	1138.4	1158.5	1157.0	1.200	2.956	72.057	23.322	0.450	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.59	-25.08
Avg	0.6968	1138.0	1158.1	1156.2	1.202	2.950	72.131	23.253	0.449	0.006	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.36	-25.22

Source Daily Summary

January 2026

Source #: 011
Name: BAKER STN-MARM/BOWMAN TRANSFER

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6565	1089.6	1108.9	1107.5	0.829	2.650	81.203	13.840	1.339	0.043	0.081	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1368.66	-37.96
2	0.6557	1088.2	1107.5	1105.4	0.844	2.646	81.350	13.704	1.319	0.043	0.081	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1367.62	-38.51
3	0.6551	1086.9	1106.1	1104.0	0.849	2.658	81.477	13.572	1.309	0.042	0.079	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1366.64	-38.98
4	0.6577	1089.5	1108.8	1106.8	0.810	2.806	80.922	13.969	1.355	0.044	0.082	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1367.20	-37.54
5	0.6577	1089.4	1108.7	1107.0	0.804	2.820	80.919	13.959	1.360	0.044	0.082	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1367.10	-37.51
6	0.6580	1090.1	1109.4	1107.6	0.798	2.815	80.870	14.011	1.367	0.044	0.082	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1367.61	-37.29
7	0.6581	1095.3	1114.7	1113.0	0.738	2.598	80.826	14.327	1.370	0.044	0.083	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1374.06	-36.51
8	0.6588	1096.8	1116.2	1114.6	0.730	2.582	80.688	14.481	1.376	0.045	0.084	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1375.24	-36.05
9	0.6584	1096.2	1115.6	1114.1	0.727	2.591	80.757	14.407	1.376	0.045	0.083	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1374.82	-36.26
10	0.6590	1096.3	1115.7	1114.1	0.758	2.590	80.682	14.443	1.385	0.045	0.084	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1374.40	-35.94
11	0.6561	1091.7	1111.0	1109.3	0.761	2.600	80.861	14.650	1.011	0.047	0.056	0.007	0.006	0.001	0.000	0.000	0.000	0.000	1371.58	-40.23
12	0.6611	1101.3	1120.8	1119.0	0.707	2.557	80.214	14.997	1.384	0.048	0.080	0.007	0.006	0.002	0.000	0.000	0.000	0.000	1378.52	-34.78
13	0.6627	1103.3	1122.9	1121.3	0.666	2.650	79.967	15.051	1.515	0.048	0.089	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1379.33	-33.10
14	0.6612	1100.5	1120.0	1118.3	0.684	2.650	80.211	14.874	1.435	0.046	0.085	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1377.40	-34.46
15	0.6606	1099.4	1118.9	1117.7	0.690	2.652	80.281	14.854	1.381	0.046	0.081	0.007	0.006	0.001	0.000	0.000	0.000	0.000	1376.63	-35.22
16	0.6607	1099.0	1118.4	1117.7	0.716	2.650	80.362	14.672	1.457	0.045	0.086	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1375.99	-34.76
17	0.6577	1093.5	1112.8	1111.4	0.732	2.680	80.940	14.088	1.419	0.043	0.083	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1372.17	-36.50
18	0.6576	1093.2	1112.5	1111.2	0.730	2.688	80.961	14.062	1.419	0.043	0.083	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1371.96	-36.64
19	0.6581	1090.7	1110.0	1108.3	0.814	2.759	80.883	14.035	1.369	0.044	0.081	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1368.32	-37.02
20	0.6585	1091.4	1110.8	1109.3	0.812	2.755	80.804	14.109	1.379	0.044	0.081	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1368.83	-36.75
21	0.6578	1090.2	1109.5	1108.0	0.812	2.771	80.927	13.984	1.367	0.044	0.080	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1367.92	-37.20
22	0.6580	1090.5	1109.8	1108.3	0.802	2.784	80.849	14.080	1.346	0.044	0.080	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1368.14	-37.23
23	0.6587	1092.0	1111.3	1109.7	0.791	2.769	80.704	14.260	1.337	0.044	0.080	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1369.36	-36.83
24	0.6590	1092.8	1112.2	1110.7	0.782	2.765	80.649	14.307	1.358	0.044	0.080	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1370.04	-36.51
25	0.6596	1093.3	1112.7	1111.1	0.781	2.792	80.568	14.319	1.399	0.044	0.082	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1370.02	-35.96
26	0.6586	1092.1	1111.4	1109.5	0.775	2.785	80.657	14.346	1.300	0.044	0.079	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1369.51	-37.06
27	0.6594	1093.3	1112.7	1110.8	0.771	2.792	80.577	14.327	1.392	0.044	0.081	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1370.20	-36.05
28	0.6570	1090.3	1109.6	1107.7	0.776	2.740	81.053	13.929	1.366	0.043	0.078	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1368.96	-37.44
29	0.6558	1088.5	1107.8	1105.6	0.774	2.742	81.264	13.749	1.338	0.043	0.077	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1367.91	-38.27
30	0.6565	1089.7	1109.0	1107.5	0.766	2.744	81.131	13.868	1.357	0.043	0.076	0.007	0.006	0.002	0.000	0.000	0.000	0.000	1368.75	-37.80
31	0.6561	1090.0	1109.3	1107.2	0.742	2.724	81.169	13.909	1.323	0.043	0.076	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1369.51	-38.12
Avg	0.6583	1093.0	1112.4	1110.8	0.767	2.703	80.798	14.232	1.362	0.044	0.080	0.006	0.006	0.002	0.000	0.000	0.000	0.000	1371.11	-36.79

January-26

ZONE 550

MANDAN BORDER

NBPL - St Anthony

WBI - Mandan Border

Weighted

Start Date	End Date	MCF	DK	BTU	MCF	DK	BTU Zone 28	AVG BTU	
1/1/2026	1/2/2026	0	0	0	6,154	6,961	1131.1	1131.100	1/1/2026
1/2/2026	1/3/2026	23	25	1,081	6,155	6,927	1125.2	1125.035	1/2/2026
1/3/2026	1/4/2026	0	0	0	5,986	6,710	1120.9	1120.900	1/3/2026
1/4/2026	1/5/2026	0	0	0	5,206	5,853	1124.4	1124.400	1/4/2026
1/5/2026	1/6/2026	25	27	1,081	4,603	5,183	1126.4	1126.155	1/5/2026
1/6/2026	1/7/2026	0	0	0	4,290	4,848	1129.9	1129.900	1/6/2026
1/7/2026	1/8/2026	0	0	0	4,070	4,608	1132.1	1132.100	1/7/2026
1/8/2026	1/9/2026	27	29	1,079	4,869	5,517	1132.8	1132.504	1/8/2026
1/9/2026	1/10/2026	0	0	0	5,566	6,273	1127.3	1127.300	1/9/2026
1/10/2026	1/11/2026	25	27	1,083	5,720	6,439	1125.6	1125.413	1/10/2026
1/11/2026	1/12/2026	0	0	0	4,082	4,600	1126.8	1126.800	1/11/2026
1/12/2026	1/13/2026	0	0	0	3,743	4,199	1122	1122.000	1/12/2026
1/13/2026	1/14/2026	35	38	1,081	4,270	4,766	1118.1	1117.799	1/13/2026
1/14/2026	1/15/2026	0	0	0	5,446	6,072	1115	1115.000	1/14/2026
1/15/2026	1/16/2026	1,395	1,510	1,082	5,547	6,195	1118	1110.786	1/15/2026
1/16/2026	1/17/2026	19	21	1079.7	9,422	10,771	1141.7	1141.575	1/16/2026
1/17/2026	1/18/2026	13	14	1,078	7,664	8,646	1127.1	1127.017	1/17/2026
1/18/2026	1/19/2026	26	28	1,077	8,708	9,905	1135.7	1135.526	1/18/2026
1/19/2026	1/20/2026	0	0	0	8,196	9,207	1122.1	1122.100	1/19/2026
1/20/2026	1/21/2026	143	155	1,079	6,768	7,597	1122.5	1121.594	1/20/2026
1/21/2026	1/22/2026	1,993	2,148	1,078	6,364	7,134	1121.1	1110.845	1/21/2026
1/22/2026	1/23/2026	4,547	4,893	1,076	7,186	8,114	1130.5	1109.418	1/22/2026
1/23/2026	1/24/2026	11,528	12,476	1,078	6,490	7,318	1128.5	1096.382	1/23/2026
1/24/2026	1/25/2026	14,032	15,258	1,086	5,147	5,807	1129.3	1097.840	1/24/2026
1/25/2026	1/26/2026	6,964	7,548	1,085	5,956	6,842	1148.1	1114.035	1/25/2026
1/26/2026	1/27/2026	4,919	5,322	1,083	4,112	4,609	1119.2	1099.374	1/26/2026
1/27/2026	1/28/2026	3,252	3,542	1,088	5,984	6,699	1119.6	1108.579	1/27/2026
1/28/2026	1/29/2026	5,832	6,374	1,092	5,694	6,376	1119.4	1105.738	1/28/2026
1/29/2026	1/30/2026	7,124	7,788	1,094	6,020	6,743	1119.9	1105.700	1/29/2026
1/30/2026	1/31/2026	2,153	2,357	1,095	6,854	7,673	1119.6	1113.600	1/30/2026
1/31/2026	2/1/2026	1,796	1,963	1,093	3,919	4,428	1130.8	1118.890	1/31/2026
		65,871	71,543	733.8355	180,191	203,020	1126.1516	1119.2066	



Alliance Pipeline

DAILY ANALYSIS --- USA
 ND07MD1 --- Hankinson Sales
 January 2026

DAY	Heating Value (BTU/ft3)	Relative Density	C1 Mol%	C2 Mol%	C3 Mol%	IC4 Mol%	NC4 Mol%	IC5 Mol%	NC5 Mol%	C6+ Mol%	N2 Mol%	CO2 Mol%	Hel Mol%
1	1,152.301	0.6586	84.4498	9.9755	3.2850	0.3355	0.5597	0.0590	0.0438	0.0186	0.8531	0.4098	0.0102
2	1,151.310	0.6581	84.4860	9.9691	3.2578	0.3321	0.5507	0.0584	0.0421	0.0175	0.8667	0.4093	0.0101
3	1,151.251	0.6580	84.4851	9.9860	3.2523	0.3293	0.5496	0.0580	0.0416	0.0166	0.8611	0.4100	0.0103
4	1,152.174	0.6583	84.4399	10.0309	3.2714	0.3316	0.5527	0.0563	0.0411	0.0167	0.8408	0.4083	0.0103
5	1,151.859	0.6583	84.4212	10.0411	3.2563	0.3322	0.5520	0.0568	0.0418	0.0174	0.8637	0.4071	0.0105
6	1,151.087	0.6576	84.4890	10.0373	3.2287	0.3262	0.5420	0.0548	0.0403	0.0169	0.8569	0.3972	0.0107
7	1,150.603	0.6573	84.5467	9.9926	3.2235	0.3270	0.5403	0.0536	0.0395	0.0163	0.8528	0.3972	0.0105
8	1,149.773	0.6568	84.5642	10.0255	3.1851	0.3216	0.5287	0.0528	0.0391	0.0160	0.8509	0.4054	0.0107
9	1,150.996	0.6584	84.4203	9.9818	3.2547	0.3328	0.5656	0.0524	0.0408	0.0173	0.9065	0.4172	0.0105
10	1,149.229	0.6565	84.6259	9.9771	3.1614	0.3211	0.5329	0.0545	0.0404	0.0171	0.8559	0.4031	0.0106
11	1,150.351	0.6573	84.5543	9.9780	3.2145	0.3284	0.5369	0.0553	0.0415	0.0178	0.8529	0.4101	0.0103
12	1,150.328	0.6576	84.5265	9.9824	3.2164	0.3280	0.5441	0.0552	0.0404	0.0169	0.8515	0.4279	0.0106
13	1,150.694	0.6577	84.5153	9.9824	3.2195	0.3299	0.5496	0.0561	0.0428	0.0174	0.8685	0.4080	0.0104
14	1,148.793	0.6565	84.6606	9.8993	3.1685	0.3235	0.5415	0.0553	0.0420	0.0164	0.8694	0.4129	0.0108
15	1,149.226	0.6567	84.6033	9.9727	3.1591	0.3250	0.5398	0.0549	0.0415	0.0161	0.8740	0.4030	0.0106
16	1,149.054	0.6561	84.7063	9.9293	3.1515	0.3243	0.5325	0.0533	0.0417	0.0175	0.8348	0.3983	0.0105
17	1,150.267	0.6557	84.7497	10.0029	3.1426	0.3236	0.5242	0.0544	0.0409	0.0168	0.7506	0.3833	0.0110
18	1,149.656	0.6558	84.7360	9.9538	3.1676	0.3215	0.5224	0.0529	0.0396	0.0170	0.8042	0.3747	0.0102
19	1,146.412	0.6542	84.9561	9.8249	3.0823	0.3134	0.5018	0.0524	0.0396	0.0161	0.7892	0.4136	0.0106
20	1,149.808	0.6566	84.6421	9.9689	3.1711	0.3260	0.5367	0.0551	0.0407	0.0170	0.8178	0.4141	0.0105
21	1,148.647	0.6562	84.6874	9.9227	3.1515	0.3218	0.5305	0.0559	0.0409	0.0171	0.8430	0.4184	0.0109
22	1,148.407	0.6560	84.7274	9.9017	3.1488	0.3209	0.5256	0.0552	0.0409	0.0173	0.8300	0.4212	0.0109
23	1,147.579	0.6551	84.8923	9.7994	3.1407	0.3207	0.5144	0.0532	0.0402	0.0176	0.7855	0.4251	0.0108
24	1,147.557	0.6550	84.8963	9.8167	3.1366	0.3187	0.5079	0.0546	0.0398	0.0170	0.7743	0.4275	0.0106
25	1,146.816	0.6545	84.9792	9.7614	3.1123	0.3197	0.5056	0.0555	0.0401	0.0174	0.7699	0.4286	0.0103
26	1,146.635	0.6543	84.9855	9.7574	3.1086	0.3174	0.5087	0.0542	0.0391	0.0171	0.7945	0.4069	0.0106
27	1,148.091	0.6553	84.8724	9.7747	3.1679	0.3226	0.5251	0.0556	0.0399	0.0169	0.8030	0.4110	0.0109
28	1,147.152	0.6550	84.9063	9.7669	3.1410	0.3224	0.5152	0.0528	0.0394	0.0169	0.8030	0.4251	0.0108
29	1,147.338	0.6550	84.8738	9.8128	3.1290	0.3202	0.5197	0.0531	0.0385	0.0160	0.8125	0.4135	0.0110
30	1,148.919	0.6563	84.6786	9.9133	3.1828	0.3216	0.5295	0.0530	0.0390	0.0163	0.8424	0.4125	0.0109
31	1,148.005	0.6558	84.7764	9.8280	3.1687	0.3215	0.5248	0.0539	0.0406	0.0170	0.8479	0.4109	0.0103
Volume	1,149.381	0.6565	84.6708	9.9226	3.1829	0.3246	0.5328	0.0548	0.0406	0.0170	0.8335	0.4100	0.0106
Weight Avg Energy	1,149.384	0.6565	84.6705	9.9227	3.1829	0.3246	0.5328	0.0548	0.0406	0.0170	0.8335	0.4099	0.0106



Alliance Pipeline

DAILY ANALYSIS --- USA
 ND14MD1 --- Milnor Sales
 January 2026

DAY	Heating Value (BTU/ft3)	Relative Density	C1 Mol%	C2 Mol%	C3 Mol%	IC4 Mol%	NC4 Mol%	IC5 Mol%	NC5 Mol%	C6+ Mol%	N2 Mol%	CO2 Mol%	Hel Mol%
1	1,152.597	0.6588	84.4052	10.0102	3.2925	0.3350	0.5595	0.0585	0.0435	0.0185	0.8586	0.4083	0.0103
2	1,151.245	0.6580	84.4987	9.9623	3.2552	0.3321	0.5502	0.0586	0.0421	0.0176	0.8652	0.4079	0.0101
3	1,151.156	0.6579	84.4943	9.9841	3.2496	0.3290	0.5484	0.0576	0.0413	0.0165	0.8593	0.4097	0.0104
4	1,152.382	0.6584	84.4270	10.0380	3.2741	0.3326	0.5549	0.0565	0.0414	0.0170	0.8403	0.4078	0.0103
5	1,151.594	0.6582	84.4343	10.0389	3.2465	0.3312	0.5499	0.0565	0.0417	0.0175	0.8667	0.4062	0.0105
6	1,151.147	0.6576	84.4923	10.0361	3.2324	0.3261	0.5412	0.0548	0.0401	0.0168	0.8555	0.3942	0.0106
7	1,150.532	0.6572	84.5461	9.9965	3.2203	0.3265	0.5390	0.0535	0.0396	0.0163	0.8521	0.3995	0.0105
8	1,150.125	0.6570	84.5491	10.0263	3.1949	0.3230	0.5346	0.0527	0.0393	0.0160	0.8488	0.4046	0.0107
9	1,151.292	0.6586	84.3989	9.9947	3.2616	0.3334	0.5674	0.0528	0.0409	0.0175	0.9054	0.4170	0.0105
10	1,149.201	0.6565	84.6253	9.9823	3.1589	0.3213	0.5311	0.0548	0.0403	0.0170	0.8562	0.4022	0.0106
11	1,150.197	0.6573	84.5562	9.9724	3.2110	0.3278	0.5373	0.0556	0.0416	0.0180	0.8555	0.4142	0.0104
12	1,150.436	0.6576	84.5190	9.9870	3.2192	0.3283	0.5449	0.0552	0.0405	0.0168	0.8530	0.4256	0.0106
13	1,150.892	0.6578	84.4877	10.0110	3.2193	0.3297	0.5494	0.0559	0.0427	0.0175	0.8642	0.4120	0.0106
14	1,148.529	0.6563	84.6801	9.8933	3.1587	0.3225	0.5398	0.0551	0.0418	0.0163	0.8696	0.4121	0.0107
15	1,149.468	0.6568	84.5874	9.9830	3.1657	0.3255	0.5403	0.0551	0.0416	0.0162	0.8731	0.4015	0.0106
16	1,149.137	0.6561	84.7060	9.9345	3.1492	0.3244	0.5329	0.0539	0.0418	0.0176	0.8302	0.3990	0.0105
17	1,150.440	0.6558	84.7543	9.9936	3.1505	0.3250	0.5255	0.0542	0.0410	0.0169	0.7479	0.3801	0.0110
18	1,149.376	0.6558	84.7197	9.9674	3.1605	0.3196	0.5196	0.0529	0.0395	0.0168	0.8151	0.3789	0.0102
19	1,146.544	0.6543	84.9429	9.8343	3.0838	0.3136	0.5037	0.0522	0.0395	0.0161	0.7880	0.4153	0.0106
20	1,149.855	0.6567	84.6398	9.9675	3.1744	0.3261	0.5364	0.0554	0.0408	0.0169	0.8181	0.4139	0.0106
21	1,148.632	0.6562	84.6847	9.9251	3.1497	0.3218	0.5309	0.0560	0.0408	0.0171	0.8456	0.4175	0.0108
22	1,147.988	0.6557	84.7764	9.8769	3.1370	0.3199	0.5220	0.0547	0.0407	0.0174	0.8232	0.4208	0.0110
23	1,147.725	0.6551	84.8863	9.8000	3.1478	0.3212	0.5150	0.0531	0.0400	0.0174	0.7810	0.4273	0.0109
24	1,147.659	0.6551	84.8766	9.8336	3.1357	0.3189	0.5078	0.0549	0.0399	0.0172	0.7784	0.4266	0.0105
25	1,146.955	0.6546	84.9700	9.7586	3.1186	0.3203	0.5089	0.0555	0.0399	0.0174	0.7743	0.4261	0.0104
26	1,146.693	0.6543	84.9875	9.7512	3.1100	0.3180	0.5108	0.0546	0.0393	0.0171	0.7945	0.4064	0.0106
27	1,148.274	0.6555	84.8480	9.7864	3.1748	0.3230	0.5262	0.0555	0.0400	0.0169	0.8063	0.4121	0.0109
28	1,147.347	0.6551	84.8843	9.7755	3.1461	0.3231	0.5185	0.0530	0.0394	0.0169	0.8063	0.4261	0.0108
29	1,147.484	0.6551	84.8489	9.8383	3.1313	0.3193	0.5180	0.0524	0.0384	0.0160	0.8145	0.4119	0.0110
30	1,148.919	0.6563	84.6857	9.9071	3.1827	0.3222	0.5302	0.0531	0.0389	0.0163	0.8411	0.4119	0.0108
31	1,147.895	0.6556	84.7941	9.8251	3.1627	0.3208	0.5225	0.0540	0.0408	0.0171	0.8414	0.4112	0.0104
Volume	1,149.223	0.6564	84.6860	9.9173	3.1772	0.3240	0.5314	0.0547	0.0405	0.0169	0.8310	0.4103	0.0106
Weight Avg Energy	1,149.224	0.6564	84.6858	9.9174	3.1773	0.3240	0.5314	0.0547	0.0405	0.0169	0.8311	0.4103	0.0106

January-26

ZONE 610

Watford City

Watford City West Border

Watford City East Border
WBI Meter #2702230

Weighted

Start Date	End Date	BTU			BTU			AVG BTU	
		MCF	DK	Zone 25	MCF	DK	Zone 43		
1/1/2026	1/2/2026	457	546	1195.6	937	979	1044.8	1094.237	1/1/2026
1/2/2026	1/3/2026	450	538	1195.6	907	948	1044.8	1094.807	1/2/2026
1/3/2026	1/4/2026	441	528	1195.6	967	1,010	1044.8	1092.032	1/3/2026
1/4/2026	1/5/2026	351	420	1195.6	627	655	1044.8	1098.921	1/4/2026
1/5/2026	1/6/2026	390	466	1195.6	812	848	1044.8	1093.728	1/5/2026
1/6/2026	1/7/2026	375	449	1195.6	757	791	1044.8	1094.756	1/6/2026
1/7/2026	1/8/2026	356	425	1195.6	677	707	1044.8	1096.770	1/7/2026
1/8/2026	1/9/2026	397	475	1195.6	796	832	1044.8	1094.982	1/8/2026
1/9/2026	1/10/2026	438	523	1195.6	855	894	1044.8	1095.883	1/9/2026
1/10/2026	1/11/2026	408	488	1195.6	853	891	1044.8	1093.592	1/10/2026
1/11/2026	1/12/2026	348	416	1195.6	583	609	1044.8	1101.168	1/11/2026
1/12/2026	1/13/2026	335	401	1195.6	539	563	1044.8	1102.601	1/12/2026
1/13/2026	1/14/2026	335	400	1195.6	563	588	1044.8	1101.056	1/13/2026
1/14/2026	1/15/2026	335	401	1195.6	572	597	1044.8	1100.498	1/14/2026
1/15/2026	1/16/2026	442	528	1195.6	973	1,017	1044.8	1091.905	1/15/2026
1/16/2026	1/17/2026	678	810	1195.6	1,462	1,528	1044.8	1092.577	1/16/2026
1/17/2026	1/18/2026	528	631	1195.6	1,112	1,161	1044.8	1093.350	1/17/2026
1/18/2026	1/19/2026	642	768	1195.6	1,434	1,498	1044.8	1091.435	1/18/2026
1/19/2026	1/20/2026	566	677	1195.6	1,229	1,284	1044.8	1092.350	1/19/2026
1/20/2026	1/21/2026	514	614	1195.6	1,225	1,280	1044.8	1089.372	1/20/2026
1/21/2026	1/22/2026	609	728	1195.6	1,434	1,499	1044.8	1089.752	1/21/2026
1/22/2026	1/23/2026	782	935	1195.6	1,810	1,891	1044.8	1090.296	1/22/2026
1/23/2026	1/24/2026	805	963	1195.6	1,768	1,848	1044.8	1091.980	1/23/2026
1/24/2026	1/25/2026	740	884	1195.6	1,678	1,753	1044.8	1090.951	1/24/2026
1/25/2026	1/26/2026	700	837	1195.6	1,596	1,667	1044.8	1090.776	1/25/2026
1/26/2026	1/27/2026	583	697	1195.6	1,430	1,494	1044.8	1088.474	1/26/2026
1/27/2026	1/28/2026	519	620	1195.6	1,154	1,205	1044.8	1091.581	1/27/2026
1/28/2026	1/29/2026	499	596	1195.6	1,088	1,137	1044.8	1092.216	1/28/2026
1/29/2026	1/30/2026	509	609	1195.6	1,071	1,119	1044.8	1093.381	1/29/2026
1/30/2026	1/31/2026	519	621	1195.6	1,063	1,110	1044.8	1094.272	1/30/2026
1/31/2026	2/1/2026	367	439	1195.6	735	768	1044.8	1095.021	1/31/2026
		15,418	18,433	1195.6000	32,707	34,171	1044.8000	1094.0233	

NORTH DAKOTA HEATING VALUE ZONES		
ZONES	MEASURING DEVICE	LOCATION
211	Chromatograph	Sidney Border
24	Chromatograph	Williston Border
241	Accumulated Sample	Fairview Border
25	Accumulated Sample	Watford City West Border
260	Chromatograph	North Tioga Transfer
261	Chromatograph	Tioga Comp Station – Robinson Lake Plant
262	Chromatograph	Minot Border
263	Accumulated Sample	Lignite Plant
264	Accumulated Sample	Epping Border
265	Chromatograph	Tioga Comp Station – County Line Plant
271	Chromatograph	Bismarck – Cleveland
272	Chromatograph	Cleveland – Mapleton
273	Chromatograph	Cleveland – Grafton
274	Chromatograph	Kindred – Wahpeton
28	Chromatograph	Bismarck Station
31	Chromatograph	Dickinson Border
32	Chromatograph	Cabin Creek Station
33	Chromatograph	Little Knife Plant
34	Chromatograph	Bowman Border
43	Accumulated Sample	Watford City East Border
550	Accumulated Sample & Chromatograph	Mandan Border
600	Chromatograph	Hankinson Area
601	Chromatograph	Milnor Area
610	Accumulated Sample & Chromatograph	Watford City
802	Chromatograph	Linton

MONTANA DAKOTA UTILITIES CO
NORTH DAKOTA
HEATING VALUE DATA

STATE	ZONE	ZONE BOUNDARY	12 MONTH AVERAGE	JAN26	DEC25	NOV25	OCT25	SEP25	AUG25	JUL25	JUN25	MAY25	APR25	MAR25	FEB25
MT/ND	211	Sidney Border - MonDak Tfr - Sidney Plt	1187	1185	1187	1191	1192	1190	1193	1186	1185	1181	1193	1186	1173
ND	24	Williston Border - Charbonneau Station	1194	1193	1188	1193	1197	1194	1202	1193	1191	1177	1194	1206	1197
ND	25	Watford City West Border	1202	1196	1198	1205	1190	1209	1206	1209	1202	1198	1198	1201	1206
ND	28	Bismarck Station - Glen Ullin Station	1167	1126	1135	1127	1195	1197	1208	1207	1205	1189	1172	1126	1116
ND	31	Dickinson Brd - Belfield Trf - G Ullin Stn	1122	1132	1130	1135	1149	1106	1087	1135	1110	1111	1110	1131	1129
ND/MT	32	Cabin Creek Station - Belfied Transfer	1125	1119	1112	1134	1115	1103	1130	1129	1136	1122	1135	1130	1133
ND	33	Little Knife Plant	1160	1158	1158	1157	1160	1161	1161	1160	1161	1163	1162	1162	1162
ND	34	Badlands Plant/Bowman Border	1088	1112	1113	1136	1087	1073	1071	1066	1065	1070	1067	1097	1097
ND	43	Watford City East Border	1049	1045	1037	1048	1044	1050	1052	1057	1044	1040	1041	1041	1094
ND/MT	241	Fairview Border	1189	1185	1188	1192	1181	1192	1199	1194	1186	1186	1186	1191	1182
ND	267	North Tioga Transfer - Nesson Plant	1180	1172	1168	1169	1173	1171	1171	1188	1183	1185	1188	1197	1197
ND	261	Tioga Comp Station - Robinson Lake Plant	1195	1171	1174	1187	1189	1204	1206	1206	1198	1197	1198	1204	1209
ND	262	Minot Bdr - Palermo Bdr - Bismarck Stn	1205	1207	1206	1206	1204	1205	1206	1206	1204	1203	1200	1205	1210
ND	263	Lignite Plant	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131
ND	264	Epping Border	1188	1183	1180	1183	1180	1191	1193	1192	1180	1186	1186	1201	1202
ND	265	Tioga Comp Station - County Line Plant	1194	1198	1199	1203	1203	1203	1201	1204	1183	1180	1181	1184	1190
ND	266	County Line Plant	1196	1199	1189	1203	1207	1207	1210	1211	1186	1182	1182	1186	1193
ND	271	Bismarck Station - Cleveland Station	1189	1173	1185	1201	1173	1161	1208	1207	1205	1205	1201	1195	1158
ND	272	Cleveland Station - Mapleton	1187	1172	1175	1201	1173	1149	1207	1205	1204	1203	1200	1194	1157
ND	273	Cleveland Station - Grafton Border	1185	1172	1175	1201	1163	1149	1208	1205	1205	1202	1193	1194	1157
ND	274	Felton(Viking) - Kindred-Wahpeton	1048	1050	1050	1049	1043	1044	1043	1054	1047	1049	1046	1047	1050
ND	550	Mandan Border / NBPL-St Anthony	1143	1119	1134	1124	1194	1154	1147	1140	1155	1175	1165	1105	1102
ND	610	MDU-Watford City BTU	1095	1094	1090	1105	1105	1102	1113	1067	1055	1086	1100	1096	1131
ND	802	NBPL - Linton	1081	1083	1078	1084	1084	1082	1083	1086	1077	1077	1076	1080	1085
ND	903	Hettinger Propane	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549
ND	600	Alliance Pipeline - Hankinson	1153	1149	1151	1156	1158	1155	1155	1153	1151	1154	1153	1150	1153
ND	601	Alliance Pipeline - Milnor	1153	1149	1151	1156	1159	1155	1155	1153	1151	1155	1153	1150	1153

THERMAL ZONE VARIANCE DOCUMENTATION		
January 2026		
<i>ZONE</i>	<i>BTU VARIANCE</i>	<i>REASON</i>
		No Variance