



A Subsidiary of MDU Resources Group, Inc.

400 North Fourth Street
Bismarck, ND 58501
701-222-7900
www.montana-dakota.com

April 22, 2026

Executive Secretary
North Dakota Public Service Commission
State Capitol Building
Bismarck, ND 58505-0480

Re: Case No. PU-26-002 (Therm Billing)
Monthly Report – February 2026

Montana-Dakota Utilities Co. (Montana-Dakota or the Company) herewith electronically submits the following information, pursuant to the Ordering paragraphs one and two of the Order issued in Case No. 11,006, dated October 20, 1987 and pursuant to the North Dakota Administrative Code 69-09-01-02, part 2.

1. Attachment A is a schedule showing the thermal billing factors by community that are derived from the BTU values shown on Attachment B and were used for billing purposes in March 2026.
2. Attachment B consists of copies of the monthly Heating Value Test Reports received from our suppliers for the month of February 2026.
3. Attachment C is a listing which states the type of measuring device in place at each zone.
4. Attachment D is a monthly list of the heating value data, by zone, for the most recent 12-month period and an average thereof. It is being provided pursuant to a Staff request.
5. Attachment E provides a brief explanation of the thermal variances, where applicable, for the month of February 2026.

Montana-Dakota respectfully requests this electronic filing, in lieu of an original and one copy, be accepted as being in full compliance with the filing requirements of this Commission.

Sincerely,

/s/ Tyler J Culbertson

Tyler J Culbertson
Director of Regulatory Affairs

Montana-Dakota Utilities Co.
Therm Billing Factors - North Dakota
Mar-26

<u>Town</u>	<u>Heat Zone</u>	<u>Therm Factor</u>
MDU-303-ALEXANDER	025	1.1268
MDU-308-ARNEGARD	025	1.1268
MDU-314-APPLE VALLEY	271	1.1347
MDU-318-BEACH	032	1.0406
MDU-319-BELFIELD	032	1.0482
MDU-323-BERTHOLD	262	1.1381
MDU-327-BISMARCK	028	1.0826
MDU-330-BOWMAN	034	1.0228
MDU-337-BURLINGTON	262	1.1627
MDU-343-CARRINGTON	273	1.1337
MDU-719-CASSELTON	272	1.1417
MDU-344-CLEVELAND	272	1.1257
MDU-364-CAVALIER	273	1.1577
MDU-365-DAWSON	271	1.1267
MDU-368-DES LACS	262	1.1463
MDU-369-DICKINSON	031	1.0624
MDU-374-FT TOTTEN	273	1.1417
MDU-375-DEVILS LAKE	273	1.1417
MDU-379-BARLOW	273	1.1337
MDU-384-EPPING	264	1.1230
MDU-387-ELDRIDGE	272	1.1337
MDU-407-GLADSTONE	031	1.0615
MDU-411-GLEN ULLIN	031	1.0701
MDU-413-GOLVA	032	1.0253
MDU-416-GARRISON	262	1.1463
MDU-417-GRAFTON	273	1.1656
MDU-403-GWINNER	601	1.1310
MDU-429-HEBRON	031	1.0701
MDU-432-HETTINGER	903	2.4049
MDU-449-JAMESTOWN	272	1.1417
MDU-459-KILLDEER	033	1.0947
MDU-751-KINDRED	272	1.0183
MDU-463-LANGDON	273	1.1337
MDU-469-LEFOR	031	1.0624
MDU-474-LIGNITE	263	1.0759
MDU-475-LINTON	802	1.0459
MDU-478-LINCOLN	028	1.0826
MDU-488-MCKENZIE	271	1.1347
MDU-494-MEDINA	271	1.1267
MDU-498-MANDAN	028	1.0826
MDU-500-MARMARTH	034	1.0304
MDU-505-MINOT	262	1.1381
MDU-510-MOTT	031	1.0624
MDU-512-MAX	262	1.1381
MDU-513-MILNOR	601	1.1310
MDU-522-NEW ENGLAND	031	1.0547
MDU-524-NEW SALEM	028	1.0597
MDU-532-NEW ROCKFORD	273	1.1337
MDU-539-PARK RIVER	273	1.1577

MDU-540-PALERMO	262	1.1381
MDU-558-RAY	264	1.1230
MDU-561-REGENT	031	1.0624
MDU-563-RHAME	034	1.0153
MDU-564-RICHARDTON	031	1.0547
MDU-568-ROSS	261	1.1234
MDU-572-RUTHVILLE	262	1.1627
MDU-574-SANBORN	272	1.1417
MDU-583-SENTINEL BUTTE	032	1.0406
MDU-588-SOUTH HEART	031	1.0624
MDU-717-SPIRITWOOD	272	1.1417
MDU-590-SPRINGBROOK	264	1.1230
MDU-591-STANLEY	261	1.1315
MDU-593-STEELE	271	1.1267
MDU-594-STERLING	028	1.0826
MDU-598-SHEYENNE	273	1.1417
MDU-605-SURREY	262	1.1627
MDU-610-TAPPEN	271	1.1267
MDU-611-TAYLOR	031	1.0547
MDU-616-TIOGA	260	1.1027
MDU-619-TURTLE LAKE	262	1.1463
MDU-620-TRENTON	024	1.1358
MDU-624-UNDERWOOD	262	1.1463
MDU-625-VALLEY CITY	272	1.1497
MDU-629-WALHALLA	273	1.1577
MDU-632-WATFORD CITY	610	1.0361
MDU-104-WAHPETON	247	1.0281
MDU-636-WHEELLOCK	264	1.1149
MDU-637-WHITE EARTH	261	1.1315
MDU-642-WILLISTON	024	1.1358
MDU-646-WASHBURN	262	1.1463
MDU-647-WILTON	262	1.1381
MDU-664-RIVERDALE	262	1.1463
MDU-691-FAIRVIEW	241	1.1216
MDU-712-MINOT AFB	262	1.1627
MDU-718-FAIRMOUNT	600	1.1287
MDU-732-NEKOMA	273	1.1337
MDU-732-MSR SITE	273	1.1337

Source Daily Summary

February 2026

Source #: 251
 Name: SDNY BDR-MNDK JNCTN-SDNY PLT

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7230	1173.1	1193.8	1193.5	1.178	3.286	70.527	21.239	3.283	0.141	0.293	0.020	0.020	0.012	0.000	0.000	0.000	0.000	1404.01	
2	0.7171	1167.2	1187.9	1187.6	0.981	3.384	70.928	21.411	2.925	0.110	0.223	0.014	0.014	0.009	0.000	0.000	0.000	0.000	1402.83	
3	0.7154	1164.2	1184.9	1184.5	0.945	3.470	71.093	21.287	2.857	0.105	0.209	0.013	0.012	0.009	0.000	0.000	0.000	0.000	1400.82	
4	0.7265	1167.4	1188.1	1187.8	1.321	3.744	69.539	21.854	3.149	0.124	0.235	0.012	0.010	0.011	0.000	0.000	0.000	0.000	1393.90	
5	0.7243	1162.3	1182.9	1182.5	1.351	3.801	69.953	21.405	3.109	0.120	0.226	0.012	0.009	0.011	0.000	0.000	0.000	0.000	1389.91	
6	0.7194	1164.5	1185.2	1184.8	1.034	3.689	70.619	21.222	3.041	0.122	0.234	0.014	0.013	0.010	0.000	0.000	0.000	0.000	1397.33	
7	0.7191	1166.8	1187.5	1187.2	1.036	3.518	70.868	21.009	3.151	0.124	0.253	0.016	0.016	0.010	0.000	0.000	0.000	0.000	1400.32	
8	0.7200	1169.5	1190.3	1189.9	1.167	3.238	70.827	21.260	3.062	0.130	0.272	0.018	0.017	0.010	0.000	0.000	0.000	0.000	1402.71	
9	0.7155	1166.6	1187.2	1186.9	1.135	3.047	71.375	21.245	2.803	0.117	0.240	0.015	0.015	0.009	0.000	0.000	0.000	0.000	1403.53	
10	0.7153	1165.3	1186.0	1185.6	1.151	3.082	71.309	21.353	2.730	0.112	0.227	0.014	0.013	0.009	0.000	0.000	0.000	0.000	1402.22	
11	0.7116	1160.5	1181.1	1180.8	0.945	3.335	71.617	21.160	2.621	0.098	0.194	0.012	0.011	0.008	0.000	0.000	0.000	0.000	1400.14	
12	0.7154	1163.4	1184.0	1183.7	1.083	3.309	71.255	21.164	2.827	0.109	0.218	0.013	0.012	0.009	0.000	0.000	0.000	0.000	1399.84	
13	0.7154	1164.1	1184.7	1184.4	1.163	3.144	71.446	21.012	2.839	0.118	0.238	0.015	0.015	0.010	0.000	0.000	0.000	0.000	1400.68	
14	0.7231	1167.1	1187.8	1187.4	1.265	3.533	70.135	21.622	3.035	0.123	0.245	0.015	0.014	0.011	0.000	0.000	0.000	0.000	1396.76	
15	0.7198	1166.1	1186.7	1186.4	1.170	3.423	70.858	21.030	3.075	0.130	0.267	0.018	0.018	0.011	0.000	0.000	0.000	0.000	1398.80	
16	0.7217	1171.5	1192.2	1191.8	1.179	3.259	70.584	21.410	3.101	0.135	0.283	0.019	0.019	0.011	0.000	0.000	0.000	0.000	1403.39	
17	0.7147	1166.9	1187.5	1187.2	1.107	2.988	71.673	20.922	2.888	0.122	0.255	0.017	0.017	0.010	0.000	0.000	0.000	0.000	1404.75	
18	0.7172	1170.7	1191.4	1191.2	1.100	3.004	71.272	21.207	2.980	0.128	0.265	0.017	0.017	0.011	0.000	0.000	0.000	0.000	1406.86	
19	0.7141	1163.6	1184.2	1184.0	0.920	3.420	71.363	21.105	2.816	0.113	0.226	0.014	0.013	0.009	0.000	0.000	0.000	0.000	1401.38	
20	0.7182	1159.1	1179.6	1179.4	1.133	3.759	70.546	21.468	2.754	0.108	0.204	0.010	0.008	0.010	0.000	0.000	0.000	0.000	1391.97	
21	0.7200	1162.6	1183.2	1182.9	1.108	3.754	70.198	21.787	2.828	0.105	0.194	0.009	0.007	0.010	0.000	0.000	0.000	0.000	1394.43	
22	0.7190	1165.1	1185.7	1185.4	0.997	3.679	70.335	21.778	2.905	0.099	0.183	0.008	0.006	0.010	0.000	0.000	0.000	0.000	1398.38	
23	0.7268	1167.2	1187.9	1187.6	1.339	3.761	69.579	21.673	3.273	0.119	0.224	0.011	0.008	0.013	0.000	0.000	0.000	0.000	1393.31	
24	0.6958	1150.0	1170.4	1170.1	0.249	3.563	73.007	21.000	2.058	0.044	0.072	0.003	0.002	0.002	0.000	0.000	0.000	0.000	1403.10	
25	0.7242	1166.9	1187.6	1187.3	1.192	3.754	69.770	21.822	3.122	0.108	0.204	0.010	0.007	0.011	0.000	0.000	0.000	0.000	1395.58	
26	0.7279	1168.2	1188.8	1188.5	1.344	3.794	69.175	22.232	3.081	0.118	0.223	0.012	0.009	0.012	0.000	0.000	0.000	0.000	1393.46	
27	0.7195	1165.1	1185.8	1185.5	1.051	3.632	70.454	21.566	2.939	0.109	0.214	0.013	0.011	0.011	0.000	0.000	0.000	0.000	1398.00	
28	0.7137	1161.2	1181.7	1181.4	0.855	3.635	71.056	21.458	2.704	0.092	0.174	0.009	0.008	0.009	0.000	0.000	0.000	0.000	1398.82	
Avg	0.7184	1165.0	1185.9	1185.5	1.089	3.465	70.763	21.382	2.927	0.114	0.225	0.013	0.012	0.010	0.000	0.000	0.000	0.000	1399.19	

Source Daily Summary

February 2026

Source #: 571
Name: WILLISTON BDR-CHARBN STN

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7192	1174.7	1195.5	1195.2	1.144	2.878	70.881	21.666	3.046	0.110	0.239	0.015	0.017	0.002	0.000	0.000	0.000	0.000	1409.72	
2	0.7166	1174.5	1195.3	1195.0	1.102	2.713	71.555	21.073	3.131	0.123	0.264	0.017	0.018	0.003	0.000	0.000	0.000	0.000	1411.96	
3	0.7180	1174.4	1195.2	1195.0	1.119	2.820	71.285	21.207	3.144	0.122	0.264	0.017	0.019	0.003	0.000	0.000	0.000	0.000	1410.56	
4	0.7227	1178.5	1199.3	1199.0	1.085	3.059	71.011	20.763	3.465	0.173	0.373	0.030	0.033	0.008	0.000	0.000	0.000	0.000	1410.82	
5	0.7356	1190.4	1211.4	1211.1	1.050	3.594	69.598	20.708	4.112	0.257	0.557	0.052	0.056	0.016	0.000	0.000	0.000	0.000	1412.48	
6	0.7249	1178.9	1199.8	1199.5	1.125	3.190	70.323	21.449	3.360	0.154	0.336	0.027	0.030	0.007	0.000	0.000	0.000	0.000	1409.11	
7	0.7179	1172.4	1193.2	1192.9	1.138	2.903	71.023	21.621	2.933	0.108	0.238	0.016	0.018	0.003	0.000	0.000	0.000	0.000	1408.28	
8	0.7119	1168.7	1189.4	1189.1	1.085	2.657	71.990	21.165	2.735	0.107	0.229	0.015	0.016	0.002	0.000	0.000	0.000	0.000	1409.60	
9	0.7043	1163.2	1183.8	1183.6	1.020	2.378	72.980	20.993	2.323	0.091	0.189	0.012	0.013	0.001	0.000	0.000	0.000	0.000	1410.54	
10	0.7018	1160.5	1181.1	1180.8	1.002	2.329	73.391	20.749	2.225	0.090	0.188	0.012	0.013	0.001	0.000	0.000	0.000	0.000	1409.83	
11	0.7089	1166.2	1186.8	1186.6	1.046	2.585	72.420	20.996	2.592	0.103	0.224	0.015	0.017	0.002	0.000	0.000	0.000	0.000	1409.58	
12	0.7082	1166.6	1187.3	1187.0	1.033	2.506	72.607	20.873	2.609	0.108	0.229	0.015	0.016	0.002	0.000	0.000	0.000	0.000	1410.87	
13	0.7130	1169.1	1189.8	1189.5	1.064	2.764	71.885	21.062	2.830	0.112	0.244	0.017	0.019	0.003	0.000	0.000	0.000	0.000	1409.02	
14	0.7165	1171.0	1191.8	1191.5	1.092	2.924	71.456	21.074	3.023	0.120	0.267	0.019	0.021	0.004	0.000	0.000	0.000	0.000	1408.00	
15	0.7162	1171.9	1192.6	1192.4	1.090	2.853	71.557	21.020	3.035	0.122	0.276	0.020	0.022	0.004	0.000	0.000	0.000	0.000	1409.23	
16	0.7134	1171.2	1192.0	1191.7	1.069	2.657	71.953	21.009	2.891	0.119	0.261	0.018	0.020	0.003	0.000	0.000	0.000	0.000	1411.26	
17	0.7032	1162.9	1183.5	1183.3	1.004	2.310	73.313	20.679	2.356	0.099	0.207	0.014	0.015	0.002	0.000	0.000	0.000	0.000	1411.31	
18	0.7124	1173.8	1194.6	1194.3	1.029	2.474	72.225	20.900	2.921	0.129	0.280	0.019	0.020	0.004	0.000	0.000	0.000	0.000	1415.26	
19	0.7202	1181.7	1202.7	1202.4	1.064	2.660	71.403	20.870	3.441	0.158	0.350	0.023	0.026	0.005	0.000	0.000	0.000	0.000	1417.16	
20	0.7194	1179.0	1199.8	1199.6	0.876	3.041	71.415	20.608	3.468	0.166	0.363	0.026	0.029	0.007	0.000	0.000	0.000	0.000	1414.61	
21	0.7110	1166.3	1187.0	1186.7	0.637	3.385	72.347	20.009	3.085	0.156	0.323	0.026	0.026	0.006	0.000	0.000	0.000	0.000	1407.73	
22	0.7096	1164.3	1184.9	1184.7	0.626	3.396	72.502	19.955	2.993	0.153	0.319	0.026	0.025	0.005	0.000	0.000	0.000	0.000	1406.65	
23	0.7210	1175.6	1196.4	1196.1	0.967	3.250	71.857	19.433	3.677	0.225	0.484	0.046	0.048	0.012	0.000	0.000	0.000	0.000	1409.01	
24	0.7238	1182.6	1203.6	1203.3	1.017	3.005	71.926	19.119	3.985	0.255	0.553	0.052	0.056	0.017	0.000	0.000	0.000	0.000	1414.71	
25	0.7176	1172.6	1193.4	1193.1	0.830	3.320	71.985	19.693	3.447	0.199	0.432	0.040	0.042	0.012	0.000	0.000	0.000	0.000	1408.84	
26	0.7230	1176.4	1197.3	1196.9	1.038	3.276	71.677	19.391	3.770	0.233	0.505	0.047	0.049	0.014	0.000	0.000	0.000	0.000	1408.08	
27	0.7195	1175.5	1196.3	1196.0	1.102	2.927	71.111	21.197	3.183	0.134	0.295	0.022	0.025	0.006	0.000	0.000	0.000	0.000	1410.28	
28	0.7192	1177.3	1198.2	1197.9	1.084	2.809	70.928	21.691	3.073	0.115	0.258	0.018	0.020	0.004	0.000	0.000	0.000	0.000	1412.87	
Avg	0.7160	1173.0	1193.6	1193.4	1.019	2.881	71.736	20.749	3.102	0.144	0.312	0.024	0.026	0.006	0.000	0.000	0.000	0.000	1410.62	

Gas Composition and Properties

Effective February 1, 2026

Attachment B
Page 4 of 25

Source #: 0602225
Name: WATFORD CITY WEST BORDER

Component	Mole %	Liquid Content	Mass %
Carbon Dioxide (CO2)	1.0343		2.1833
Nitrogen (N2)	3.4269		4.6045
Methane (C1)	71.8283		55.2692
Ethane (C2)	19.1044	5.1131	27.5530
Propane (C3)	3.7574	1.0359	7.9469
Isobutane (IC4)	0.2357	0.0772	0.6571
n-Butane (NC4)	0.5072	0.1600	1.4140
Isopentane (IC5)	0.0473	0.0173	0.1637
n-Pentane (NC5)	0.0498	0.0181	0.1723
Hexanes Plus (C6+)	0.0087	0.0036	0.0360
Argon (Ar)			
Carbon Monoxide (CO)			
Hydrogen (H2)			
Oxygen (O2)			
Helium (He)			
Water (H2O)			
Hydrogen Sulfide (H2S)			
Totals	100.0000	6.4250	100.0000

Property	Total Sample
Pressure Base	14.73
Temperature Base	60
HCDP @ Sample Pressure	-4.869
Cricondentherm	10.197
HV, Dry @ Base P, T	1193.29
HV, Sat @ Base P, T	1172.52
HV, Sat @ Sample P, T	1193.29
Relative Density	0.7220

C6+:

Sample

Date: 02/01/2026 Type:
Tech: Tipton, Joshua
Pressure: 375.0 psi Temp.: °F
Gauge: Gauge H2O:
Atm. Pressure: H2S:

Remarks:

Analysis

Date: 02/01/2026 Instrument:
Tech: Tipton, Joshua Cylinder: 335

Remarks:

Source Daily Summary

February 2026

Source #: 602
 Name: TIOGA STN-N TIOGA TRANSFER

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6979	1160.0	1180.5	1180.3	0.927	2.104	74.216	20.164	2.284	0.090	0.186	0.013	0.014	0.002	0.000	0.000	0.000	0.000	1413.17	-10.83
2	0.6978	1159.9	1180.5	1180.3	0.922	2.106	74.194	20.221	2.257	0.088	0.183	0.013	0.014	0.003	0.000	0.000	0.000	0.000	1413.19	-10.96
3	0.6985	1160.3	1180.8	1180.6	0.931	2.141	74.066	20.293	2.260	0.090	0.189	0.013	0.014	0.003	0.000	0.000	0.000	0.000	1412.85	-10.57
4	0.7036	1162.8	1183.4	1183.2	0.971	2.406	73.129	20.824	2.360	0.089	0.191	0.013	0.014	0.003	0.000	0.000	0.000	0.000	1410.82	-8.75
5	0.7043	1160.9	1181.4	1181.2	1.024	2.515	72.892	20.990	2.296	0.082	0.173	0.012	0.014	0.003	0.000	0.000	0.000	0.000	1407.70	-9.33
6	0.7008	1158.5	1179.0	1178.7	0.988	2.381	73.527	20.607	2.208	0.084	0.175	0.013	0.014	0.003	0.000	0.000	0.000	0.000	1408.34	-10.64
7	0.6944	1153.1	1173.5	1173.3	0.946	2.169	74.355	20.450	1.849	0.069	0.140	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1408.31	-15.28
8	0.6900	1147.5	1167.8	1167.6	0.936	2.121	74.955	20.164	1.614	0.061	0.128	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1405.84	-18.29
9	0.6913	1148.8	1169.1	1168.9	0.927	2.176	74.761	20.233	1.690	0.061	0.130	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1406.11	-17.48
10	0.6902	1147.3	1167.6	1167.4	0.936	2.162	74.882	20.181	1.636	0.059	0.124	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1405.40	-18.26
11	0.6901	1147.3	1167.6	1167.4	0.928	2.157	74.884	20.245	1.576	0.062	0.127	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1405.47	-18.43
12	0.6911	1149.7	1170.1	1169.9	0.910	2.126	74.632	20.569	1.563	0.059	0.120	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1407.48	-18.18
13	0.6924	1151.4	1171.8	1171.6	0.921	2.128	74.606	20.375	1.751	0.066	0.133	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1408.23	-16.58
14	0.6934	1153.0	1173.4	1173.2	0.935	2.110	74.497	20.405	1.815	0.071	0.145	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1409.18	-15.55
15	0.6932	1152.4	1172.8	1172.5	0.933	2.122	74.529	20.398	1.785	0.069	0.142	0.010	0.010	0.002	0.000	0.000	0.000	0.000	1408.61	-15.93
16	0.6918	1150.1	1170.5	1170.3	0.931	2.131	74.736	20.248	1.731	0.065	0.136	0.010	0.010	0.002	0.000	0.000	0.000	0.000	1407.29	-16.89
17	0.6858	1141.4	1161.6	1161.4	0.899	2.154	75.644	19.583	1.528	0.057	0.116	0.009	0.009	0.002	0.000	0.000	0.000	0.000	1402.64	-20.93
18	0.6893	1148.2	1168.5	1168.3	0.927	2.027	74.962	20.374	1.518	0.057	0.115	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1407.50	-19.07
19	0.6948	1154.4	1174.9	1174.7	0.921	2.170	74.086	20.874	1.735	0.064	0.130	0.009	0.009	0.002	0.000	0.000	0.000	0.000	1409.48	-15.79
20	0.6950	1155.0	1175.4	1175.2	0.933	2.135	74.336	20.418	1.925	0.077	0.155	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1409.93	-14.32
21	0.7041	1163.3	1183.9	1183.7	0.982	2.400	73.278	20.497	2.481	0.105	0.223	0.015	0.017	0.003	0.000	0.000	0.000	0.000	1410.93	-7.19
22	0.7045	1164.3	1184.9	1184.7	0.990	2.368	73.255	20.501	2.517	0.107	0.227	0.015	0.017	0.003	0.000	0.000	0.000	0.000	1411.69	-6.73
23	0.7052	1165.1	1185.7	1185.5	1.001	2.364	73.082	20.702	2.492	0.103	0.220	0.015	0.017	0.004	0.000	0.000	0.000	0.000	1412.03	-6.74
24	0.7014	1160.0	1180.5	1180.3	0.988	2.352	73.506	20.558	2.285	0.090	0.189	0.013	0.015	0.003	0.000	0.000	0.000	0.000	1409.60	-9.62
25	0.7028	1161.6	1182.1	1181.9	0.988	2.378	73.254	20.772	2.296	0.091	0.191	0.013	0.014	0.003	0.000	0.000	0.000	0.000	1410.12	-9.18
26	0.7021	1160.6	1181.2	1180.9	0.981	2.387	73.343	20.716	2.266	0.088	0.188	0.013	0.015	0.003	0.000	0.000	0.000	0.000	1409.61	-9.56
27	0.6943	1152.9	1173.4	1173.2	0.944	2.188	74.425	20.284	1.903	0.075	0.156	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1408.18	-14.57
28	0.6959	1155.1	1175.6	1175.4	0.948	2.185	74.265	20.332	2.005	0.079	0.162	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1409.23	-13.53
Avg	0.6963	1155.0	1175.6	1175.4	0.949	2.220	74.153	20.428	1.987	0.077	0.160	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1408.89	-13.54

Source Daily Summary

February 2026

Source #: 601
Name: TIOGA STN-ROBINSON LAKE PLNT

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7051	1156.1	1176.6	1176.4	0.931	3.020	72.630	20.767	2.354	0.084	0.184	0.012	0.013	0.003	0.000	0.000	0.000	0.000	1401.53	
2	0.7558	1181.8	1202.8	1202.6	1.034	6.037	66.076	20.525	5.601	0.194	0.467	0.029	0.031	0.007	0.000	0.000	0.000	0.000	1383.50	
3	0.7541	1177.5	1198.3	1198.1	1.038	6.136	66.253	20.379	5.498	0.186	0.447	0.028	0.030	0.007	0.000	0.000	0.000	0.000	1379.96	
4	0.7576	1183.7	1204.7	1204.5	1.031	6.098	65.842	20.575	5.705	0.197	0.479	0.031	0.034	0.008	0.000	0.000	0.000	0.000	1384.04	
5	0.7583	1185.4	1206.4	1206.2	1.026	6.067	65.792	20.588	5.763	0.203	0.483	0.033	0.037	0.009	0.000	0.000	0.000	0.000	1385.39	
6	0.7553	1179.5	1200.4	1200.2	1.044	6.117	66.182	20.307	5.633	0.193	0.455	0.029	0.032	0.008	0.000	0.000	0.000	0.000	1381.24	
7	0.7567	1182.8	1203.8	1203.6	1.009	6.099	65.914	20.584	5.678	0.190	0.453	0.030	0.034	0.008	0.000	0.000	0.000	0.000	1383.83	
8	0.7580	1184.7	1205.7	1205.5	1.008	6.104	65.774	20.629	5.747	0.192	0.473	0.031	0.034	0.009	0.000	0.000	0.000	0.000	1384.89	
9	0.7609	1189.3	1210.4	1210.2	1.007	6.103	65.486	20.652	5.960	0.205	0.507	0.033	0.037	0.009	0.000	0.000	0.000	0.000	1387.54	
10	0.7584	1185.2	1206.2	1206.0	1.013	6.106	65.745	20.597	5.795	0.194	0.477	0.031	0.035	0.008	0.000	0.000	0.000	0.000	1385.09	
11	0.7583	1185.3	1206.3	1206.1	1.013	6.085	65.731	20.674	5.761	0.194	0.468	0.031	0.035	0.009	0.000	0.000	0.000	0.000	1385.29	
12	0.7577	1184.7	1205.7	1205.5	1.014	6.072	65.800	20.653	5.730	0.193	0.465	0.031	0.034	0.009	0.000	0.000	0.000	0.000	1385.11	
13	0.7490	1177.7	1198.5	1198.3	1.003	5.707	66.924	20.517	5.191	0.175	0.418	0.027	0.031	0.008	0.000	0.000	0.000	0.000	1384.88	
14	0.7584	1185.6	1206.6	1206.4	1.007	6.091	65.728	20.668	5.753	0.196	0.480	0.032	0.035	0.009	0.000	0.000	0.000	0.000	1385.50	
15	0.7562	1181.0	1201.9	1201.7	1.007	6.163	65.944	20.546	5.632	0.187	0.453	0.029	0.032	0.008	0.000	0.000	0.000	0.000	1382.14	
16	0.7573	1183.2	1204.1	1203.9	1.009	6.133	65.819	20.619	5.697	0.191	0.462	0.029	0.032	0.008	0.000	0.000	0.000	0.000	1383.63	
17	0.7220	1154.4	1174.9	1174.7	0.907	4.732	70.975	18.919	3.951	0.136	0.326	0.022	0.025	0.006	0.000	0.000	0.000	0.000	1383.11	
18	0.7083	1154.0	1174.5	1174.3	0.952	3.407	72.524	19.967	2.799	0.098	0.218	0.015	0.016	0.003	0.000	0.000	0.000	0.000	1395.92	
19	0.7482	1167.8	1188.5	1188.3	1.026	6.193	66.753	20.333	5.154	0.153	0.346	0.018	0.019	0.004	0.000	0.000	0.000	0.000	1374.01	
20	0.7498	1171.3	1192.0	1191.9	1.026	6.139	66.490	20.556	5.258	0.154	0.341	0.016	0.016	0.003	0.000	0.000	0.000	0.000	1376.53	
21	0.7509	1173.0	1193.8	1193.7	1.027	6.130	66.404	20.555	5.325	0.160	0.360	0.018	0.018	0.003	0.000	0.000	0.000	0.000	1377.65	
22	0.7513	1181.2	1202.1	1202.0	1.027	5.666	66.610	20.681	5.392	0.174	0.401	0.022	0.022	0.004	0.000	0.000	0.000	0.000	1386.85	
23	0.7481	1181.2	1202.1	1201.9	1.015	5.387	67.127	20.653	5.164	0.178	0.420	0.025	0.026	0.006	0.000	0.000	0.000	0.000	1389.85	
24	0.7451	1177.9	1198.7	1198.6	1.008	5.315	67.474	20.662	4.905	0.169	0.402	0.027	0.030	0.008	0.000	0.000	0.000	0.000	1388.92	
25	0.7401	1174.6	1195.4	1195.2	1.003	5.056	68.123	20.616	4.625	0.158	0.366	0.023	0.025	0.006	0.000	0.000	0.000	0.000	1389.71	
26	0.7562	1182.7	1203.7	1203.5	1.010	6.055	65.990	20.570	5.674	0.187	0.448	0.028	0.031	0.007	0.000	0.000	0.000	0.000	1384.20	
27	0.7367	1169.3	1190.1	1189.9	0.971	5.102	68.849	19.835	4.640	0.159	0.382	0.025	0.029	0.007	0.000	0.000	0.000	0.000	1386.82	
28	0.7450	1176.9	1197.7	1197.5	0.993	5.390	67.501	20.529	4.953	0.169	0.403	0.026	0.028	0.007	0.000	0.000	0.000	0.000	1387.75	
Avg	0.7485	1177.0	1198.3	1198.1	1.006	5.668	67.016	20.470	5.191	0.174	0.414	0.026	0.029	0.007	0.000	0.000	0.000	0.000	1385.17	

Source Daily Summary

February 2026

Source #: 091
Name: MNT BRD-PLRMO BRD-BIS STN

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7569	1178.8	1199.6	1199.4	1.050	6.299	65.886	20.382	5.656	0.195	0.464	0.029	0.032	0.006	0.000	0.000	0.000	0.000	1378.93	
2	0.7579	1180.9	1201.8	1201.6	1.052	6.267	65.728	20.512	5.715	0.196	0.464	0.029	0.031	0.006	0.000	0.000	0.000	0.000	1380.47	
3	0.7613	1187.1	1208.1	1207.9	1.038	6.222	65.417	20.591	5.934	0.212	0.509	0.033	0.036	0.008	0.000	0.000	0.000	0.000	1384.65	
4	0.7603	1186.5	1207.5	1207.3	1.024	6.188	65.511	20.628	5.870	0.206	0.497	0.032	0.036	0.007	0.000	0.000	0.000	0.000	1384.82	
5	0.7588	1182.4	1203.3	1203.1	1.071	6.232	65.777	20.333	5.813	0.207	0.493	0.032	0.035	0.007	0.000	0.000	0.000	0.000	1381.35	
6	0.7590	1183.8	1204.8	1204.6	1.023	6.235	65.597	20.607	5.800	0.196	0.470	0.031	0.034	0.007	0.000	0.000	0.000	0.000	1382.88	
7	0.7593	1184.8	1205.8	1205.6	1.020	6.208	65.571	20.640	5.817	0.198	0.474	0.031	0.034	0.007	0.000	0.000	0.000	0.000	1383.74	
8	0.7604	1186.3	1207.3	1207.1	1.018	6.224	65.475	20.607	5.914	0.203	0.487	0.031	0.034	0.007	0.000	0.000	0.000	0.000	1384.45	
9	0.7620	1189.4	1210.5	1210.3	1.024	6.166	65.287	20.760	5.977	0.207	0.501	0.033	0.037	0.007	0.000	0.000	0.000	0.000	1386.74	
10	0.7574	1181.0	1201.9	1201.7	1.027	6.250	65.790	20.501	5.723	0.191	0.452	0.029	0.031	0.007	0.000	0.000	0.000	0.000	1381.06	
11	0.7591	1184.4	1205.4	1205.2	1.026	6.203	65.601	20.619	5.811	0.197	0.472	0.031	0.034	0.007	0.000	0.000	0.000	0.000	1383.49	
12	0.7570	1180.4	1201.3	1201.1	1.024	6.256	65.848	20.460	5.698	0.192	0.455	0.029	0.031	0.006	0.000	0.000	0.000	0.000	1380.67	
13	0.7592	1184.4	1205.4	1205.2	1.021	6.218	65.586	20.622	5.806	0.199	0.477	0.031	0.034	0.007	0.000	0.000	0.000	0.000	1383.41	
14	0.7580	1181.7	1202.6	1202.4	1.019	6.280	65.705	20.532	5.735	0.194	0.464	0.030	0.033	0.007	0.000	0.000	0.000	0.000	1381.25	
15	0.7581	1182.1	1203.1	1202.9	1.022	6.257	65.679	20.575	5.747	0.194	0.460	0.029	0.031	0.006	0.000	0.000	0.000	0.000	1381.70	
16	0.7590	1184.7	1205.6	1205.4	1.027	6.178	65.588	20.691	5.775	0.197	0.472	0.030	0.033	0.007	0.000	0.000	0.000	0.000	1383.84	
17	0.7582	1182.4	1203.3	1203.1	1.024	6.247	65.687	20.555	5.767	0.193	0.460	0.029	0.032	0.007	0.000	0.000	0.000	0.000	1381.92	
18	0.7602	1185.3	1206.3	1206.1	1.024	6.253	65.443	20.666	5.862	0.200	0.479	0.031	0.034	0.007	0.000	0.000	0.000	0.000	1383.55	
19	0.7601	1184.6	1205.5	1205.3	1.020	6.294	65.485	20.546	5.916	0.199	0.470	0.030	0.032	0.007	0.000	0.000	0.000	0.000	1382.75	
20	0.7585	1181.7	1202.6	1202.4	1.023	6.319	65.651	20.467	5.826	0.194	0.456	0.028	0.030	0.006	0.000	0.000	0.000	0.000	1380.82	
21	0.7593	1183.5	1204.5	1204.2	1.025	6.274	65.570	20.551	5.855	0.196	0.463	0.029	0.031	0.007	0.000	0.000	0.000	0.000	1382.28	
22	0.7589	1182.4	1203.4	1203.2	1.025	6.305	65.608	20.496	5.851	0.195	0.457	0.028	0.029	0.006	0.000	0.000	0.000	0.000	1381.36	
23	0.7609	1186.1	1207.1	1206.9	1.022	6.270	65.385	20.626	5.949	0.201	0.478	0.030	0.032	0.007	0.000	0.000	0.000	0.000	1383.84	
24	0.7588	1183.1	1204.1	1203.9	1.024	6.258	65.592	20.598	5.816	0.192	0.455	0.028	0.031	0.007	0.000	0.000	0.000	0.000	1382.25	
25	0.7601	1185.3	1206.2	1206.0	1.017	6.261	65.466	20.614	5.898	0.199	0.476	0.030	0.032	0.007	0.000	0.000	0.000	0.000	1383.53	
26	0.7601	1185.5	1206.5	1206.3	1.021	6.233	65.490	20.619	5.888	0.200	0.479	0.030	0.033	0.007	0.000	0.000	0.000	0.000	1383.90	
27	0.7595	1184.0	1204.9	1204.7	1.024	6.270	65.567	20.540	5.848	0.200	0.477	0.031	0.034	0.007	0.000	0.000	0.000	0.000	1382.59	
28	0.7620	1188.4	1209.4	1209.2	1.032	6.225	65.296	20.664	5.998	0.209	0.501	0.033	0.036	0.008	0.000	0.000	0.000	0.000	1385.45	
Avg	0.7593	1184.0	1204.9	1204.7	1.027	6.246	65.582	20.572	5.831	0.199	0.474	0.030	0.033	0.007	0.000	0.000	0.000	0.000	1382.77	

Gas Composition and Properties

Effective October 1, 2021

Attachment B
Page 8 of 25

Source #: 2501030
Name: LIGNITE PLANT

Component	Mole %	Liquid Content	Mass %
Carbon Dioxide (CO2)	0.2283		0.5237
Nitrogen (N2)	2.9631		4.3268
Methane (C1)	79.4957		66.4767
Ethane (C2)	15.2390	4.0765	23.8852
Propane (C3)	2.0456	0.5637	4.7019
Isobutane (IC4)	0.0244	0.0080	0.0739
n-Butane (NC4)	0.0039	0.0012	0.0118
Isopentane (IC5)			
n-Pentane (NC5)			
Hexanes Plus (C6+)			
Argon (Ar)			
Carbon Monoxide (CO)			
Hydrogen (H2)			
Oxygen (O2)			
Helium (He)			
Water (H2O)			
Hydrogen Sulfide (H2S)			
Totals	100.0000	4.6490	100.0000

Property	Total Sample
Pressure Base	14.73
Temperature Base	60
HCDP @ Sample Pressure	
Cricondentherm	-32.804
HV, Dry @ Base P, T	1130.73
HV, Sat @ Base P, T	1111.05
HV, Sat @ Sample P, T	1130.73
Relative Density	0.6640
C6+: 100	

Sample

Date: 10/01/2021 Type:

Tech: Wayne Sampson

Pressure: Temp.:

Gauge: H2O:

Atm. Pressure: H2S:

Remarks:

Analysis

Date: Instrument:

Tech: Cylinder:

Remarks:

Source Daily Summary

February 2026

Source #: 603
Name: TIOGA STN-COUNTY LINE PLANT

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7279	1175.4	1196.2	1196.0	1.077	3.744	70.830	19.522	4.014	0.194	0.494	0.046	0.060	0.020	0.000	0.000	0.000	0.000	1402.08	
2	0.7252	1171.3	1192.0	1191.8	1.091	3.723	70.870	19.903	3.690	0.177	0.444	0.038	0.048	0.016	0.000	0.000	0.000	0.000	1399.77	
3	0.7247	1171.6	1192.3	1192.1	1.103	3.637	70.954	19.929	3.660	0.177	0.442	0.037	0.047	0.014	0.000	0.000	0.000	0.000	1400.65	
4	0.7258	1172.8	1193.5	1193.3	1.113	3.655	70.846	19.958	3.660	0.185	0.473	0.042	0.052	0.015	0.000	0.000	0.000	0.000	1400.97	
5	0.7241	1169.8	1190.5	1190.3	1.110	3.686	71.172	19.643	3.611	0.183	0.462	0.047	0.062	0.022	0.000	0.000	0.000	0.000	1398.99	
6	0.7174	1159.1	1179.7	1179.5	1.105	3.713	71.794	19.438	3.415	0.141	0.322	0.026	0.033	0.014	0.000	0.000	0.000	0.000	1392.77	
7	0.7201	1162.8	1183.4	1183.2	1.078	3.786	71.615	19.287	3.584	0.165	0.395	0.034	0.043	0.014	0.000	0.000	0.000	0.000	1394.49	
8	0.7179	1159.7	1180.2	1180.0	1.078	3.765	71.885	19.228	3.407	0.153	0.387	0.035	0.046	0.017	0.000	0.000	0.000	0.000	1392.93	
9	0.7187	1158.5	1179.0	1178.8	1.070	3.920	71.938	18.813	3.583	0.166	0.415	0.034	0.044	0.016	0.000	0.000	0.000	0.000	1390.79	
10	0.7231	1166.9	1187.5	1187.3	1.090	3.793	71.240	19.471	3.725	0.166	0.415	0.038	0.047	0.015	0.000	0.000	0.000	0.000	1396.54	
11	0.7313	1180.7	1201.7	1201.5	1.096	3.714	70.044	20.367	4.014	0.184	0.460	0.044	0.057	0.019	0.000	0.000	0.000	0.000	1405.13	
12	0.7319	1181.9	1202.9	1202.7	1.097	3.691	70.160	20.122	4.106	0.196	0.497	0.047	0.062	0.022	0.000	0.000	0.000	0.000	1406.02	
13	0.7315	1181.4	1202.3	1202.1	1.100	3.685	70.070	20.350	4.000	0.190	0.479	0.045	0.059	0.021	0.000	0.000	0.000	0.000	1405.75	
14	0.7359	1188.7	1209.8	1209.6	1.106	3.631	69.515	20.689	4.237	0.200	0.502	0.045	0.057	0.019	0.000	0.000	0.000	0.000	1410.28	
15	0.7354	1188.1	1209.2	1209.0	1.103	3.626	69.607	20.590	4.259	0.199	0.500	0.043	0.055	0.017	0.000	0.000	0.000	0.000	1410.04	
16	0.7365	1189.5	1210.6	1210.4	1.101	3.657	69.470	20.559	4.398	0.203	0.503	0.041	0.052	0.015	0.000	0.000	0.000	0.000	1410.59	
17	0.7294	1177.5	1198.4	1198.2	1.094	3.735	70.318	20.134	3.985	0.182	0.450	0.038	0.048	0.016	0.000	0.000	0.000	0.000	1403.14	
18	0.7302	1179.1	1200.0	1199.8	1.104	3.700	70.080	20.429	3.992	0.178	0.430	0.034	0.042	0.012	0.000	0.000	0.000	0.000	1404.25	
19	0.7320	1182.3	1203.2	1203.0	1.107	3.671	69.846	20.578	4.086	0.187	0.445	0.033	0.038	0.010	0.000	0.000	0.000	0.000	1406.28	
20	0.7344	1186.5	1207.5	1207.3	1.107	3.633	69.575	20.774	4.127	0.199	0.486	0.039	0.047	0.013	0.000	0.000	0.000	0.000	1409.02	
21	0.7344	1186.3	1207.3	1207.1	1.106	3.649	69.776	20.410	4.223	0.207	0.515	0.044	0.054	0.015	0.000	0.000	0.000	0.000	1408.78	
22	0.7250	1170.1	1190.9	1190.7	1.104	3.753	70.821	20.005	3.605	0.173	0.433	0.039	0.050	0.017	0.000	0.000	0.000	0.000	1398.61	
23	0.7248	1168.8	1189.5	1189.3	1.089	3.837	71.163	19.394	3.707	0.189	0.489	0.048	0.062	0.024	0.000	0.000	0.000	0.000	1397.21	
24	0.7281	1173.6	1194.4	1194.2	1.078	3.864	70.935	19.204	4.071	0.195	0.504	0.053	0.069	0.026	0.000	0.000	0.000	0.000	1399.81	
25	0.7250	1170.0	1190.8	1190.6	1.076	3.805	71.105	19.406	3.858	0.184	0.454	0.041	0.052	0.019	0.000	0.000	0.000	0.000	1398.44	
26	0.7283	1174.7	1195.5	1195.3	1.082	3.808	70.789	19.465	4.049	0.194	0.491	0.045	0.058	0.019	0.000	0.000	0.000	0.000	1400.88	
27	0.7299	1177.7	1198.5	1198.3	1.078	3.790	70.692	19.415	4.155	0.206	0.525	0.050	0.066	0.024	0.000	0.000	0.000	0.000	1402.87	
28	0.7294	1177.6	1198.4	1198.2	1.081	3.745	70.664	19.569	4.107	0.201	0.504	0.046	0.060	0.022	0.000	0.000	0.000	0.000	1403.24	
Avg	0.7278	1175.0	1195.9	1195.7	1.094	3.729	70.635	19.880	3.905	0.185	0.461	0.041	0.052	0.018	0.000	0.000	0.000	0.000	1401.80	

Source Daily Summary

February 2026

Source #: 043
Name: BISMARCK STN-CLEVELAND STN

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7239	1154.9	1175.4	1174.7	0.879	4.923	70.622	19.003	4.059	0.139	0.328	0.020	0.021	0.007	0.000	0.000	0.000	0.000	1381.48	
2	0.7190	1148.7	1169.1	1168.4	0.906	4.807	71.216	18.866	3.752	0.125	0.289	0.017	0.017	0.005	0.000	0.000	0.000	0.000	1378.67	
3	0.7223	1153.2	1173.6	1172.9	0.927	4.804	70.852	18.993	3.924	0.134	0.319	0.020	0.021	0.007	0.000	0.000	0.000	0.000	1380.96	
4	0.7271	1157.4	1177.9	1177.2	0.904	5.034	70.183	19.123	4.216	0.144	0.345	0.021	0.022	0.008	0.000	0.000	0.000	0.000	1381.43	
5	0.7369	1165.8	1186.5	1185.7	0.991	5.313	68.779	19.667	4.648	0.159	0.385	0.024	0.026	0.009	0.000	0.000	0.000	0.000	1382.13	
6	0.7275	1152.0	1172.4	1171.6	0.996	5.259	70.094	18.940	4.191	0.138	0.333	0.020	0.021	0.007	0.000	0.000	0.000	0.000	1374.60	
7	0.7267	1153.5	1173.9	1173.2	0.942	5.181	70.294	18.794	4.258	0.140	0.339	0.021	0.022	0.008	0.000	0.000	0.000	0.000	1377.08	
8	0.7350	1164.2	1184.8	1184.0	0.921	5.337	69.153	19.287	4.702	0.157	0.384	0.024	0.025	0.010	0.000	0.000	0.000	0.000	1381.97	
9	0.7461	1176.7	1197.5	1196.7	0.939	5.585	67.640	19.871	5.272	0.180	0.445	0.028	0.030	0.010	0.000	0.000	0.000	0.000	1386.42	
10	0.7380	1166.6	1187.3	1186.4	0.948	5.433	68.716	19.433	4.862	0.161	0.391	0.024	0.025	0.008	0.000	0.000	0.000	0.000	1381.99	
11	0.7421	1172.0	1192.8	1192.0	0.951	5.479	68.122	19.776	5.028	0.169	0.414	0.026	0.027	0.009	0.000	0.000	0.000	0.000	1384.62	
12	0.7372	1165.9	1186.5	1185.6	0.940	5.413	68.777	19.492	4.778	0.158	0.385	0.023	0.025	0.008	0.000	0.000	0.000	0.000	1381.88	
13	0.7396	1169.3	1190.0	1189.1	0.929	5.446	68.414	19.722	4.865	0.164	0.400	0.025	0.026	0.008	0.000	0.000	0.000	0.000	1383.68	
14	0.7364	1165.5	1186.1	1185.2	0.925	5.386	68.930	19.396	4.753	0.160	0.392	0.024	0.026	0.008	0.000	0.000	0.000	0.000	1382.16	
15	0.7350	1162.8	1183.4	1182.5	0.924	5.413	69.031	19.411	4.647	0.153	0.368	0.022	0.023	0.007	0.000	0.000	0.000	0.000	1380.38	
16	0.7320	1161.2	1181.7	1180.9	0.923	5.232	69.495	19.300	4.485	0.149	0.362	0.022	0.023	0.008	0.000	0.000	0.000	0.000	1381.27	
17	0.7456	1173.7	1194.5	1193.7	0.954	5.699	67.590	19.897	5.201	0.174	0.425	0.026	0.027	0.009	0.000	0.000	0.000	0.000	1383.35	
18	0.7196	1149.1	1169.4	1168.7	0.921	4.814	71.186	18.832	3.775	0.126	0.302	0.019	0.019	0.006	0.000	0.000	0.000	0.000	1378.60	
19	0.7174	1149.0	1169.3	1168.6	0.856	4.710	71.432	18.885	3.671	0.121	0.283	0.018	0.018	0.006	0.000	0.000	0.000	0.000	1380.61	
20	0.7141	1144.6	1164.9	1164.2	0.839	4.697	71.929	18.546	3.566	0.116	0.269	0.016	0.017	0.006	0.000	0.000	0.000	0.000	1378.47	
21	0.7108	1138.6	1158.8	1158.0	0.851	4.732	72.470	18.085	3.454	0.111	0.259	0.016	0.016	0.005	0.000	0.000	0.000	0.000	1374.44	
22	0.7106	1138.7	1158.8	1158.1	0.842	4.722	72.424	18.218	3.401	0.109	0.250	0.015	0.015	0.005	0.000	0.000	0.000	0.000	1374.74	
23	0.7104	1138.3	1158.4	1157.7	0.852	4.718	72.480	18.146	3.404	0.110	0.254	0.015	0.015	0.006	0.000	0.000	0.000	0.000	1374.39	
24	0.7090	1138.4	1158.6	1157.9	0.803	4.654	72.662	18.132	3.357	0.107	0.249	0.015	0.016	0.006	0.000	0.000	0.000	0.000	1375.92	
25	0.7112	1141.5	1161.7	1161.0	0.795	4.680	72.428	18.156	3.523	0.114	0.266	0.016	0.017	0.006	0.000	0.000	0.000	0.000	1377.54	
26	0.7216	1150.6	1171.0	1170.2	0.844	5.020	71.051	18.495	4.085	0.135	0.323	0.020	0.021	0.007	0.000	0.000	0.000	0.000	1378.54	
27	0.7201	1151.2	1171.6	1170.9	0.844	4.847	71.144	18.789	3.893	0.129	0.309	0.019	0.020	0.007	0.000	0.000	0.000	0.000	1380.68	
28	0.7160	1144.9	1165.2	1164.5	0.878	4.795	71.643	18.639	3.608	0.118	0.278	0.017	0.018	0.006	0.000	0.000	0.000	0.000	1377.02	
Avg	0.7261	1155.0	1175.8	1175.0	0.901	5.076	70.313	18.996	4.192	0.139	0.334	0.020	0.021	0.007	0.000	0.000	0.000	0.000	1379.82	

Source Daily Summary

February 2026

Source #: 063
Name: CLEVELAND STN-MAPLETON

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7200	1149.1	1169.4	1168.8	0.887	4.906	70.960	19.061	3.750	0.124	0.278	0.017	0.018	0.000	0.000	0.000	0.000	0.000	1378.18	
2	0.7248	1154.6	1175.1	1174.4	0.918	4.968	70.411	19.182	4.022	0.139	0.317	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1380.22	
3	0.7199	1148.3	1168.7	1167.9	0.947	4.850	71.034	19.005	3.724	0.125	0.280	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1377.38	
4	0.7232	1152.7	1173.1	1172.3	0.967	4.857	70.684	19.092	3.913	0.135	0.310	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1379.52	
5	0.7288	1157.8	1178.3	1177.4	0.950	5.099	69.870	19.333	4.221	0.146	0.336	0.022	0.024	0.000	0.000	0.000	0.000	0.000	1380.27	
6	0.7385	1165.7	1186.3	1185.4	1.042	5.388	68.471	19.887	4.628	0.161	0.372	0.024	0.027	0.000	0.000	0.000	0.000	0.000	1380.47	
7	0.7278	1150.6	1171.0	1170.3	1.037	5.313	70.012	18.975	4.160	0.138	0.322	0.020	0.023	0.000	0.000	0.000	0.000	0.000	1372.61	
8	0.7277	1153.1	1173.5	1172.9	0.982	5.232	70.115	18.906	4.247	0.142	0.330	0.021	0.024	0.000	0.000	0.000	0.000	0.000	1375.68	
9	0.7359	1163.4	1184.0	1183.3	0.962	5.403	68.959	19.423	4.674	0.158	0.370	0.024	0.027	0.000	0.000	0.000	0.000	0.000	1380.20	
10	0.7471	1176.0	1196.8	1196.2	0.981	5.658	67.445	19.966	5.275	0.182	0.432	0.028	0.032	0.000	0.000	0.000	0.000	0.000	1384.65	
11	0.7384	1165.1	1185.7	1185.1	0.990	5.497	68.616	19.476	4.833	0.161	0.377	0.024	0.026	0.000	0.000	0.000	0.000	0.000	1379.84	
12	0.7425	1170.8	1191.5	1190.8	0.994	5.529	68.021	19.840	4.992	0.169	0.400	0.026	0.029	0.000	0.000	0.000	0.000	0.000	1382.73	
13	0.7378	1164.9	1185.5	1184.8	0.983	5.463	68.622	19.624	4.730	0.159	0.370	0.023	0.026	0.000	0.000	0.000	0.000	0.000	1380.17	
14	0.7409	1169.2	1189.9	1189.2	0.971	5.507	68.142	19.933	4.843	0.165	0.387	0.025	0.028	0.000	0.000	0.000	0.000	0.000	1382.40	
15	0.7376	1165.4	1186.0	1185.3	0.966	5.437	68.684	19.595	4.725	0.161	0.379	0.025	0.028	0.000	0.000	0.000	0.000	0.000	1380.96	
16	0.7358	1162.2	1182.8	1182.1	0.966	5.467	68.846	19.547	4.618	0.153	0.356	0.022	0.024	0.000	0.000	0.000	0.000	0.000	1378.82	
17	0.7326	1160.2	1180.7	1180.1	0.964	5.286	69.336	19.430	4.440	0.149	0.348	0.022	0.025	0.000	0.000	0.000	0.000	0.000	1379.52	
18	0.7474	1173.8	1194.6	1194.2	0.997	5.791	67.252	20.107	5.210	0.176	0.413	0.026	0.029	0.000	0.000	0.000	0.000	0.000	1381.88	
19	0.7186	1146.3	1166.6	1166.1	0.957	4.828	71.320	18.750	3.694	0.125	0.286	0.018	0.021	0.000	0.000	0.000	0.000	0.000	1376.28	
20	0.7175	1147.3	1167.7	1166.9	0.892	4.772	71.411	18.824	3.667	0.122	0.275	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1378.45	
21	0.7142	1143.0	1163.2	1162.5	0.872	4.747	71.920	18.500	3.548	0.117	0.261	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1376.49	
22	0.7108	1137.1	1157.3	1156.5	0.887	4.768	72.449	18.082	3.419	0.112	0.250	0.015	0.017	0.000	0.000	0.000	0.000	0.000	1372.66	
23	0.7110	1137.6	1157.7	1157.0	0.880	4.768	72.332	18.266	3.373	0.109	0.241	0.014	0.016	0.000	0.000	0.000	0.000	0.000	1373.04	
24	0.7111	1137.7	1157.9	1157.2	0.885	4.759	72.331	18.269	3.369	0.110	0.244	0.015	0.016	0.000	0.000	0.000	0.000	0.000	1373.11	
25	0.7094	1137.4	1157.5	1156.9	0.837	4.696	72.593	18.156	3.338	0.108	0.241	0.015	0.017	0.000	0.000	0.000	0.000	0.000	1374.35	
26	0.7118	1140.8	1161.0	1160.4	0.825	4.732	72.313	18.209	3.513	0.115	0.259	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1376.11	
27	0.7223	1150.2	1170.5	1170.0	0.880	5.062	70.894	18.614	4.060	0.136	0.312	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1377.30	
28	0.7198	1149.2	1169.5	1169.0	0.879	4.892	71.173	18.738	3.852	0.129	0.297	0.019	0.021	0.000	0.000	0.000	0.000	0.000	1378.46	
Avg	0.7269	1155.0	1175.1	1174.4	0.939	5.131	70.151	19.100	4.173	0.140	0.323	0.020	0.023	0.000	0.000	0.000	0.000	0.000	1378.28	

Source Daily Summary

February 2026

Source #: 061
Name: CLEVELAND STN-GRAFTON BDR

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7218	1150.6	1171.0	1170.7	0.895	4.968	70.700	19.154	3.836	0.128	0.284	0.017	0.018	0.000	0.000	0.000	0.000	0.000	1378.30	
2	0.7234	1152.7	1173.1	1172.9	0.921	4.949	70.620	19.062	3.959	0.137	0.311	0.019	0.021	0.000	0.000	0.000	0.000	0.000	1379.28	
3	0.7202	1148.6	1169.0	1168.8	0.958	4.844	70.988	19.041	3.726	0.126	0.281	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1377.44	
4	0.7231	1152.2	1172.6	1172.4	0.961	4.896	70.720	18.990	3.937	0.138	0.315	0.020	0.023	0.000	0.000	0.000	0.000	0.000	1378.87	
5	0.7300	1159.1	1179.6	1179.4	0.958	5.125	69.656	19.480	4.255	0.146	0.334	0.022	0.024	0.000	0.000	0.000	0.000	0.000	1380.60	
6	0.7374	1162.9	1183.5	1183.3	1.051	5.439	68.639	19.708	4.588	0.159	0.367	0.023	0.026	0.000	0.000	0.000	0.000	0.000	1378.23	
7	0.7275	1150.8	1171.1	1170.7	1.026	5.296	70.055	18.963	4.157	0.138	0.321	0.021	0.023	0.000	0.000	0.000	0.000	0.000	1373.03	
8	0.7281	1153.9	1174.4	1173.9	0.975	5.231	70.063	18.933	4.278	0.143	0.332	0.021	0.024	0.000	0.000	0.000	0.000	0.000	1376.30	
9	0.7381	1165.8	1186.4	1186.0	0.965	5.465	68.658	19.509	4.805	0.164	0.382	0.025	0.027	0.000	0.000	0.000	0.000	0.000	1380.93	
10	0.7487	1178.0	1198.8	1198.4	0.984	5.678	67.212	20.104	5.338	0.184	0.438	0.029	0.032	0.000	0.000	0.000	0.000	0.000	1385.53	
11	0.7377	1164.1	1184.7	1184.2	0.992	5.483	68.722	19.427	4.795	0.160	0.372	0.023	0.026	0.000	0.000	0.000	0.000	0.000	1379.35	
12	0.7436	1171.6	1192.4	1191.9	0.996	5.576	67.857	19.896	5.047	0.171	0.403	0.026	0.029	0.000	0.000	0.000	0.000	0.000	1382.73	
13	0.7380	1165.2	1185.8	1185.3	0.979	5.472	68.569	19.669	4.734	0.159	0.369	0.023	0.025	0.000	0.000	0.000	0.000	0.000	1380.32	
14	0.7412	1169.5	1190.2	1189.7	0.973	5.514	68.121	19.912	4.872	0.166	0.390	0.025	0.028	0.000	0.000	0.000	0.000	0.000	1382.48	
15	0.7378	1165.2	1185.8	1185.3	0.966	5.471	68.635	19.602	4.736	0.161	0.377	0.024	0.027	0.000	0.000	0.000	0.000	0.000	1380.51	
16	0.7356	1161.8	1182.4	1181.9	0.967	5.464	68.884	19.521	4.609	0.153	0.355	0.022	0.024	0.000	0.000	0.000	0.000	0.000	1378.64	
17	0.7351	1162.9	1183.5	1183.1	0.970	5.345	68.989	19.570	4.563	0.154	0.360	0.023	0.026	0.000	0.000	0.000	0.000	0.000	1380.42	
18	0.7451	1171.0	1191.7	1191.4	0.999	5.753	67.579	19.929	5.114	0.172	0.401	0.025	0.028	0.000	0.000	0.000	0.000	0.000	1380.60	
19	0.7181	1147.1	1167.4	1167.0	0.940	4.769	71.349	18.848	3.648	0.124	0.282	0.018	0.021	0.000	0.000	0.000	0.000	0.000	1377.56	
20	0.7162	1145.7	1166.0	1165.8	0.887	4.750	71.631	18.679	3.625	0.121	0.270	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1377.81	
21	0.7138	1142.1	1162.3	1162.2	0.871	4.771	71.971	18.442	3.537	0.116	0.258	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1375.75	
22	0.7090	1134.7	1154.8	1154.6	0.890	4.745	72.712	17.938	3.333	0.109	0.242	0.015	0.017	0.000	0.000	0.000	0.000	0.000	1371.44	
23	0.7117	1138.5	1158.6	1158.5	0.873	4.790	72.217	18.335	3.402	0.111	0.243	0.015	0.016	0.000	0.000	0.000	0.000	0.000	1373.43	
24	0.7106	1136.6	1156.7	1156.6	0.887	4.780	72.400	18.199	3.351	0.110	0.242	0.015	0.016	0.000	0.000	0.000	0.000	0.000	1372.25	
25	0.7088	1136.8	1156.9	1156.7	0.832	4.690	72.688	18.080	3.331	0.108	0.240	0.015	0.017	0.000	0.000	0.000	0.000	0.000	1374.12	
26	0.7135	1142.6	1162.8	1162.4	0.828	4.776	72.094	18.276	3.603	0.119	0.269	0.017	0.019	0.000	0.000	0.000	0.000	0.000	1376.64	
27	0.7233	1151.1	1171.5	1171.1	0.889	5.088	70.738	18.690	4.102	0.137	0.315	0.020	0.022	0.000	0.000	0.000	0.000	0.000	1377.43	
28	0.7189	1147.8	1168.1	1167.8	0.884	4.885	71.281	18.701	3.792	0.127	0.291	0.019	0.021	0.000	0.000	0.000	0.000	0.000	1377.68	
Avg	0.7270	1155.0	1175.0	1174.7	0.940	5.143	70.134	19.095	4.181	0.141	0.323	0.020	0.023	0.000	0.000	0.000	0.000	0.000	1378.13	

Source Daily Summary

February 2026

Source #: 662
Name: MAPLETON-WAHPETON

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.5908	1031.4	1049.6	1049.4	0.559	0.433	93.224	5.666	0.110	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.55	-88.73
2	0.5908	1031.0	1049.2	1049.0	0.565	0.444	93.235	5.639	0.108	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.08	-88.83
3	0.5905	1029.7	1047.9	1047.7	0.586	0.465	93.305	5.533	0.103	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1363.68	-89.32
4	0.5905	1030.0	1048.2	1048.0	0.582	0.450	93.307	5.548	0.105	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1364.13	-89.27
5	0.5906	1030.3	1048.5	1048.3	0.585	0.437	93.293	5.573	0.104	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1364.38	-89.16
6	0.5902	1030.3	1048.6	1048.4	0.575	0.416	93.357	5.542	0.102	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1364.86	-89.34
7	0.5899	1029.5	1047.7	1047.5	0.574	0.436	93.418	5.470	0.095	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1364.13	-89.79
8	0.5899	1029.8	1048.0	1047.8	0.574	0.424	93.409	5.489	0.096	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1364.44	-89.67
9	0.5900	1030.4	1048.7	1048.5	0.568	0.396	93.403	5.524	0.101	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.30	-89.45
10	0.5899	1030.7	1049.0	1048.8	0.558	0.386	93.421	5.517	0.110	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.76	-89.38
11	0.5898	1030.5	1048.7	1048.5	0.553	0.398	93.438	5.494	0.110	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.56	-89.53
12	0.5903	1031.1	1049.4	1049.2	0.554	0.403	93.347	5.564	0.123	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.88	-89.00
13	0.5902	1031.3	1049.5	1049.4	0.548	0.397	93.349	5.585	0.113	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.13	-89.08
14	0.5898	1030.6	1048.9	1048.7	0.552	0.393	93.425	5.518	0.105	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.77	-89.48
15	0.5898	1031.0	1049.2	1049.1	0.544	0.385	93.414	5.545	0.105	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.20	-89.40
16	0.5893	1031.0	1049.3	1049.1	0.525	0.361	93.510	5.491	0.105	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.87	-89.69
17	0.5893	1031.3	1049.5	1049.4	0.514	0.364	93.492	5.522	0.102	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1367.18	-89.65
18	0.5893	1031.4	1049.7	1049.5	0.514	0.357	93.493	5.527	0.102	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1367.34	-89.61
19	0.5887	1029.4	1047.6	1047.4	0.523	0.404	93.619	5.350	0.097	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.44	-90.47
20	0.5887	1028.4	1046.6	1046.4	0.547	0.439	93.624	5.284	0.100	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1363.97	-90.67
21	0.5886	1028.0	1046.2	1046.1	0.559	0.427	93.663	5.248	0.096	0.004	0.002	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1363.70	-90.82
22	0.5886	1028.3	1046.5	1046.3	0.557	0.418	93.660	5.260	0.100	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1364.00	-90.73
23	0.5885	1027.8	1046.0	1045.8	0.568	0.417	93.701	5.207	0.101	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1363.53	-90.90
24	0.5885	1028.1	1046.3	1046.1	0.553	0.423	93.683	5.232	0.103	0.004	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1363.91	-90.83
25	0.5888	1028.8	1047.0	1046.8	0.552	0.405	93.634	5.300	0.102	0.004	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1364.56	-90.51
26	0.5892	1028.9	1047.2	1047.0	0.566	0.420	93.552	5.350	0.105	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1364.18	-90.21
27	0.5892	1029.5	1047.8	1047.6	0.562	0.388	93.550	5.396	0.099	0.004	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1365.00	-90.12
28	0.5899	1030.3	1048.6	1048.4	0.575	0.383	93.426	5.509	0.100	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.28	-89.53
Avg	0.5896	1030.0	1048.2	1048.0	0.557	0.410	93.463	5.460	0.104	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.06	-89.76

Source Daily Summary

February 2026

Source #: 041
Name: BISMARCK STN-GLEN ULLIN STN

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6769	1113.1	1132.8	1132.6	0.713	3.324	77.064	17.173	1.568	0.049	0.093	0.006	0.006	0.004	0.000	0.000	0.000	0.000	1376.88	
2	0.6776	1114.5	1134.2	1134.0	0.779	3.205	76.988	17.324	1.547	0.049	0.094	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1377.88	
3	0.6759	1109.3	1128.9	1128.6	0.851	3.251	77.256	17.070	1.433	0.043	0.082	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1373.17	
4	0.6763	1110.4	1130.0	1129.7	0.784	3.323	77.139	17.136	1.483	0.043	0.080	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1374.14	
5	0.6846	1114.1	1133.8	1133.5	0.958	3.610	75.654	18.064	1.592	0.040	0.071	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1370.40	
6	0.6709	1091.1	1110.4	1110.1	1.019	3.640	77.865	16.346	1.056	0.024	0.043	0.003	0.003	0.002	0.000	0.000	0.000	0.000	1355.64	
7	0.6646	1087.8	1107.1	1106.8	0.898	3.430	79.073	15.464	1.055	0.026	0.047	0.003	0.003	0.002	0.000	0.000	0.000	0.000	1358.01	
8	0.6676	1097.1	1116.5	1116.2	0.797	3.294	78.669	15.857	1.276	0.035	0.063	0.003	0.003	0.003	0.000	0.000	0.000	0.000	1366.53	
9	0.6686	1101.0	1120.5	1120.2	0.769	3.194	78.584	15.950	1.377	0.040	0.074	0.005	0.004	0.003	0.000	0.000	0.000	0.000	1370.36	
10	0.6648	1095.1	1114.5	1114.2	0.850	3.071	79.298	15.433	1.237	0.035	0.065	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1366.90	
11	0.6688	1101.8	1121.3	1120.9	0.855	3.034	78.528	16.204	1.260	0.037	0.070	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1371.11	
12	0.6698	1104.2	1123.7	1123.4	0.840	3.001	78.362	16.376	1.298	0.039	0.073	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1373.11	
13	0.6754	1110.9	1130.6	1130.3	0.782	3.217	77.150	17.390	1.338	0.039	0.073	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1375.64	
14	0.6686	1099.1	1118.6	1118.3	0.803	3.255	78.429	16.176	1.233	0.033	0.061	0.004	0.003	0.003	0.000	0.000	0.000	0.000	1368.03	
15	0.6695	1102.7	1122.2	1121.9	0.789	3.150	78.249	16.463	1.239	0.035	0.065	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1371.49	
16	0.6685	1100.2	1119.7	1119.4	0.800	3.183	78.432	16.281	1.194	0.035	0.065	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1369.53	
17	0.6692	1100.1	1119.6	1119.2	0.809	3.246	78.286	16.345	1.210	0.033	0.062	0.004	0.003	0.003	0.000	0.000	0.000	0.000	1368.62	
18	0.6717	1101.7	1121.2	1120.9	0.870	3.296	77.890	16.577	1.247	0.037	0.072	0.005	0.004	0.003	0.000	0.000	0.000	0.000	1367.97	
19	0.6763	1111.1	1130.8	1130.5	0.752	3.333	77.141	17.126	1.497	0.047	0.090	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1374.96	
20	0.6735	1106.4	1125.9	1125.7	0.730	3.389	77.602	16.704	1.435	0.043	0.082	0.006	0.005	0.003	0.000	0.000	0.000	0.000	1371.97	
21	0.6692	1097.7	1117.2	1116.9	0.749	3.484	78.293	16.071	1.283	0.038	0.070	0.005	0.005	0.003	0.000	0.000	0.000	0.000	1365.62	
22	0.6713	1100.0	1119.5	1119.3	0.741	3.549	77.911	16.337	1.340	0.039	0.071	0.005	0.004	0.003	0.000	0.000	0.000	0.000	1366.39	
23	0.6729	1101.3	1120.9	1120.6	0.751	3.602	77.674	16.439	1.399	0.043	0.078	0.005	0.005	0.004	0.000	0.000	0.000	0.000	1366.42	
24	0.6694	1099.1	1118.6	1118.4	0.676	3.524	78.182	16.204	1.299	0.036	0.066	0.005	0.004	0.003	0.000	0.000	0.000	0.000	1367.22	
25	0.6668	1098.5	1118.0	1117.7	0.633	3.380	78.603	15.957	1.293	0.038	0.069	0.005	0.004	0.003	0.000	0.000	0.000	0.000	1369.08	
26	0.6638	1093.7	1113.1	1112.8	0.654	3.367	79.203	15.471	1.199	0.033	0.061	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1366.15	
27	0.6674	1100.0	1119.5	1119.3	0.680	3.274	78.484	16.283	1.183	0.031	0.056	0.004	0.003	0.003	0.000	0.000	0.000	0.000	1370.40	
28	0.6717	1100.8	1120.3	1120.1	0.779	3.485	77.759	16.605	1.264	0.035	0.063	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1366.95	
Avg	0.6711	1102.0	1121.8	1121.5	0.790	3.325	77.992	16.458	1.316	0.038	0.070	0.004	0.004	0.003	0.000	0.000	0.000	0.000	1369.31	

Source Daily Summary

February 2026

Source #: 271
Name: DCKSN BRD-BLFD TSF-G.U. STN

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6847	1123.2	1143.1	1142.9	0.707	3.454	75.579	18.411	1.678	0.057	0.103	0.007	0.006	0.000	0.000	0.000	0.000	0.000	1381.38	
2	0.6875	1121.8	1141.6	1141.5	0.879	3.535	75.149	18.605	1.669	0.053	0.098	0.006	0.006	0.000	0.000	0.000	0.000	0.000	1376.92	
3	0.6839	1118.7	1138.5	1138.3	0.771	3.557	75.670	18.244	1.611	0.049	0.088	0.005	0.005	0.000	0.000	0.000	0.000	0.000	1376.66	
4	0.6871	1115.7	1135.5	1135.1	1.024	3.657	75.160	18.453	1.591	0.041	0.069	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1369.78	
5	0.6762	1094.2	1113.6	1113.2	1.065	3.878	76.784	17.139	1.062	0.026	0.042	0.002	0.001	0.000	0.000	0.000	0.000	0.000	1354.20	
6	0.6744	1096.6	1116.1	1115.7	0.909	3.793	77.133	16.932	1.146	0.032	0.051	0.002	0.001	0.000	0.000	0.000	0.000	0.000	1359.07	
7	0.6820	1115.9	1135.7	1135.3	0.713	3.632	75.909	18.063	1.545	0.048	0.082	0.004	0.003	0.000	0.000	0.000	0.000	0.000	1375.18	
8	0.6857	1122.7	1142.6	1142.2	0.715	3.564	75.283	18.641	1.651	0.049	0.086	0.005	0.005	0.000	0.000	0.000	0.000	0.000	1379.79	
9	0.6853	1121.0	1140.9	1140.5	0.784	3.521	75.435	18.491	1.614	0.051	0.093	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1378.18	
10	0.6857	1123.2	1143.1	1142.8	0.802	3.408	75.253	18.876	1.517	0.048	0.087	0.005	0.005	0.000	0.000	0.000	0.000	0.000	1380.36	
11	0.6877	1127.1	1147.1	1146.8	0.774	3.392	74.907	19.191	1.588	0.049	0.089	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1383.24	
12	0.6846	1120.7	1140.6	1140.2	0.773	3.499	75.307	18.864	1.433	0.042	0.075	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1378.42	
13	0.6827	1116.9	1136.7	1136.4	0.756	3.589	75.499	18.630	1.406	0.040	0.068	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1375.68	
14	0.6840	1121.1	1140.9	1140.5	0.747	3.459	75.417	18.825	1.422	0.043	0.078	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1379.47	
15	0.6812	1114.3	1134.1	1133.7	0.777	3.556	75.864	18.382	1.306	0.039	0.069	0.004	0.003	0.000	0.000	0.000	0.000	0.000	1374.06	
16	0.6832	1115.8	1135.5	1135.1	0.808	3.606	75.572	18.514	1.378	0.041	0.074	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1373.86	
17	0.6836	1114.3	1134.0	1133.7	0.874	3.637	75.498	18.542	1.328	0.040	0.073	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1371.59	
18	0.6855	1121.3	1141.2	1141.0	0.794	3.505	75.454	18.447	1.632	0.054	0.102	0.006	0.006	0.000	0.000	0.000	0.000	0.000	1378.35	
19	0.6808	1115.4	1135.2	1135.0	0.716	3.543	76.251	17.749	1.585	0.051	0.094	0.006	0.006	0.000	0.000	0.000	0.000	0.000	1375.80	
20	0.6774	1108.5	1128.1	1127.9	0.729	3.631	76.737	17.338	1.433	0.044	0.079	0.005	0.005	0.000	0.000	0.000	0.000	0.000	1370.62	
21	0.6734	1100.2	1119.6	1119.4	0.761	3.712	77.446	16.632	1.333	0.040	0.069	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1364.40	
22	0.6766	1106.7	1126.2	1126.1	0.724	3.668	76.920	17.103	1.454	0.044	0.078	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1369.24	
23	0.6734	1101.4	1120.9	1120.8	0.737	3.672	77.428	16.711	1.337	0.039	0.069	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1365.97	
24	0.6715	1102.7	1122.2	1122.0	0.608	3.613	77.703	16.621	1.341	0.039	0.068	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1369.44	
25	0.6691	1099.8	1119.3	1119.1	0.590	3.582	77.960	16.451	1.305	0.038	0.066	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1368.33	
26	0.6743	1108.2	1127.8	1127.6	0.608	3.541	77.072	17.378	1.296	0.036	0.062	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1373.41	
27	0.6755	1105.5	1125.1	1124.9	0.708	3.668	76.910	17.305	1.303	0.037	0.063	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1368.87	
28	0.6796	1109.3	1129.0	1128.8	0.777	3.712	76.312	17.635	1.443	0.041	0.073	0.004	0.003	0.000	0.000	0.000	0.000	0.000	1369.49	
Avg	0.6806	1113.0	1132.6	1132.4	0.772	3.592	76.129	17.935	1.443	0.043	0.077	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1372.92	

Source Daily Summary

February 2026

Source #: 051
Name: CABIN CRK STN-BELFIELD TRSFR

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6831	1120.5	1140.4	1139.7	0.661	3.530	76.262	17.338	2.003	0.068	0.124	0.008	0.006	0.000	0.000	0.000	0.000	0.000	1379.76	
2	0.6808	1117.3	1137.1	1136.3	0.608	3.589	76.550	17.166	1.890	0.064	0.118	0.008	0.007	0.000	0.000	0.000	0.000	0.000	1378.10	
3	0.6807	1115.5	1135.2	1134.7	0.649	3.632	76.523	17.152	1.874	0.058	0.101	0.007	0.006	0.000	0.000	0.000	0.000	0.000	1375.93	
4	0.6744	1100.8	1120.3	1120.0	0.752	3.779	77.519	16.225	1.593	0.046	0.077	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1364.18	
5	0.6701	1094.6	1114.0	1113.6	0.699	3.827	78.217	15.654	1.482	0.042	0.070	0.004	0.003	0.000	0.000	0.000	0.000	0.000	1360.90	
6	0.6729	1103.6	1123.2	1122.4	0.585	3.718	77.767	16.122	1.665	0.050	0.083	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1369.18	
7	0.6808	1118.2	1138.0	1137.0	0.522	3.662	76.623	16.933	2.063	0.067	0.116	0.007	0.006	0.000	0.000	0.000	0.000	0.000	1379.22	
8	0.6786	1110.6	1130.2	1129.3	0.686	3.670	77.094	16.432	1.922	0.065	0.117	0.008	0.006	0.000	0.000	0.000	0.000	0.000	1372.08	
9	0.6803	1116.9	1136.7	1135.7	0.641	3.521	76.776	16.888	1.971	0.068	0.122	0.008	0.006	0.000	0.000	0.000	0.000	0.000	1378.07	
10	0.6822	1120.2	1140.1	1139.1	0.626	3.513	76.371	17.315	1.982	0.065	0.115	0.007	0.006	0.000	0.000	0.000	0.000	0.000	1380.33	
11	0.6791	1112.4	1132.1	1131.3	0.670	3.637	76.695	17.101	1.741	0.053	0.093	0.006	0.004	0.000	0.000	0.000	0.000	0.000	1373.79	
12	0.6763	1107.2	1126.8	1126.0	0.628	3.754	77.126	16.673	1.676	0.049	0.084	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1370.16	
13	0.6768	1111.0	1130.7	1129.7	0.611	3.597	77.157	16.711	1.754	0.057	0.101	0.007	0.005	0.000	0.000	0.000	0.000	0.000	1374.35	
14	0.6733	1102.8	1122.3	1121.5	0.636	3.732	77.709	16.149	1.622	0.052	0.089	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1367.71	
15	0.6773	1107.7	1127.3	1126.6	0.663	3.760	77.055	16.633	1.725	0.055	0.097	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1369.83	
16	0.6764	1103.3	1122.8	1122.2	0.746	3.820	77.258	16.338	1.676	0.054	0.097	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1365.28	
17	0.6832	1116.6	1136.3	1135.9	0.760	3.629	76.249	17.242	1.909	0.068	0.127	0.008	0.007	0.000	0.000	0.000	0.000	0.000	1374.79	
18	0.6775	1108.7	1128.3	1127.6	0.758	3.577	77.056	16.800	1.647	0.054	0.097	0.007	0.005	0.000	0.000	0.000	0.000	0.000	1370.79	
19	0.6790	1115.9	1135.6	1134.9	0.593	3.532	76.727	17.214	1.761	0.058	0.103	0.007	0.006	0.000	0.000	0.000	0.000	0.000	1378.16	
20	0.6729	1106.2	1125.8	1125.1	0.549	3.612	77.760	16.290	1.634	0.053	0.091	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1372.43	
21	0.6729	1105.7	1125.3	1124.7	0.547	3.645	77.713	16.329	1.622	0.050	0.084	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1371.84	
22	0.6755	1110.6	1130.3	1129.6	0.544	3.601	77.307	16.674	1.713	0.056	0.095	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1375.18	
23	0.6682	1099.0	1118.4	1117.8	0.530	3.643	78.509	15.684	1.505	0.045	0.075	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1368.20	
24	0.6659	1096.6	1116.0	1115.1	0.511	3.596	79.018	15.209	1.526	0.048	0.082	0.006	0.004	0.000	0.000	0.000	0.000	0.000	1367.66	
25	0.6634	1091.1	1110.4	1109.6	0.524	3.682	79.376	14.873	1.425	0.042	0.070	0.005	0.003	0.000	0.000	0.000	0.000	0.000	1363.28	
26	0.6673	1089.8	1109.1	1108.3	0.714	3.836	78.763	15.126	1.438	0.043	0.072	0.005	0.003	0.000	0.000	0.000	0.000	0.000	1357.73	
27	0.6702	1092.7	1112.0	1111.3	0.750	3.878	78.218	15.572	1.459	0.043	0.071	0.005	0.003	0.000	0.000	0.000	0.000	0.000	1358.39	
28	0.6701	1090.1	1109.4	1108.7	0.861	3.856	78.275	15.502	1.389	0.041	0.068	0.005	0.004	0.000	0.000	0.000	0.000	0.000	1355.32	
Avg	0.6753	1107.0	1126.2	1125.5	0.644	3.672	77.417	16.405	1.702	0.054	0.094	0.006	0.005	0.000	0.000	0.000	0.000	0.000	1370.45	

Source Daily Summary

February 2026

Source #: 111
Name: LITTLE KNIFE PLANT

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6968	1137.3	1157.4	1155.8	1.219	2.966	72.121	23.244	0.436	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.55	-25.36
2	0.6966	1137.5	1157.6	1155.9	1.211	2.951	72.155	23.224	0.444	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.96	-25.35
3	0.6964	1137.5	1157.6	1155.6	1.211	2.932	72.204	23.191	0.449	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.18	-25.40
4	0.6967	1137.4	1157.5	1155.5	1.212	2.957	72.163	23.197	0.455	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.80	-25.32
5	0.6966	1137.6	1157.7	1155.9	1.208	2.948	72.170	23.204	0.454	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.09	-25.32
6	0.6987	1139.9	1160.1	1158.5	1.206	3.001	71.757	23.554	0.466	0.007	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.91	-24.33
7	0.6982	1139.3	1159.5	1157.8	1.194	3.006	71.862	23.444	0.477	0.007	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.71	-24.52
8	0.6980	1138.9	1159.1	1157.3	1.209	2.993	71.906	23.405	0.471	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.36	-24.66
9	0.6970	1137.8	1157.9	1156.3	1.204	2.978	72.068	23.293	0.441	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.93	-25.22
10	0.6970	1137.9	1158.0	1156.2	1.196	2.986	72.068	23.282	0.453	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.06	-25.16
11	0.6974	1138.3	1158.5	1156.7	1.201	2.983	72.015	23.325	0.461	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.27	-24.96
12	0.6968	1137.8	1157.9	1156.0	1.189	2.982	72.099	23.270	0.445	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.15	-25.28
13	0.6971	1137.7	1157.9	1155.5	1.207	2.987	72.062	23.276	0.452	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1386.77	-25.16
14	0.6974	1138.8	1159.0	1157.0	1.198	2.959	71.997	23.383	0.449	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.85	-24.94
15	0.6976	1139.1	1159.3	1157.2	1.194	2.963	71.953	23.426	0.449	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.06	-24.84
16	0.6973	1139.1	1159.3	1157.4	1.183	2.959	71.991	23.405	0.448	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.27	-24.92
17	0.6967	1138.2	1158.4	1156.5	1.180	2.961	72.106	23.299	0.439	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.77	-25.27
18	0.6969	1138.1	1158.3	1156.3	1.202	2.947	72.074	23.345	0.417	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.50	-25.30
19	0.6981	1140.0	1160.2	1158.1	1.167	2.997	71.805	23.585	0.430	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.62	-24.65
20	0.6969	1138.5	1158.6	1156.8	1.175	2.968	72.032	23.404	0.407	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.93	-25.30
21	0.6973	1139.0	1159.2	1157.5	1.181	2.965	71.972	23.446	0.421	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.17	-25.05
22	0.6970	1138.9	1159.1	1157.5	1.171	2.959	72.010	23.428	0.417	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.36	-25.15
23	0.6977	1139.5	1159.7	1157.9	1.194	2.951	71.925	23.475	0.440	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.40	-24.79
24	0.6973	1139.1	1159.2	1157.7	1.169	2.977	71.962	23.455	0.421	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.25	-25.06
25	0.6967	1138.4	1158.6	1156.8	1.171	2.961	72.084	23.339	0.431	0.006	0.008	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.05	-25.27
26	0.6965	1137.7	1157.8	1155.9	1.178	2.977	72.152	23.231	0.448	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.32	-25.37
27	0.6970	1138.8	1159.0	1157.0	1.181	2.947	72.069	23.337	0.451	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1388.24	-25.07
28	0.6970	1138.4	1158.6	1156.6	1.190	2.961	72.056	23.336	0.442	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.73	-25.13
Avg	0.6972	1138.0	1158.6	1156.8	1.193	2.969	72.030	23.350	0.443	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1387.62	-25.08

Source Daily Summary

February 2026

Source #: 011
Name: BAKER STN-MARM/BOWMAN TRANSFER

Pressure Base:	14.730	Contract Day:	1
Temperature Base:	60	Contract Hour:	9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6586	1095.1	1114.5	1112.4	0.722	2.674	80.692	14.414	1.362	0.044	0.079	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1373.40	-36.40
2	0.6563	1091.0	1110.3	1108.3	0.726	2.709	81.101	14.011	1.320	0.043	0.076	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1370.55	-37.95
3	0.6558	1089.3	1108.6	1106.3	0.686	2.827	81.137	13.906	1.312	0.042	0.076	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1368.90	-38.43
4	0.6610	1097.2	1116.7	1114.8	0.696	2.815	80.159	14.809	1.389	0.042	0.076	0.006	0.005	0.002	0.000	0.000	0.000	0.000	1373.49	-35.46
5	0.6625	1098.0	1117.5	1115.9	0.693	2.909	79.852	15.010	1.408	0.041	0.073	0.005	0.005	0.002	0.000	0.000	0.000	0.000	1372.96	-35.03
6	0.6589	1099.8	1119.2	1118.0	0.572	2.656	80.490	14.749	1.406	0.042	0.073	0.005	0.005	0.002	0.000	0.000	0.000	0.000	1378.80	-35.93
7	0.6568	1096.7	1116.1	1114.9	0.604	2.588	80.955	14.353	1.368	0.043	0.077	0.006	0.005	0.003	0.000	0.000	0.000	0.000	1377.26	-36.89
8	0.6652	1108.5	1128.2	1126.8	0.626	2.622	79.594	15.350	1.641	0.053	0.098	0.007	0.007	0.002	0.000	0.000	0.000	0.000	1383.27	-31.13
9	0.6726	1121.1	1140.9	1140.0	0.618	2.566	78.428	16.268	1.921	0.063	0.119	0.008	0.007	0.002	0.000	0.000	0.000	0.000	1391.18	-25.43
10	0.6563	1097.5	1117.0	1115.9	0.583	2.521	81.020	14.401	1.345	0.042	0.075	0.006	0.005	0.002	0.000	0.000	0.000	0.000	1378.81	-37.31
11	0.6593	1101.7	1121.2	1120.2	0.590	2.544	80.471	14.849	1.411	0.043	0.078	0.006	0.005	0.002	0.000	0.000	0.000	0.000	1380.86	-35.27
12	0.6609	1103.0	1122.6	1121.5	0.635	2.540	80.199	15.085	1.405	0.044	0.079	0.006	0.005	0.003	0.000	0.000	0.000	0.000	1380.90	-34.54
13	0.6607	1103.1	1122.7	1121.6	0.642	2.511	80.251	15.042	1.418	0.043	0.079	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1381.16	-34.44
14	0.6605	1103.1	1122.6	1121.5	0.628	2.517	80.282	15.014	1.421	0.044	0.080	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1381.31	-34.45
15	0.6607	1102.5	1122.0	1120.8	0.659	2.528	80.273	14.974	1.429	0.044	0.079	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1380.32	-34.45
16	0.6594	1100.9	1120.4	1119.1	0.647	2.517	80.496	14.804	1.402	0.043	0.077	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1379.75	-35.24
17	0.6597	1101.6	1121.1	1120.3	0.641	2.511	80.443	14.860	1.410	0.044	0.077	0.007	0.006	0.002	0.000	0.000	0.000	0.000	1380.30	-35.04
18	0.6596	1100.6	1120.1	1119.6	0.634	2.571	80.423	14.857	1.382	0.043	0.076	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1379.20	-35.32
19	0.6511	1085.2	1104.5	1103.2	0.624	2.723	82.003	13.258	1.265	0.041	0.072	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1368.76	-40.72
20	0.6523	1087.4	1106.7	1104.9	0.635	2.690	81.777	13.495	1.276	0.041	0.073	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1370.22	-39.92
21	0.6531	1085.6	1104.8	1103.3	0.705	2.770	81.659	13.477	1.261	0.041	0.073	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1367.08	-39.97
22	0.6529	1085.3	1104.5	1102.9	0.705	2.771	81.694	13.446	1.256	0.041	0.072	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1366.87	-40.12
23	0.6573	1094.0	1113.4	1112.0	0.700	2.656	80.860	14.350	1.303	0.041	0.074	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1373.31	-37.32
24	0.6441	1071.4	1090.4	1089.3	0.631	2.894	83.262	11.970	1.123	0.039	0.067	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1358.65	-46.19
25	0.6425	1068.3	1087.2	1085.9	0.644	2.919	83.579	11.631	1.106	0.039	0.067	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1356.36	-46.89
26	0.6557	1092.1	1111.5	1110.2	0.657	2.684	81.132	14.109	1.288	0.042	0.073	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1372.63	-38.24
27	0.6577	1098.0	1117.4	1116.6	0.642	2.539	80.760	14.605	1.323	0.042	0.074	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1377.89	-36.62
28	0.6555	1094.6	1114.0	1113.3	0.651	2.533	81.142	14.282	1.267	0.040	0.071	0.006	0.005	0.003	0.000	0.000	0.000	0.000	1375.86	-38.12
Avg	0.6574	1095.0	1114.9	1113.6	0.650	2.654	80.862	14.335	1.365	0.043	0.077	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1375.00	-36.89

February-26

ZONE 500

Start	End	Meter 2202130		Meter 2202150		Meter 2202190		WBI BTU ZONE 13	Billings Landfill			NorthWestern Energy			Weighted AVG BTU	
		3820		3830		3840			MCF	DK	BTU	MCF	DK	BTU		
		Monad	DK	Mullowney	DK	West	DK									
2/1/2026	2/2/2026	106	117	8,151	8,970	10,809	11,895	1099.6	1	1	971.1000	9,952	10,469	1,051.9000	1083.237	2/1/2026
2/2/2026	2/3/2026	236	264	7,996	8,847	12,051	13,339	1106	164	160	976.7000	10,027	10,548	1,052.0000	1087.536	2/2/2026
2/3/2026	2/4/2026	1,157	1,292	8,348	9,329	14,394	16,083	1117.5	323	317	980.5000	10,028	10,549	1,052.0000	1097.030	2/3/2026
2/4/2026	2/5/2026	218	244	5,040	5,621	10,534	11,754	1113.9	401	393	979.5000	8,944	9,409	1,052.0000	1089.731	2/4/2026
2/5/2026	2/6/2026	575	648	5,666	6,359	10,402	11,677	1121.2	424	415	979.5000	9,164	9,640	1,051.9000	1094.699	2/5/2026
2/6/2026	2/7/2026	146	164	3,964	4,387	10,402	11,511	1104.4	441	432	978.8000	9,545	10,041	1,052.0000	1081.723	2/6/2026
2/7/2026	2/8/2026	25	28	3,322	3,676	8,896	9,850	1105.5	420	412	979.0000	8,877	9,338	1,051.9000	1080.944	2/7/2026
2/8/2026	2/9/2026	210	237	2,726	3,053	9,576	10,722	1118.7	424	416	979.6000	9,436	9,928	1,052.1000	1087.973	2/8/2026
2/9/2026	2/10/2026	1,421	1,588	6,564	7,354	16,257	18,213	1120.4	414	405	978.0000	10,028	10,549	1,052.0000	1098.924	2/9/2026
2/10/2026	2/11/2026	1,824	2,039	6,037	6,712	14,817	16,467	1110	376	369	980.5000	9,146	9,622	1,052.0000	1092.014	2/10/2026
2/11/2026	2/12/2026	1,708	1,920	5,848	6,554	14,546	16,303	1119.5	417	408	978.1000	9,416	9,905	1,051.9000	1097.722	2/11/2026
2/12/2026	2/13/2026	1,361	1,529	5,898	6,607	13,572	15,199	1118.3	394	385	979.1000	9,170	9,647	1,052.0000	1096.493	2/12/2026
2/13/2026	2/14/2026	880	984	5,454	6,080	13,299	14,821	1113.5	419	410	978.0000	9,258	9,739	1,052.0000	1092.137	2/13/2026
2/14/2026	2/15/2026	468	524	5,181	5,778	12,379	13,823	1114.6	407	399	979.7000	9,191	9,669	1,052.0000	1091.786	2/14/2026
2/15/2026	2/16/2026	608	680	4,114	4,597	11,402	12,751	1117.5	436	427	978.5000	8,686	9,138	1,052.0000	1092.564	2/15/2026
2/16/2026	2/17/2026	435	489	4,337	4,827	10,248	11,433	1112.7	452	443	980.3000	7,612	8,007	1,051.9000	1090.059	2/16/2026
2/17/2026	2/18/2026	2,958	3,274	7,933	8,806	17,152	19,033	1110	446	436	977.4000	10,141	10,668	1,052.0000	1093.243	2/17/2026
2/18/2026	2/19/2026	9,488	10,304	12,526	13,620	21,587	23,462	1087.2	336	329	978.2000	10,172	10,701	1,052.0000	1079.906	2/18/2026
2/19/2026	2/20/2026	8,375	8,987	11,253	12,069	21,658	23,221	1071.9	347	340	981.3000	10,169	10,698	1,052.0000	1067.387	2/19/2026
2/20/2026	2/21/2026	2,611	2,805	8,058	8,659	18,756	20,154	1074.6	202	200	985.6000	11,844	12,460	1,052.0000	1067.712	2/20/2026
2/21/2026	2/22/2026	3,623	3,904	7,840	8,438	18,746	20,175	1075.9	3	3	988.0000	12,313	12,953	1,052.0000	1068.974	2/21/2026
2/22/2026	2/23/2026	2,257	2,426	8,209	8,841	17,534	18,888	1077.4	2	2	988.1000	11,424	12,019	1,052.1000	1070.065	2/22/2026
2/23/2026	2/24/2026	287	307	5,616	6,030	11,137	11,960	1074	31	31	998.5000	12,328	12,968	1,051.9000	1064.653	2/23/2026
2/24/2026	2/25/2026	80	87	5,298	5,742	11,590	12,563	1083.9	161	161	1000.8000	12,611	13,267	1,052.0000	1069.923	2/24/2026
2/25/2026	2/26/2026	19	20	6,716	7,254	9,307	10,054	1080.5	85	85	1001.6000	12,674	13,332	1,051.9000	1067.682	2/25/2026
2/26/2026	2/27/2026	106	114	4,980	5,360	8,265	8,890	1076	275	269	980.1000	8,825	9,285	1,052.1000	1065.431	2/26/2026
2/27/2026	2/28/2026	383	414	4,467	4,820	10,356	11,176	1078.6	474	464	979.1000	8,651	9,100	1,051.9000	1067.168	2/27/2026
2/28/2026	3/1/2026	1,332	1,433	6,702	7,221	15,283	16,483	1079.5	433	424	979.6000	10,022	10,543	1,052.0000	1070.058	2/28/2026
		42,897	46,822	178,244	195,611	374,955	411,900	1099.3857	8,708	8,536	981.9714	279,654	294,192	1,051.9821	1082.3848	



Alliance Pipeline

DAILY ANALYSIS --- USA
 ND07MD1 --- Hankinson Sales
 February 2026

DAY	Heating Value (BTU/ft3)	Relative Density	C1 Mol%	C2 Mol%	C3 Mol%	IC4 Mol%	NC4 Mol%	IC5 Mol%	NC5 Mol%	C6+ Mol%	N2 Mol%	CO2 Mol%	Hel Mol%
1	1,148.163	0.6557	84.7917	9.8416	3.1625	0.3214	0.5178	0.0553	0.0414	0.0183	0.8300	0.4093	0.0106
2	1,146.787	0.6548	84.8980	9.7805	3.1286	0.3158	0.5151	0.0529	0.0399	0.0168	0.8279	0.4137	0.0109
3	1,148.355	0.6556	84.8312	9.8195	3.1489	0.3226	0.5334	0.0553	0.0416	0.0176	0.8115	0.4076	0.0107
4	1,145.460	0.6535	85.0510	9.7529	3.0656	0.3095	0.4971	0.0523	0.0401	0.0173	0.7972	0.4063	0.0106
5	1,149.269	0.6571	84.5601	9.9452	3.2073	0.3216	0.5338	0.0554	0.0403	0.0179	0.8903	0.4177	0.0105
6	1,144.798	0.6533	85.0432	9.7820	3.0540	0.3034	0.4804	0.0513	0.0397	0.0174	0.8063	0.4121	0.0103
7	1,145.481	0.6538	84.9750	9.8342	3.0623	0.3037	0.4913	0.0502	0.0382	0.0167	0.7927	0.4249	0.0108
8	1,143.708	0.6530	85.0603	9.7954	3.0021	0.2987	0.4849	0.0497	0.0373	0.0169	0.8085	0.4349	0.0111
9	1,144.488	0.6538	84.9723	9.7989	3.0553	0.3017	0.4924	0.0502	0.0365	0.0154	0.8242	0.4423	0.0108
10	1,145.940	0.6547	84.8650	9.8466	3.0862	0.3093	0.5080	0.0520	0.0374	0.0161	0.8232	0.4453	0.0109
11	1,144.574	0.6537	84.9777	9.8171	3.0366	0.3049	0.4898	0.0509	0.0380	0.0170	0.8140	0.4433	0.0108
12	1,146.873	0.6553	84.8101	9.8634	3.1077	0.3142	0.5164	0.0538	0.0395	0.0172	0.8246	0.4424	0.0108
13	1,147.222	0.6551	84.8107	9.8918	3.1210	0.3131	0.5092	0.0504	0.0383	0.0163	0.8170	0.4212	0.0110
14	1,147.867	0.6555	84.7750	9.8828	3.1560	0.3161	0.5132	0.0490	0.0402	0.0170	0.8267	0.4137	0.0106
15	1,149.720	0.6571	84.6117	9.9161	3.2110	0.3262	0.5431	0.0528	0.0409	0.0174	0.8379	0.4322	0.0108
16	1,149.082	0.6566	84.6773	9.8897	3.1918	0.3228	0.5335	0.0546	0.0407	0.0177	0.8307	0.4303	0.0110
17	1,148.649	0.6566	84.6518	9.9024	3.1899	0.3210	0.5292	0.0528	0.0401	0.0165	0.8510	0.4344	0.0110
18	1,147.741	0.6553	84.8355	9.8361	3.1388	0.3177	0.5208	0.0532	0.0406	0.0176	0.8082	0.4205	0.0109
19	1,147.535	0.6554	84.8243	9.8299	3.1432	0.3186	0.5195	0.0528	0.0402	0.0167	0.8214	0.4225	0.0108
20	1,148.796	0.6562	84.7469	9.8274	3.2045	0.3260	0.5293	0.0528	0.0399	0.0163	0.8282	0.4182	0.0105
21	1,148.884	0.6563	84.7069	9.8791	3.2006	0.3221	0.5226	0.0536	0.0398	0.0162	0.8286	0.4203	0.0103
22	1,151.293	0.6580	84.5570	9.9206	3.2413	0.3399	0.5503	0.0609	0.0448	0.0194	0.8198	0.4354	0.0106
23	1,150.389	0.6576	84.6769	9.7708	3.2379	0.3466	0.5590	0.0626	0.0465	0.0194	0.8277	0.4419	0.0108
24	1,150.295	0.6574	84.7224	9.7279	3.2337	0.3479	0.5659	0.0636	0.0469	0.0192	0.8333	0.4287	0.0106
25	1,150.080	0.6570	84.7481	9.7656	3.2079	0.3422	0.5559	0.0626	0.0473	0.0201	0.8112	0.4285	0.0106
26	1,150.308	0.6573	84.6137	9.8936	3.2239	0.3331	0.5478	0.0578	0.0422	0.0174	0.8373	0.4227	0.0105
27	1,147.573	0.6558	84.7906	9.8241	3.1432	0.3240	0.5232	0.0556	0.0411	0.0175	0.8257	0.4446	0.0104
28	1,145.896	0.6546	84.9528	9.7332	3.0736	0.3244	0.5228	0.0563	0.0412	0.0182	0.8366	0.4306	0.0104
Volume	1,147.660	0.6556	84.8066	9.8336	3.1435	0.3202	0.5215	0.0543	0.0407	0.0174	0.8250	0.4266	0.0107
Weight Avg Energy	1,147.663	0.6556	84.8064	9.8336	3.1436	0.3202	0.5215	0.0543	0.0407	0.0174	0.8250	0.4266	0.0107



Alliance Pipeline

DAILY ANALYSIS --- USA
 ND14MD1 --- Milnor Sales
 February 2026

DAY	Heating Value (BTU/ft3)	Relative Density	C1 Mol%	C2 Mol%	C3 Mol%	IC4 Mol%	NC4 Mol%	IC5 Mol%	NC5 Mol%	C6+ Mol%	N2 Mol%	CO2 Mol%	Hel Mol%
1	1,148.191	0.6557	84.7865	9.8419	3.1652	0.3212	0.5183	0.0555	0.0413	0.0181	0.8309	0.4105	0.0106
2	1,146.916	0.6548	84.9048	9.7711	3.1308	0.3170	0.5180	0.0531	0.0402	0.0171	0.8241	0.4128	0.0109
3	1,148.226	0.6555	84.8355	9.8228	3.1447	0.3217	0.5313	0.0551	0.0414	0.0174	0.8111	0.4083	0.0107
4	1,145.723	0.6537	85.0310	9.7635	3.0734	0.3099	0.4986	0.0525	0.0402	0.0174	0.7969	0.4060	0.0105
5	1,149.149	0.6571	84.5572	9.9533	3.2022	0.3209	0.5314	0.0553	0.0402	0.0179	0.8932	0.4178	0.0105
6	1,144.822	0.6532	85.0633	9.7760	3.0539	0.3032	0.4790	0.0510	0.0397	0.0172	0.7959	0.4105	0.0103
7	1,145.175	0.6537	84.9839	9.8275	3.0503	0.3035	0.4924	0.0501	0.0380	0.0169	0.7974	0.4290	0.0110
8	1,143.674	0.6530	85.0524	9.8000	3.0056	0.2977	0.4834	0.0495	0.0371	0.0165	0.8112	0.4357	0.0111
9	1,144.725	0.6539	84.9616	9.8045	3.0599	0.3029	0.4943	0.0506	0.0367	0.0155	0.8222	0.4410	0.0108
10	1,145.812	0.6547	84.8705	9.8448	3.0822	0.3090	0.5063	0.0521	0.0375	0.0162	0.8248	0.4457	0.0109
11	1,144.608	0.6537	84.9780	9.8178	3.0368	0.3048	0.4907	0.0507	0.0379	0.0169	0.8127	0.4430	0.0107
12	1,146.997	0.6553	84.8037	9.8646	3.1131	0.3147	0.5169	0.0539	0.0395	0.0171	0.8266	0.4392	0.0108
13	1,147.473	0.6552	84.7904	9.9077	3.1270	0.3134	0.5097	0.0501	0.0384	0.0163	0.8161	0.4199	0.0110
14	1,148.271	0.6558	84.7434	9.8887	3.1681	0.3181	0.5193	0.0495	0.0405	0.0171	0.8291	0.4155	0.0106
15	1,149.689	0.6571	84.6229	9.9034	3.2098	0.3267	0.5435	0.0539	0.0411	0.0179	0.8363	0.4336	0.0109
16	1,148.894	0.6565	84.6825	9.8922	3.1887	0.3219	0.5305	0.0538	0.0402	0.0171	0.8318	0.4303	0.0109
17	1,148.902	0.6568	84.6270	9.9191	3.1942	0.3212	0.5306	0.0531	0.0405	0.0169	0.8524	0.4340	0.0110
18	1,147.912	0.6556	84.7946	9.8534	3.1488	0.3179	0.5216	0.0533	0.0407	0.0173	0.8184	0.4230	0.0110
19	1,147.538	0.6554	84.8184	9.8259	3.1461	0.3192	0.5209	0.0527	0.0402	0.0166	0.8255	0.4236	0.0108
20	1,148.898	0.6563	84.7340	9.8349	3.2083	0.3263	0.5294	0.0528	0.0398	0.0162	0.8293	0.4185	0.0105
21	1,148.897	0.6563	84.6945	9.8870	3.2022	0.3216	0.5219	0.0535	0.0398	0.0162	0.8299	0.4232	0.0103
22	1,151.366	0.6581	84.5400	9.9333	3.2423	0.3398	0.5501	0.0609	0.0449	0.0195	0.8224	0.4363	0.0106
23	1,150.057	0.6573	84.7260	9.7303	3.2321	0.3473	0.5594	0.0626	0.0466	0.0193	0.8262	0.4394	0.0108
24	1,150.484	0.6575	84.6988	9.7499	3.2363	0.3470	0.5654	0.0638	0.0469	0.0192	0.8332	0.4288	0.0105
25	1,150.153	0.6570	84.7403	9.7737	3.2095	0.3421	0.5559	0.0622	0.0472	0.0200	0.8119	0.4267	0.0105
26	1,149.902	0.6571	84.6305	9.8926	3.2122	0.3310	0.5434	0.0572	0.0417	0.0173	0.8374	0.4263	0.0105
27	1,147.455	0.6557	84.8096	9.8141	3.1373	0.3239	0.5233	0.0557	0.0412	0.0175	0.8220	0.4448	0.0104
28	1,145.825	0.6545	84.9701	9.7137	3.0768	0.3248	0.5230	0.0563	0.0411	0.0182	0.8381	0.4275	0.0104
Volume	1,147.783	0.6556	84.8009	9.8325	3.1476	0.3210	0.5229	0.0546	0.0409	0.0175	0.8251	0.4264	0.0107
Weight Avg Energy	1,147.791	0.6556	84.8002	9.8328	3.1478	0.3211	0.5230	0.0546	0.0409	0.0175	0.8252	0.4264	0.0107

February-26

ZONE 610

Watford City

Watford City West Border

Watford City East Border

Weighted

Start Date	End Date	BTU			BTU			AVG BTU	
		MCF	DK	Zone 25	MCF	DK	Zone 43		
2/1/2026	2/2/2026	383	457	1193.3	822	862	1048	1094.182	2/1/2026
2/2/2026	2/3/2026	401	479	1193.3	877	919	1048	1093.591	2/2/2026
2/3/2026	2/4/2026	364	434	1193.3	807	845	1048	1093.166	2/3/2026
2/4/2026	2/5/2026	335	400	1193.3	590	618	1048	1100.622	2/4/2026
2/5/2026	2/6/2026	292	348	1193.3	537	562	1048	1099.179	2/5/2026
2/6/2026	2/7/2026	330	394	1193.3	581	608	1048	1100.633	2/6/2026
2/7/2026	2/8/2026	319	380	1193.3	554	581	1048	1101.094	2/7/2026
2/8/2026	2/9/2026	300	358	1193.3	451	472	1048	1106.043	2/8/2026
2/9/2026	2/10/2026	364	434	1193.3	732	767	1048	1096.257	2/9/2026
2/10/2026	2/11/2026	352	420	1193.3	701	735	1048	1096.571	2/10/2026
2/11/2026	2/12/2026	336	401	1193.3	624	654	1048	1098.855	2/11/2026
2/12/2026	2/13/2026	343	410	1193.3	610	640	1048	1100.296	2/12/2026
2/13/2026	2/14/2026	329	393	1193.3	623	653	1048	1098.214	2/13/2026
2/14/2026	2/15/2026	330	393	1193.3	647	678	1048	1097.078	2/14/2026
2/15/2026	2/16/2026	319	381	1193.3	561	588	1048	1100.671	2/15/2026
2/16/2026	2/17/2026	304	363	1193.3	530	556	1048	1100.963	2/16/2026
2/17/2026	2/18/2026	431	514	1193.3	939	984	1048	1093.711	2/17/2026
2/18/2026	2/19/2026	628	749	1193.3	1,412	1,480	1048	1092.730	2/18/2026
2/19/2026	2/20/2026	641	765	1193.3	1,469	1,540	1048	1092.141	2/19/2026
2/20/2026	2/21/2026	616	735	1193.3	1,396	1,463	1048	1092.485	2/20/2026
2/21/2026	2/22/2026	613	731	1193.3	1,333	1,397	1048	1093.770	2/21/2026
2/22/2026	2/23/2026	562	671	1193.3	1,212	1,270	1048	1094.031	2/22/2026
2/23/2026	2/24/2026	389	465	1193.3	781	819	1048	1096.309	2/23/2026
2/24/2026	2/25/2026	478	570	1193.3	1,034	1,084	1048	1093.935	2/24/2026
2/25/2026	2/26/2026	363	434	1193.3	698	732	1048	1097.711	2/25/2026
2/26/2026	2/27/2026	337	402	1193.3	570	598	1048	1101.987	2/26/2026
2/27/2026	2/28/2026	455	543	1193.3	933	978	1048	1095.631	2/27/2026
2/28/2026	3/1/2026	457	545	1193.3	903	946	1048	1096.825	2/28/2026
		11,371	13,569	1193.3000	22,927	24,029	1048.0000	1097.0958	

Tsp	EffDate	EndDate	Device	GasDay	EndDt	BTU	SpecGrav	CriconTherm	Wobbelindex	CO2	N2	Methane	Ethane	Propane	iButane	nButane	iPentane	nPentane	NeoPentane	C6Plus	Hydrogen	Helium	WaterVapor	TotalSulfur	HydrogenSulfur	Oxygen
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/2/2026	2/3/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0664	0.0724	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/3/2026	2/4/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0664	0.074	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/4/2026	2/5/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0664	0.0805	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/5/2026	2/6/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0664	0.0785	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/6/2026	2/7/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0664	0.0734	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/7/2026	2/8/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0664	0.0702	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/8/2026	2/9/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0664	0.0843	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/9/2026	2/10/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0664	0.0663	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/10/2026	2/11/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0664	0.0748	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/11/2026	2/12/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0664	0.0759	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/12/2026	2/13/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0753	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/13/2026	2/14/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0759	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/14/2026	2/15/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0698	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/15/2026	2/16/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0702	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/16/2026	2/17/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.072	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/17/2026	2/18/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0647	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/18/2026	2/19/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0572	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/19/2026	2/20/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0555	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/20/2026	2/21/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0492	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/21/2026	2/22/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0538	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/22/2026	2/23/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0624	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/23/2026	2/24/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0759	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/24/2026	2/25/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0708	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/25/2026	2/26/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0657	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/26/2026	2/27/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0714	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/27/2026	2/28/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0605	N/A
NBPL	12/30/2025 0:00	3/4/2026 0:00	GLNU1 - GLEN ULLIN	2/28/2026	3/1/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	N/A	0.0649	N/A

NORTH DAKOTA HEATING VALUE ZONES		
ZONES	MEASURING DEVICE	LOCATION
211	Chromatograph	Sidney Border
24	Chromatograph	Williston Border
241	Accumulated Sample	Fairview Border
25	Accumulated Sample	Watford City West Border
260	Chromatograph	North Tioga Transfer
261	Chromatograph	Tioga Comp Station – Robinson Lake Plant
262	Chromatograph	Minot Border
263	Accumulated Sample	Lignite Plant
264	Accumulated Sample	Epping Border
265	Chromatograph	Tioga Comp Station – County Line Plant
271	Chromatograph	Bismarck – Cleveland
272	Chromatograph	Cleveland – Mapleton
273	Chromatograph	Cleveland – Grafton
274	Chromatograph	Kindred – Wahpeton
28	Chromatograph	Bismarck Station
31	Chromatograph	Dickinson Border
32	Chromatograph	Cabin Creek Station
33	Chromatograph	Little Knife Plant
34	Chromatograph	Bowman Border
43	Accumulated Sample	Watford City East Border
550	Accumulated Sample & Chromatograph	Mandan Border
600	Chromatograph	Hankinson Area
601	Chromatograph	Milnor Area
610	Accumulated Sample & Chromatograph	Watford City
802	Chromatograph	Linton

MONTANA DAKOTA UTILITIES CO
NORTH DAKOTA
HEATING VALUE DATA

STATE	ZONE	ZONE BOUNDARY	12 MONTH AVERAGE	FEB26	JAN26	DEC25	NOV25	OCT25	SEP25	AUG25	JUL25	JUN25	MAY25	APR25	MAR25
MT/ND	211	Sidney Border - MonDak Tfr - Sidney Plt	1188	1186	1185	1187	1191	1192	1190	1193	1186	1185	1181	1193	1186
ND	24	Williston Border - Charbonneau Station	1194	1194	1193	1188	1193	1197	1194	1202	1193	1191	1177	1194	1206
ND	25	Watford City West Border	1200	1193	1196	1198	1205	1190	1209	1206	1209	1202	1198	1198	1201
ND	28	Bismarck Station - Glen Ullin Station	1167	1122	1126	1135	1127	1195	1197	1208	1207	1205	1189	1172	1126
ND	31	Dickinson Brd - Belfield Trf - G Ullin Stn	1122	1133	1132	1130	1135	1149	1106	1087	1135	1110	1111	1110	1131
ND/MT	32	Cabin Creek Station - Belfied Transfer	1124	1126	1119	1112	1134	1115	1103	1130	1129	1136	1122	1135	1130
ND	33	Little Knife Plant	1160	1159	1158	1158	1157	1160	1161	1161	1160	1161	1163	1162	1162
ND	34	Badlands Plant/Bowman Border	1089	1115	1112	1113	1136	1087	1073	1071	1066	1065	1070	1067	1097
ND	43	Watford City East Border	1046	1048	1045	1037	1048	1044	1050	1052	1057	1044	1040	1041	1041
ND/MT	241	Fairview Border	1188	1179	1185	1188	1192	1181	1192	1199	1194	1186	1186	1186	1191
ND	267	North Tioga Transfer - Nesson Plant	1178	1176	1172	1168	1169	1173	1171	1171	1188	1183	1185	1188	1197
ND	261	Tioga Comp Station - Robinson Lake Plant	1194	1198	1171	1174	1187	1189	1204	1206	1206	1198	1197	1198	1204
ND	262	Minot Bdr - Palermo Bdr - Bismarck Stn	1205	1205	1207	1206	1206	1204	1205	1206	1206	1204	1203	1200	1205
ND	263	Lignite Plant	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131
ND	264	Epping Border	1187	1189	1183	1180	1183	1180	1191	1193	1192	1180	1186	1186	1201
ND	265	Tioga Comp Station - County Line Plant	1195	1196	1198	1199	1203	1203	1203	1201	1204	1183	1180	1181	1184
ND	266	County Line Plant	1197	1198	1199	1189	1203	1207	1207	1210	1211	1186	1182	1182	1186
ND	271	Bismarck Station - Cleveland Station	1190	1176	1173	1175	1201	1173	1161	1208	1207	1205	1205	1201	1195
ND	272	Cleveland Station - Mapleton	1188	1175	1172	1175	1201	1173	1149	1207	1205	1204	1203	1200	1194
ND	273	Cleveland Station - Grafton Border	1187	1175	1172	1175	1201	1163	1149	1208	1205	1205	1202	1193	1194
ND	274	Felton(Viking) - Kindred-Wahpeton	1048	1048	1050	1050	1049	1043	1044	1043	1054	1047	1049	1046	1047
ND	550	Mandan Border / NBPL-St Anthony	1144	1117	1119	1134	1124	1194	1154	1147	1140	1155	1175	1165	1105
ND	610	MDU-Watford City BTU	1093	1097	1094	1090	1105	1105	1102	1113	1067	1055	1086	1100	1096
ND	802	NBPL - Linton	1081	1084	1083	1078	1084	1084	1082	1083	1086	1077	1077	1076	1080
ND	903	Hettinger Propane	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549
ND	600	Alliance Pipeline - Hankinson	1153	1148	1149	1151	1156	1158	1155	1155	1153	1151	1154	1153	1150
ND	601	Alliance Pipeline - Milnor	1153	1148	1149	1151	1156	1159	1155	1155	1153	1151	1155	1153	1150

THERMAL ZONE VARIANCE DOCUMENTATION		
February 2026		
<i>ZONE</i>	<i>BTU VARIANCE</i>	<i>REASON</i>
261	27	Operational