



A Subsidiary of MDU Resources Group, Inc.

400 North Fourth Street
Bismarck, ND 58501
701-222-7900
www.montana-dakota.com

July 21, 2026

Executive Secretary
North Dakota Public Service Commission
State Capitol Building
Bismarck, ND 58505-0480

Re: Case No. PU-26-002 (Therm Billing)
Monthly Report – May 2026

Montana-Dakota Utilities Co. (Montana-Dakota or the Company) herewith electronically submits the following information, pursuant to the Ordering paragraphs one and two of the Order issued in Case No. 11,006, dated October 20, 1987 and pursuant to the North Dakota Administrative Code 69-09-01-02, part 2.

1. Attachment A is a schedule showing the thermal billing factors by community that are derived from the BTU values shown on Attachment B and were used for billing purposes in June 2026.
2. Attachment B consists of copies of the monthly Heating Value Test Reports received from our suppliers for the month of May 2026.
3. Attachment C is a listing which states the type of measuring device in place at each zone.
4. Attachment D is a monthly list of the heating value data, by zone, for the most recent 12-month period and an average thereof. It is being provided pursuant to a Staff request.
5. Attachment E provides a brief explanation of the thermal variances, where applicable, for the month of May 2026.

Montana-Dakota respectfully requests this electronic filing, in lieu of an original and one copy, be accepted as being in full compliance with the filing requirements of this Commission.

Sincerely,

/s/ Tyler J Culbertson

Tyler J Culbertson
Director of Regulatory Affairs

Montana-Dakota Utilities Co.
Therm Billing Factors - North Dakota
Jun-26

Town	Heat Zone	Therm Factor
MDU-303-ALEXANDER	025	1.1268
MDU-308-ARNEGARD	025	1.1268
MDU-314-APPLE VALLEY	271	1.1588
MDU-318-BEACH	032	1.0119
MDU-319-BELFIELD	032	1.0194
MDU-323-BERTHOLD	262	1.1334
MDU-327-BISMARCK	028	1.1241
MDU-330-BOWMAN	034	0.9852
MDU-337-BURLINGTON	262	1.1578
MDU-343-CARRINGTON	273	1.1588
MDU-719-CASSELTON	272	1.1670
MDU-344-CLEVELAND	272	1.1507
MDU-364-CAVALIER	273	1.1833
MDU-365-DAWSON	271	1.1507
MDU-368-DES LACS	262	1.1415
MDU-369-DICKINSON	031	1.0427
MDU-374-FT TOTTEN	273	1.1670
MDU-375-DEVILS LAKE	273	1.1670
MDU-379-BARLOW	273	1.1588
MDU-384-EPPING	264	1.1277
MDU-387-ELDRIDGE	272	1.1588
MDU-407-GLADSTONE	031	1.0427
MDU-411-GLEN ULLIN	031	1.0503
MDU-413-GOLVA	032	0.9971
MDU-416-GARRISON	262	1.1415
MDU-417-GRAFTON	273	1.1914
MDU-403-GWINNER	601	1.1330
MDU-429-HEBRON	031	1.0503
MDU-432-HETTINGER	903	2.3875
MDU-449-JAMESTOWN	272	1.1670
MDU-459-KILLDEER	033	1.0937
MDU-751-KINDRED	272	1.0202
MDU-463-LANGDON	273	1.1588
MDU-469-LEFOR	031	1.0427
MDU-474-LIGNITE	263	1.0759
MDU-475-LINTON	802	1.0459
MDU-478-LINCOLN	028	1.1241
MDU-488-MCKENZIE	271	1.1588
MDU-494-MEDINA	271	1.1507
MDU-498-MANDAN	028	1.1241
MDU-500-MARMARTH	034	0.9925
MDU-505-MINOT	262	1.1578
MDU-510-MOTT	031	1.0352
MDU-512-MAX	262	1.1578
MDU-513-MILNOR	601	1.1330
MDU-522-NEW ENGLAND	031	1.0352
MDU-524-NEW SALEM	028	1.1003
MDU-532-NEW ROCKFORD	273	1.1588
MDU-539-PARK RIVER	273	1.1833

MDU-540-PALERMO	262	1.1334
MDU-558-RAY	264	1.1277
MDU-561-REGENT	031	1.0352
MDU-563-RHAME	034	0.9779
MDU-564-RICHARDTON	031	1.0352
MDU-568-ROSS	261	1.0981
MDU-572-RUTHVILLE	262	1.1578
MDU-574-SANBORN	272	1.1670
MDU-583-SENTINEL BUTTE	032	1.0119
MDU-588-SOUTH HEART	031	1.0427
MDU-717-SPIRITWOOD	272	1.1670
MDU-590-SPRINGBROOK	264	1.1277
MDU-591-STANLEY	261	1.1060
MDU-593-STEELE	271	1.1507
MDU-594-STERLING	028	1.1241
MDU-598-SHEYENNE	273	1.1670
MDU-605-SURREY	262	1.1578
MDU-610-TAPPEN	271	1.1507
MDU-611-TAYLOR	031	1.0352
MDU-616-TIOGA	260	1.0999
MDU-619-TURTLE LAKE	262	1.1415
MDU-620-TRENTON	024	1.1406
MDU-624-UNDERWOOD	262	1.1415
MDU-625-VALLEY CITY	272	1.1751
MDU-629-WALHALLA	273	1.1833
MDU-632-WATFORD CITY	610	1.0597
MDU-104-WAHPETON	247	1.0300
MDU-636-WHEELLOCK	264	1.1196
MDU-637-WHITE EARTH	261	1.1060
MDU-642-WILLISTON	024	1.1406
MDU-646-WASHBURN	262	1.1415
MDU-647-WILTON	262	1.1334
MDU-664-RIVERDALE	262	1.1415
MDU-691-FAIRVIEW	241	1.1320
MDU-712-MINOT AFB	262	1.1578
MDU-718-FAIRMOUNT	600	1.1307
MDU-732-NEKOMA	273	1.1588
MDU-732-MSR SITE	273	1.1588

Source Daily Summary

May 2026

Attachment B

Page 1 of 25

Source #: 251

Name: SDNY BDR-MNDK JNCTN-SDNY PLT

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7269	1164.6	1185.3	1184.7	1.367	3.810	69.587	21.616	3.212	0.127	0.245	0.013	0.010	0.011	0.000	0.000	0.000	0.000	1390.18	
2	0.7276	1168.0	1188.6	1188.0	1.357	3.756	69.507	21.694	3.289	0.123	0.238	0.013	0.011	0.011	0.000	0.000	0.000	0.000	1393.51	
3	0.7281	1168.8	1189.5	1188.8	1.361	3.752	69.517	21.573	3.391	0.127	0.245	0.014	0.011	0.011	0.000	0.000	0.000	0.000	1393.97	
4	0.7259	1164.9	1185.5	1185.0	1.358	3.787	69.973	21.046	3.451	0.120	0.231	0.013	0.010	0.011	0.000	0.000	0.000	0.000	1391.42	
5	0.7233	1169.0	1189.7	1189.2	1.111	3.668	70.117	21.375	3.393	0.107	0.201	0.010	0.008	0.010	0.000	0.000	0.000	0.000	1398.95	
6	0.6896	1143.2	1163.5	1163.0	0.154	3.534	74.199	20.024	1.970	0.041	0.071	0.003	0.002	0.003	0.000	0.000	0.000	0.000	1401.09	
7	0.7196	1164.9	1185.5	1185.0	1.034	3.686	70.499	21.338	3.126	0.101	0.190	0.010	0.008	0.009	0.000	0.000	0.000	0.000	1397.67	
8	0.7274	1167.3	1188.0	1187.2	1.346	3.800	69.745	21.207	3.493	0.126	0.246	0.014	0.011	0.011	0.000	0.000	0.000	0.000	1392.83	
9	0.7304	1172.7	1193.5	1192.9	1.345	3.747	69.245	21.654	3.611	0.124	0.238	0.013	0.011	0.012	0.000	0.000	0.000	0.000	1396.49	
10	0.7233	1171.2	1192.0	1191.2	1.051	3.617	69.941	21.795	3.271	0.103	0.194	0.011	0.008	0.010	0.000	0.000	0.000	0.000	1401.75	
11	0.7165	1169.2	1190.0	1189.1	0.914	3.311	70.971	21.468	3.008	0.099	0.197	0.012	0.010	0.009	0.000	0.000	0.000	0.000	1405.93	
12	0.7038	1163.4	1184.0	1183.2	0.563	3.009	72.676	20.959	2.525	0.079	0.162	0.011	0.012	0.005	0.000	0.000	0.000	0.000	1411.33	
13	0.7182	1178.7	1199.6	1198.6	0.977	2.798	71.207	21.389	3.170	0.130	0.281	0.020	0.020	0.008	0.000	0.000	0.000	0.000	1415.46	
14	0.7110	1172.3	1193.0	1192.2	0.958	2.542	72.063	21.376	2.669	0.110	0.239	0.017	0.018	0.007	0.000	0.000	0.000	0.000	1414.87	
15	0.7127	1173.8	1194.6	1193.8	0.955	2.613	71.826	21.436	2.770	0.114	0.245	0.017	0.017	0.007	0.000	0.000	0.000	0.000	1415.01	
16	0.7145	1176.9	1197.7	1197.1	0.962	2.585	71.550	21.648	2.847	0.116	0.251	0.017	0.017	0.006	0.000	0.000	0.000	0.000	1416.95	
17	0.7106	1172.0	1192.8	1192.2	0.955	2.529	72.042	21.487	2.615	0.106	0.229	0.015	0.016	0.006	0.000	0.000	0.000	0.000	1414.94	
18	0.7110	1172.8	1193.6	1193.0	0.955	2.519	71.983	21.531	2.640	0.106	0.229	0.015	0.015	0.006	0.000	0.000	0.000	0.000	1415.46	
19	0.7086	1169.2	1189.9	1189.3	0.855	2.658	72.303	21.207	2.627	0.101	0.215	0.014	0.014	0.006	0.000	0.000	0.000	0.000	1413.59	
20	0.6864	1142.5	1162.7	1162.0	0.179	3.242	74.983	19.484	1.960	0.051	0.092	0.004	0.004	0.002	0.000	0.000	0.000	0.000	1403.32	
21	0.6924	1141.3	1161.5	1161.0	0.367	3.593	73.983	19.843	2.072	0.048	0.084	0.004	0.002	0.004	0.000	0.000	0.000	0.000	1395.88	
22	0.7221	1168.9	1189.6	1189.0	1.161	3.475	70.385	21.331	3.317	0.100	0.197	0.012	0.012	0.011	0.000	0.000	0.000	0.000	1399.97	
23	0.7195	1164.4	1185.0	1184.3	1.204	3.447	70.791	21.069	3.153	0.101	0.203	0.012	0.010	0.010	0.000	0.000	0.000	0.000	1397.07	
24	0.7208	1167.1	1187.8	1187.0	1.209	3.398	70.441	21.575	3.026	0.105	0.213	0.013	0.012	0.010	0.000	0.000	0.000	0.000	1399.03	
25	0.7209	1169.2	1189.9	1188.9	1.185	3.322	70.434	21.662	3.039	0.105	0.216	0.014	0.013	0.010	0.000	0.000	0.000	0.000	1401.35	
26	0.7205	1169.5	1190.2	1189.1	1.176	3.280	70.537	21.596	3.047	0.106	0.220	0.014	0.014	0.010	0.000	0.000	0.000	0.000	1402.09	
27	0.7273	1172.0	1192.8	1191.4	1.289	3.588	69.386	22.104	3.309	0.099	0.195	0.012	0.010	0.008	0.000	0.000	0.000	0.000	1398.64	
28	0.7215	1165.1	1185.8	1184.7	1.185	3.615	70.513	21.086	3.217	0.113	0.232	0.016	0.015	0.008	0.000	0.000	0.000	0.000	1396.00	
29	0.7246	1162.4	1183.0	1181.9	1.334	3.858	69.737	21.591	3.187	0.092	0.175	0.010	0.008	0.007	0.000	0.000	0.000	0.000	1389.65	
30	0.7289	1175.1	1195.9	1195.0	1.256	3.599	69.256	22.038	3.522	0.099	0.199	0.012	0.011	0.008	0.000	0.000	0.000	0.000	1400.74	
31	0.7271	1178.7	1199.6	1198.8	1.166	3.343	69.538	22.208	3.360	0.113	0.235	0.015	0.015	0.008	0.000	0.000	0.000	0.000	1406.83	
Avg	0.7175	1167.0	1187.7	1187.0	1.042	3.338	70.933	21.336	3.009	0.103	0.207	0.013	0.011	0.008	0.000	0.000	0.000	0.000	1402.32	

Source Daily Summary

May 2026

Attachment B

Page 2 of 25

Source #: 571

Name: WILLISTON BDR-CHARBN STN

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7112	1173.8	1194.6	1194.2	1.008	2.472	71.616	21.788	2.777	0.101	0.213	0.013	0.014	0.000	0.000	0.000	0.000	0.000	1416.47	
2	0.7104	1173.5	1194.3	1193.9	0.989	2.367	72.065	21.609	2.645	0.098	0.202	0.012	0.013	0.000	0.000	0.000	0.000	0.000	1416.92	
3	0.7094	1171.9	1192.6	1192.2	0.986	2.369	72.180	21.585	2.564	0.094	0.195	0.012	0.013	0.001	0.000	0.000	0.000	0.000	1416.03	
4	0.7112	1174.7	1195.5	1195.1	0.982	2.383	71.887	21.777	2.651	0.096	0.200	0.012	0.012	0.001	0.000	0.000	0.000	0.000	1417.51	
5	0.7120	1175.6	1196.4	1196.1	0.984	2.390	71.798	21.807	2.689	0.099	0.207	0.012	0.012	0.001	0.000	0.000	0.000	0.000	1417.93	
6	0.7120	1175.9	1196.7	1196.4	0.983	2.377	71.775	21.865	2.664	0.099	0.210	0.012	0.013	0.001	0.000	0.000	0.000	0.000	1418.25	
7	0.7180	1182.6	1203.5	1203.1	1.005	2.497	70.962	22.170	2.998	0.109	0.231	0.013	0.014	0.001	0.000	0.000	0.000	0.000	1420.36	
8	0.7232	1185.1	1206.1	1205.5	1.039	2.651	69.934	22.941	3.105	0.099	0.206	0.011	0.012	0.000	0.000	0.000	0.000	0.000	1418.31	
9	0.7193	1181.1	1202.0	1201.5	1.023	2.553	70.584	22.549	2.960	0.099	0.207	0.012	0.012	0.000	0.000	0.000	0.000	0.000	1417.33	
10	0.7170	1180.7	1201.6	1201.1	1.010	2.516	71.008	22.215	2.917	0.100	0.210	0.012	0.012	0.000	0.000	0.000	0.000	0.000	1419.03	
11	0.7134	1176.6	1197.4	1196.8	0.998	2.444	71.613	21.836	2.769	0.100	0.213	0.013	0.014	0.001	0.000	0.000	0.000	0.000	1417.68	
12	0.7177	1181.0	1201.9	1201.3	1.016	2.555	70.916	22.223	2.942	0.102	0.218	0.013	0.014	0.001	0.000	0.000	0.000	0.000	1418.69	
13	0.7148	1177.7	1198.5	1197.7	1.001	2.504	71.498	21.745	2.879	0.108	0.232	0.015	0.016	0.001	0.000	0.000	0.000	0.000	1417.60	
14	0.7099	1172.2	1193.0	1192.4	0.976	2.415	71.911	21.950	2.441	0.091	0.190	0.012	0.012	0.001	0.000	0.000	0.000	0.000	1415.93	
15	0.7147	1178.4	1199.3	1198.8	0.991	2.468	71.354	22.058	2.784	0.102	0.216	0.013	0.013	0.001	0.000	0.000	0.000	0.000	1418.55	
16	0.7121	1174.5	1195.3	1194.9	1.003	2.456	70.889	22.647	2.575	0.126	0.267	0.017	0.019	0.001	0.000	0.000	0.000	0.000	1416.48	
17	0.7000	1169.3	1190.0	1189.7	0.900	2.200	71.800	22.000	2.000	0.324	0.668	0.052	0.056	0.000	0.000	0.000	0.000	0.000	1422.33	
18	0.7000	1169.3	1190.0	1189.7	0.900	2.200	71.800	22.000	2.000	0.324	0.668	0.052	0.056	0.000	0.000	0.000	0.000	0.000	1422.33	
19	0.7094	1173.3	1194.1	1193.7	0.979	2.385	71.766	21.894	2.489	0.144	0.301	0.021	0.022	0.001	0.000	0.000	0.000	0.000	1417.73	
20	0.7176	1180.6	1201.5	1201.0	1.020	2.557	71.021	22.058	2.980	0.108	0.229	0.013	0.014	0.001	0.000	0.000	0.000	0.000	1418.39	
21	0.7202	1185.5	1206.5	1206.1	1.007	2.515	71.116	21.543	3.319	0.141	0.315	0.021	0.022	0.001	0.000	0.000	0.000	0.000	1421.69	
22	0.7190	1183.6	1204.6	1204.1	1.009	2.520	71.154	21.715	3.108	0.132	0.299	0.025	0.031	0.006	0.000	0.000	0.000	0.000	1420.58	
23	0.7158	1179.3	1200.1	1199.6	1.010	2.488	71.255	22.042	2.834	0.109	0.233	0.014	0.015	0.000	0.000	0.000	0.000	0.000	1418.52	
24	0.7143	1177.2	1198.1	1197.5	1.009	2.468	71.468	21.946	2.745	0.106	0.227	0.014	0.016	0.001	0.000	0.000	0.000	0.000	1417.61	
25	0.7135	1176.4	1197.2	1196.5	1.006	2.451	71.581	21.897	2.708	0.103	0.223	0.014	0.016	0.001	0.000	0.000	0.000	0.000	1417.35	
26	0.7145	1177.5	1198.3	1197.3	1.011	2.473	71.471	21.896	2.778	0.107	0.232	0.015	0.017	0.001	0.000	0.000	0.000	0.000	1417.67	
27	0.7215	1184.8	1205.7	1204.7	1.043	2.640	70.483	22.260	3.184	0.113	0.244	0.016	0.017	0.001	0.000	0.000	0.000	0.000	1419.45	
28	0.7224	1185.5	1206.5	1205.5	1.047	2.667	70.417	22.205	3.262	0.116	0.251	0.016	0.018	0.000	0.000	0.000	0.000	0.000	1419.50	
29	0.7239	1185.3	1206.3	1205.2	1.057	2.689	70.130	22.441	3.284	0.116	0.250	0.016	0.017	0.000	0.000	0.000	0.000	0.000	1417.90	
30	0.7485	1185.2	1206.2	1205.4	1.214	3.078	65.798	25.716	3.741	0.132	0.282	0.019	0.018	0.000	0.000	0.000	0.000	0.000	1399.78	
31	0.7219	1184.8	1205.8	1205.1	1.047	2.667	70.433	22.242	3.219	0.113	0.246	0.015	0.016	0.000	0.000	0.000	0.000	0.000	1419.15	
Avg	0.7158	1178.0	1199.3	1198.8	1.008	2.497	71.087	22.149	2.839	0.123	0.261	0.017	0.018	0.001	0.000	0.000	0.000	0.000	1417.84	

Gas Composition and Properties

Effective May 1, 2026

Source #: 0602160
Name: FAIRVIEW BORDER

Component	Mole %	Liquid Content	Mass %
Carbon Dioxide (CO2)	1.1343		2.4039
Nitrogen (N2)	3.1951		4.3101
Methane (C1)	70.8237		54.7133
Ethane (C2)	21.4276	5.7348	31.0266
Propane (C3)	3.0290	0.8351	6.4319
Isobutane (IC4)	0.1144	0.0375	0.3202
n-Butane (NC4)	0.2451	0.0773	0.6860
Isopentane (IC5)	0.0150	0.0055	0.0521
n-Pentane (NC5)	0.0142	0.0052	0.0493
Hexanes Plus (C6+)	0.0016	0.0007	0.0066
Argon (Ar)			
Carbon Monoxide (CO)			
Hydrogen (H2)			
Oxygen (O2)			
Helium (He)			
Water (H2O)			
Hydrogen Sulfide (H2S)			
Totals	100.0000	6.6950	100.0000

Property	Total Sample
Pressure Base	14.73
Temperature Base	60
HCDP @ Sample Pressure	-14.685
Cricondentherm	-1.189
HV, Dry @ Base P, T	1190.38
HV, Sat @ Base P, T	1169.67
HV, Sat @ Sample P, T	1190.38
Relative Density	0.7191

C6+: 100

Sample

Date: 05/01/2026 Type:
Tech: Joshua Tipeon
Pressure: 450.0 psi Temp.: °F
Gauge: Gauge H2O:
Atm. Pressure: H2S:

Remarks:

Analysis

Date: Instrument:
 Cylinder: 310
Tech:

Remarks:

Source #: 0602225

Name: WATFORD CITY WEST BORDER

Component	Mole %	Liquid Content	Mass %	Property	Total Sample
Carbon Dioxide (CO2)	1.0704		2.2470	Pressure Base	14.73
Nitrogen (N2)	3.7848		5.0573	Temperature Base	60
Methane (C1)	71.4654		54.6867	HCDP @ Sample Pressure	-7.279
Ethane (C2)	18.7067	5.0067	26.8306	Cricondentherm	13.559
Propane (C3)	4.0298	1.1111	8.4760	HV, Dry @ Base P, T	1192.91
Isobutane (IC4)	0.2525	0.0827	0.7000	HV, Sat @ Base P, T	1172.14
n-Butane (NC4)	0.5727	0.1807	1.5878	HV, Sat @ Sample P, T	1192.91
Isopentane (IC5)	0.0499	0.0183	0.1717	Relative Density	0.7261
n-Pentane (NC5)	0.0535	0.0194	0.1841		
Hexanes Plus (C6+)	0.0143	0.0059	0.0588		
Argon (Ar)					
Carbon Monoxide (CO)					
Hydrogen (H2)					
Oxygen (O2)					
Helium (He)					
Water (H2O)					
Hydrogen Sulfide (H2S)					
				C6+:	
Totals	100.0000	6.4250	100.0000		

Sample

Date: 05/01/2026Type:

Tech: Joshua Tipeon

Pressure:300.0 psiTemp.: °F

Gauge:GaugeH2O:

Atm. Pressure:H2S:

Remarks:

Analysis

Date:Instrument:

Tech:Cylinder: 328

Remarks:

Source Daily Summary

May 2026

Attachment B

Page 5 of 25

Source #: 602

Name: TIOGA STN-N TIOGA TRANSFER

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6851	1139.9	1160.1	1159.9	0.961	2.076	75.859	19.443	1.437	0.065	0.135	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1401.63	-20.82
2	0.6877	1143.8	1164.0	1163.8	0.951	2.109	75.245	20.071	1.411	0.062	0.128	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1403.62	-20.01
3	0.6878	1143.6	1163.8	1163.6	0.935	2.154	75.192	20.101	1.410	0.061	0.126	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1403.30	-20.15
4	0.6888	1145.6	1165.9	1165.7	0.932	2.130	74.958	20.391	1.381	0.061	0.125	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1404.75	-19.78
5	0.6897	1147.2	1167.5	1167.3	0.934	2.109	74.806	20.546	1.399	0.061	0.125	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1405.86	-19.36
6	0.6902	1148.1	1168.4	1168.1	0.932	2.110	74.678	20.695	1.378	0.061	0.126	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1406.36	-19.15
7	0.6958	1155.5	1176.0	1175.7	0.902	2.216	74.475	20.032	2.004	0.102	0.226	0.018	0.020	0.004	0.000	0.000	0.000	0.000	1409.79	-12.24
8	0.7076	1171.3	1192.0	1191.7	0.942	2.304	72.974	20.568	2.785	0.119	0.261	0.019	0.022	0.005	0.000	0.000	0.000	0.000	1417.03	-3.46
9	0.6934	1152.5	1172.9	1172.6	0.941	2.124	74.433	20.553	1.705	0.072	0.148	0.011	0.011	0.002	0.000	0.000	0.000	0.000	1408.53	-15.92
10	0.6923	1151.3	1171.7	1171.4	0.940	2.100	74.581	20.496	1.643	0.070	0.146	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1408.13	-16.60
11	0.6882	1145.1	1165.4	1165.1	0.934	2.092	75.164	20.171	1.426	0.063	0.128	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1404.87	-19.70
12	0.6878	1144.6	1164.8	1164.6	0.936	2.094	75.152	20.253	1.357	0.062	0.124	0.009	0.010	0.002	0.000	0.000	0.000	0.000	1404.53	-20.26
13	0.7293	1148.9	1169.2	1168.9	1.117	3.621	70.018	20.861	3.695	0.177	0.436	0.034	0.040	0.000	0.000	0.000	0.000	0.000	1369.28	8.04
14	0.6878	1139.9	1160.1	1159.8	0.896	2.390	75.113	20.001	1.393	0.060	0.127	0.010	0.011	0.000	0.000	0.000	0.000	0.000	1398.77	-21.31
15	0.7022	1162.4	1183.0	1182.7	0.928	2.373	72.033	23.191	1.304	0.049	0.106	0.007	0.008	0.000	0.000	0.000	0.000	0.000	1411.74	-15.31
16	0.6992	1158.5	1179.1	1178.8	0.920	2.336	72.677	22.560	1.340	0.049	0.104	0.007	0.008	0.000	0.000	0.000	0.000	0.000	1410.08	-16.49
17	0.6907	1147.7	1168.0	1167.7	0.945	2.162	74.539	20.789	1.382	0.054	0.112	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1405.36	-19.68
18	0.6916	1149.2	1169.6	1169.3	0.944	2.155	74.317	21.045	1.362	0.053	0.108	0.008	0.008	0.000	0.000	0.000	0.000	0.000	1406.36	-19.43
19	0.6917	1149.2	1169.6	1169.3	0.945	2.163	74.278	21.088	1.351	0.052	0.107	0.008	0.008	0.000	0.000	0.000	0.000	0.000	1406.26	-19.48
20	0.6941	1152.8	1173.2	1172.9	0.948	2.166	74.039	21.113	1.530	0.061	0.126	0.009	0.010	0.000	0.000	0.000	0.000	0.000	1408.15	-17.25
21	0.6918	1148.4	1168.7	1168.4	0.938	2.236	74.399	20.771	1.452	0.059	0.125	0.009	0.010	0.000	0.000	0.000	0.000	0.000	1405.05	-18.66
22	0.6913	1148.7	1169.0	1168.7	0.943	2.157	74.376	20.998	1.347	0.053	0.110	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1406.02	-19.61
23	0.6917	1149.6	1169.9	1169.6	0.939	2.148	74.280	21.116	1.339	0.052	0.109	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1406.71	-19.44
24	0.6908	1148.1	1168.4	1168.1	0.940	2.157	74.447	20.943	1.335	0.053	0.109	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1405.75	-19.84
25	0.6912	1148.3	1168.6	1168.3	0.943	2.169	74.374	21.007	1.329	0.052	0.109	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1405.68	-19.78
26	0.6911	1148.9	1169.2	1168.9	0.939	2.136	74.401	21.000	1.345	0.053	0.109	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1406.46	-19.63
27	0.7019	1163.7	1184.3	1184.0	0.954	2.217	73.110	21.411	2.028	0.081	0.173	0.012	0.014	0.000	0.000	0.000	0.000	0.000	1413.60	-11.02
28	0.7055	1167.8	1188.5	1188.2	0.967	2.284	72.622	21.558	2.292	0.080	0.171	0.012	0.013	0.000	0.000	0.000	0.000	0.000	1415.00	-8.80
29	0.7076	1170.4	1191.2	1190.8	0.971	2.320	72.308	21.729	2.379	0.085	0.181	0.013	0.014	0.000	0.000	0.000	0.000	0.000	1416.00	-7.45
30	0.7152	1184.4	1205.4	1205.1	0.941	2.216	71.986	21.362	2.914	0.146	0.353	0.036	0.046	0.000	0.000	0.000	0.000	0.000	1425.29	1.80
31	0.7033	1167.2	1187.8	1187.5	0.932	2.176	72.765	21.817	2.060	0.073	0.154	0.011	0.012	0.000	0.000	0.000	0.000	0.000	1416.38	-10.62
Avg	0.6956	1153.0	1173.4	1173.1	0.945	2.232	73.987	20.893	1.694	0.071	0.152	0.012	0.013	0.001	0.000	0.000	0.000	0.000	1406.98	-15.53

Source Daily Summary

May 2026

Attachment B

Page 6 of 25

Source #: 601

Name: TIOGA STN-ROBINSON LAKE PLNT

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6856	1140.0	1160.2	1159.9	0.968	2.108	75.910	19.212	1.562	0.069	0.144	0.011	0.013	0.002	0.000	0.000	0.000	0.000	1401.22	
2	0.6857	1139.4	1159.6	1159.2	0.961	2.162	75.908	19.148	1.575	0.070	0.147	0.012	0.014	0.003	0.000	0.000	0.000	0.000	1400.37	
3	0.6895	1145.5	1165.7	1165.3	0.953	2.173	74.998	20.128	1.532	0.063	0.131	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1403.85	
4	0.6884	1142.9	1163.1	1162.9	0.935	2.253	75.241	19.794	1.547	0.067	0.140	0.010	0.012	0.002	0.000	0.000	0.000	0.000	1401.81	
5	0.6896	1145.9	1166.2	1166.0	0.942	2.166	74.973	20.181	1.517	0.065	0.134	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1404.36	
6	0.6889	1144.6	1164.8	1164.6	0.934	2.195	75.124	19.993	1.527	0.066	0.138	0.010	0.011	0.002	0.000	0.000	0.000	0.000	1403.41	
7	0.6982	1150.1	1170.5	1170.2	0.955	2.699	73.706	20.393	1.972	0.079	0.170	0.012	0.012	0.002	0.000	0.000	0.000	0.000	1401.01	
8	0.7402	1182.7	1203.6	1203.2	1.018	4.549	68.419	20.690	4.652	0.179	0.427	0.029	0.032	0.006	0.000	0.000	0.000	0.000	1399.35	
9	0.6977	1155.9	1176.3	1176.0	0.951	2.304	74.165	20.071	2.206	0.088	0.185	0.013	0.014	0.003	0.000	0.000	0.000	0.000	1408.29	
10	0.6936	1152.0	1172.4	1172.1	0.947	2.161	74.405	20.533	1.705	0.072	0.151	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1407.78	
11	0.6917	1149.5	1169.8	1169.4	0.941	2.145	74.676	20.392	1.610	0.069	0.143	0.011	0.012	0.002	0.000	0.000	0.000	0.000	1406.63	
12	0.6888	1145.3	1165.5	1165.1	0.936	2.139	75.081	20.162	1.463	0.064	0.133	0.010	0.011	0.001	0.000	0.000	0.000	0.000	1404.38	
13	0.6958	1155.8	1176.2	1175.6	0.948	2.134	74.466	20.168	1.925	0.096	0.216	0.020	0.026	0.000	0.000	0.000	0.000	0.000	1410.11	
14	0.6710	1113.3	1133.0	1132.6	0.775	2.653	78.359	16.659	1.345	0.059	0.127	0.010	0.012	0.000	0.000	0.000	0.000	0.000	1383.06	
15	0.7207	1160.5	1181.0	1180.7	0.950	4.180	70.442	20.851	3.112	0.124	0.296	0.021	0.024	0.000	0.000	0.000	0.000	0.000	1391.54	
16	0.7103	1162.1	1182.7	1182.3	0.934	3.144	71.094	22.608	1.972	0.070	0.156	0.010	0.012	0.000	0.000	0.000	0.000	0.000	1403.38	
17	0.6921	1148.3	1168.7	1168.4	0.940	2.263	74.370	20.727	1.508	0.056	0.119	0.009	0.009	0.000	0.000	0.000	0.000	0.000	1404.73	
18	0.6920	1147.9	1168.2	1168.0	0.954	2.250	74.455	20.611	1.533	0.058	0.121	0.009	0.009	0.000	0.000	0.000	0.000	0.000	1404.41	
19	0.6910	1147.9	1168.2	1167.9	0.944	2.179	74.510	20.758	1.429	0.053	0.110	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1405.31	
20	0.6913	1148.2	1168.6	1168.2	0.947	2.181	74.524	20.674	1.487	0.056	0.114	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1405.44	
21	0.6889	1138.9	1159.0	1158.7	0.907	2.581	75.323	19.175	1.770	0.070	0.152	0.011	0.012	0.000	0.000	0.000	0.000	0.000	1396.40	
22	0.6905	1146.8	1167.1	1166.8	0.947	2.193	74.657	20.564	1.453	0.054	0.114	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1404.49	
23	0.6897	1146.4	1166.7	1166.3	0.938	2.147	74.812	20.470	1.452	0.053	0.111	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1404.95	
24	0.6915	1149.2	1169.6	1169.0	0.942	2.148	74.338	21.028	1.366	0.052	0.108	0.008	0.009	0.000	0.000	0.000	0.000	0.000	1406.46	
25	0.6884	1140.8	1161.0	1160.3	0.908	2.415	75.085	19.905	1.482	0.060	0.127	0.009	0.010	0.000	0.000	0.000	0.000	0.000	1399.32	
26	0.6923	1149.7	1170.0	1169.3	0.942	2.194	74.336	20.848	1.479	0.059	0.123	0.009	0.010	0.000	0.000	0.000	0.000	0.000	1406.21	
27	0.7165	1162.0	1182.6	1181.8	0.966	3.668	71.038	21.003	2.942	0.107	0.243	0.016	0.017	0.000	0.000	0.000	0.000	0.000	1397.34	
28	0.7025	1163.3	1183.9	1183.0	0.961	2.291	73.106	21.197	2.173	0.079	0.168	0.012	0.013	0.000	0.000	0.000	0.000	0.000	1412.46	
29	0.7055	1167.5	1188.2	1187.5	0.967	2.304	72.642	21.500	2.308	0.081	0.172	0.012	0.013	0.000	0.000	0.000	0.000	0.000	1414.60	
30	0.7066	1169.3	1190.0	1189.5	0.960	2.306	72.771	21.086	2.537	0.098	0.210	0.015	0.017	0.000	0.000	0.000	0.000	0.000	1415.69	
31	0.7063	1171.4	1192.1	1191.6	0.932	2.198	72.783	21.344	2.373	0.099	0.223	0.021	0.028	0.000	0.000	0.000	0.000	0.000	1418.44	
Avg	0.6962	1151.0	1171.4	1171.0	0.942	2.467	74.055	20.383	1.887	0.075	0.163	0.012	0.014	0.001	0.000	0.000	0.000	0.000	1404.09	

Source Daily Summary

May 2026

Attachment B

Page 7 of 25

Source #: 091

Name: MNT BRD-PLRMO BRD-BIS STN

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7570	1185.1	1206.1	1205.8	1.000	6.000	65.958	20.629	5.631	0.205	0.498	0.034	0.037	0.007	0.000	0.000	0.000	0.000	1386.23	
2	0.7497	1172.6	1193.4	1193.1	1.002	6.080	66.767	20.267	5.221	0.178	0.421	0.027	0.030	0.007	0.000	0.000	0.000	0.000	1378.24	
3	0.7497	1173.5	1194.3	1194.0	1.003	6.022	66.776	20.313	5.223	0.179	0.423	0.027	0.029	0.006	0.000	0.000	0.000	0.000	1379.34	
4	0.7485	1177.6	1198.5	1198.2	0.999	5.668	66.997	20.554	5.094	0.182	0.438	0.030	0.033	0.007	0.000	0.000	0.000	0.000	1385.31	
5	0.7506	1173.8	1194.6	1194.3	1.001	6.092	66.609	20.386	5.247	0.180	0.423	0.027	0.029	0.006	0.000	0.000	0.000	0.000	1378.82	
6	0.7536	1177.9	1198.8	1198.5	1.016	6.097	66.292	20.450	5.435	0.191	0.453	0.028	0.031	0.006	0.000	0.000	0.000	0.000	1380.94	
7	0.7620	1186.8	1207.9	1207.6	1.077	6.246	65.470	20.355	6.003	0.226	0.545	0.034	0.037	0.007	0.000	0.000	0.000	0.000	1383.68	
8	0.7598	1182.3	1203.3	1202.9	1.022	6.396	65.690	20.183	5.886	0.214	0.524	0.036	0.041	0.008	0.000	0.000	0.000	0.000	1380.44	
9	0.7605	1181.6	1202.5	1202.2	1.002	6.542	65.330	20.501	5.880	0.198	0.474	0.031	0.035	0.008	0.000	0.000	0.000	0.000	1378.91	
10	0.7600	1180.8	1201.7	1201.3	1.002	6.540	65.410	20.432	5.884	0.196	0.467	0.030	0.032	0.007	0.000	0.000	0.000	0.000	1378.46	
11	0.7601	1181.0	1201.9	1201.5	1.000	6.548	65.431	20.361	5.912	0.200	0.477	0.031	0.034	0.007	0.000	0.000	0.000	0.000	1378.53	
12	0.7621	1185.8	1206.8	1206.5	0.996	6.442	65.280	20.447	6.033	0.212	0.512	0.034	0.037	0.007	0.000	0.000	0.000	0.000	1382.39	
13	0.7563	1180.5	1201.4	1201.0	1.009	6.205	66.105	20.210	5.708	0.202	0.486	0.032	0.035	0.008	0.000	0.000	0.000	0.000	1381.43	
14	0.7590	1179.5	1200.3	1200.0	1.004	6.523	65.696	20.162	5.816	0.210	0.508	0.034	0.038	0.008	0.000	0.000	0.000	0.000	1377.82	
15	0.7589	1179.5	1200.4	1200.0	1.007	6.516	65.531	20.446	5.758	0.196	0.472	0.031	0.035	0.008	0.000	0.000	0.000	0.000	1377.88	
16	0.7608	1182.6	1203.5	1203.2	1.006	6.503	65.289	20.576	5.868	0.201	0.482	0.032	0.035	0.008	0.000	0.000	0.000	0.000	1379.81	
17	0.7589	1181.1	1202.1	1201.7	1.006	6.412	65.544	20.535	5.769	0.195	0.467	0.030	0.034	0.008	0.000	0.000	0.000	0.000	1379.87	
18	0.7513	1175.9	1196.7	1196.4	1.003	6.028	66.480	20.558	5.283	0.175	0.413	0.026	0.029	0.006	0.000	0.000	0.000	0.000	1380.65	
19	0.7512	1175.2	1196.0	1195.7	1.008	6.054	66.512	20.476	5.306	0.175	0.412	0.025	0.027	0.006	0.000	0.000	0.000	0.000	1379.92	
20	0.7551	1177.3	1198.2	1197.8	1.011	6.283	66.008	20.475	5.536	0.185	0.439	0.028	0.030	0.006	0.000	0.000	0.000	0.000	1378.84	
21	0.7578	1180.9	1201.8	1201.4	1.011	6.321	65.681	20.565	5.697	0.193	0.463	0.030	0.032	0.006	0.000	0.000	0.000	0.000	1380.54	
22	0.7538	1174.0	1194.8	1194.4	1.008	6.373	66.130	20.357	5.467	0.180	0.425	0.026	0.029	0.005	0.000	0.000	0.000	0.000	1376.09	
23	0.7554	1176.4	1197.2	1196.9	1.017	6.354	65.974	20.410	5.555	0.187	0.442	0.027	0.030	0.005	0.000	0.000	0.000	0.000	1377.55	
24	0.7592	1181.1	1202.0	1201.6	1.023	6.415	65.676	20.264	5.835	0.209	0.504	0.032	0.035	0.006	0.000	0.000	0.000	0.000	1379.52	
25	0.7558	1173.9	1194.7	1194.3	1.020	6.538	66.543	19.188	5.828	0.232	0.565	0.038	0.042	0.008	0.000	0.000	0.000	0.000	1374.20	
26	0.7554	1173.9	1194.7	1194.2	1.018	6.504	66.632	19.140	5.815	0.232	0.568	0.039	0.044	0.008	0.000	0.000	0.000	0.000	1374.52	
27	0.7587	1179.7	1200.6	1200.1	1.019	6.458	65.992	19.774	5.894	0.225	0.549	0.038	0.043	0.008	0.000	0.000	0.000	0.000	1378.32	
28	0.7584	1178.3	1199.1	1198.7	1.016	6.524	65.931	19.848	5.846	0.217	0.531	0.037	0.042	0.008	0.000	0.000	0.000	0.000	1376.96	
29	0.7589	1179.6	1200.5	1200.1	1.015	6.488	65.730	20.152	5.813	0.209	0.509	0.035	0.040	0.008	0.000	0.000	0.000	0.000	1378.11	
30	0.7586	1179.6	1200.5	1200.0	1.021	6.460	65.560	20.490	5.741	0.195	0.464	0.030	0.033	0.006	0.000	0.000	0.000	0.000	1378.27	
31	0.7601	1182.3	1203.2	1202.8	1.020	6.428	65.398	20.580	5.823	0.200	0.479	0.031	0.034	0.006	0.000	0.000	0.000	0.000	1380.17	
Avg	0.7567	1179.0	1199.9	1199.6	1.012	6.324	65.949	20.293	5.671	0.199	0.478	0.031	0.035	0.007	0.000	0.000	0.000	0.000	1379.41	

Gas Composition and Properties

Effective October 1, 2021

Source #: 2501030
Name: LIGNITE PLANT

Component	Mole %	Liquid Content	Mass %
Carbon Dioxide (CO2)	0.2283		0.5237
Nitrogen (N2)	2.9631		4.3268
Methane (C1)	79.4957		66.4767
Ethane (C2)	15.2390	4.0765	23.8852
Propane (C3)	2.0456	0.5637	4.7019
Isobutane (IC4)	0.0244	0.0080	0.0739
n-Butane (NC4)	0.0039	0.0012	0.0118
Isopentane (IC5)			
n-Pentane (NC5)			
Hexanes Plus (C6+)			
Argon (Ar)			
Carbon Monoxide (CO)			
Hydrogen (H2)			
Oxygen (O2)			
Helium (He)			
Water (H2O)			
Hydrogen Sulfide (H2S)			
Totals	100.0000	4.6490	100.0000

Property	Total Sample
Pressure Base	14.73
Temperature Base	60
HCDP @ Sample Pressure	
Cricondentherm	-32.804
HV, Dry @ Base P, T	1130.73
HV, Sat @ Base P, T	1111.05
HV, Sat @ Sample P, T	1130.73
Relative Density	0.6640

C6+: 100

Sample

Date: 10/01/2021 Type:
Tech: Wayne Sampson
Pressure: Temp.:
Gauge: H2O:
Atm. Pressure: H2S:

Remarks:

Analysis

Date: Instrument:
 Cylinder:
Tech:

Remarks:

Gas Composition and Properties

Effective May 1, 2026

Source #: 3002013
Name: EPPING BORDER

Component	Mole %	Liquid Content	Mass %
Carbon Dioxide (CO2)	0.9501		2.0433
Nitrogen (N2)	2.2464		3.0751
Methane (C1)	72.3612		56.7268
Ethane (C2)	21.5632	5.7709	31.6842
Propane (C3)	2.5235	0.6957	5.4376
Isobutane (IC4)	0.0992	0.0325	0.2817
n-Butane (NC4)	0.2254	0.0711	0.6402
Isopentane (IC5)	0.0136	0.0050	0.0479
n-Pentane (NC5)	0.0147	0.0053	0.0518
Hexanes Plus (C6+)	0.0027	0.0011	0.0114
Argon (Ar)			
Carbon Monoxide (CO)			
Hydrogen (H2)			
Oxygen (O2)			
Helium (He)			
Water (H2O)			
Hydrogen Sulfide (H2S)			
Totals	100.0000	6.5810	100.0000

Property	Total Sample
Pressure Base	14.73
Temperature Base	60
HCDP @ Sample Pressure	-9.662
Cricondentherm	-5.221
HV, Dry @ Base P, T	1194.46
HV, Sat @ Base P, T	1173.67
HV, Sat @ Sample P, T	1194.46
Relative Density	0.7086

C6+: 100

Sample

Date: 05/01/2026 Type:
Tech: Joshua Tipton
Pressure: 620.0 psi Temp.: °F
Gauge: Gauge H2O:
Atm. Pressure: H2S:

Remarks:

Analysis

Date: Instrument:
 Cylinder: 396
Tech:

Remarks:

*** End of Report ***

Source Daily Summary

May 2026

Attachment B

Page 10 of 25

Source #: 603

Name: TIOGA STN-COUNTY LINE PLANT

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7264	1174.2	1195.0	1194.8	1.138	3.591	70.509	20.434	3.665	0.170	0.413	0.032	0.038	0.010	0.000	0.000	0.000	0.000	1402.08	
2	0.7287	1178.6	1199.5	1199.3	1.134	3.537	70.389	20.391	3.811	0.181	0.449	0.040	0.051	0.018	0.000	0.000	0.000	0.000	1405.16	
3	0.7193	1162.9	1183.5	1183.2	1.138	3.615	71.246	20.226	3.256	0.137	0.319	0.025	0.030	0.008	0.000	0.000	0.000	0.000	1395.41	
4	0.7254	1172.8	1193.6	1193.3	1.144	3.576	70.451	20.665	3.593	0.153	0.353	0.026	0.031	0.009	0.000	0.000	0.000	0.000	1401.35	
5	0.7275	1176.3	1197.1	1196.9	1.142	3.556	70.225	20.769	3.699	0.161	0.376	0.028	0.034	0.010	0.000	0.000	0.000	0.000	1403.57	
6	0.7248	1171.9	1192.6	1192.4	1.148	3.567	70.576	20.575	3.550	0.153	0.364	0.027	0.032	0.009	0.000	0.000	0.000	0.000	1400.85	
7	0.7186	1162.3	1182.9	1182.7	1.142	3.576	71.333	20.281	3.126	0.137	0.331	0.028	0.035	0.012	0.000	0.000	0.000	0.000	1395.46	
8	0.7224	1167.9	1188.6	1188.3	1.148	3.579	70.956	20.327	3.394	0.151	0.363	0.031	0.039	0.013	0.000	0.000	0.000	0.000	1398.48	
9	0.7227	1168.1	1188.7	1188.5	1.151	3.598	70.702	20.667	3.352	0.140	0.327	0.024	0.030	0.010	0.000	0.000	0.000	0.000	1398.30	
10	0.7219	1167.5	1188.1	1187.9	1.147	3.569	70.764	20.715	3.280	0.139	0.327	0.023	0.027	0.009	0.000	0.000	0.000	0.000	1398.36	
11	0.7214	1166.6	1187.2	1187.0	1.151	3.568	70.791	20.750	3.231	0.135	0.315	0.023	0.028	0.008	0.000	0.000	0.000	0.000	1397.81	
12	0.7221	1167.0	1187.6	1187.6	1.155	3.602	70.706	20.733	3.298	0.136	0.315	0.022	0.026	0.006	0.000	0.000	0.000	0.000	1397.65	
13	0.7221	1167.0	1187.6	1187.4	1.155	3.602	70.706	20.733	3.298	0.136	0.315	0.022	0.026	0.006	0.000	0.000	0.000	0.000	1397.65	
14	0.7140	1153.9	1174.3	1174.0	1.046	3.803	72.403	18.865	3.313	0.151	0.359	0.027	0.032	0.001	0.000	0.000	0.000	0.000	1389.66	
15	0.7235	1167.2	1187.9	1187.6	1.146	3.727	70.769	20.271	3.525	0.151	0.355	0.026	0.030	0.000	0.000	0.000	0.000	0.000	1396.62	
16	0.7243	1168.7	1189.4	1189.2	1.163	3.691	70.495	20.653	3.459	0.147	0.341	0.023	0.028	0.000	0.000	0.000	0.000	0.000	1397.58	
17	0.7273	1173.5	1194.3	1194.0	1.165	3.675	70.106	20.865	3.632	0.151	0.352	0.024	0.029	0.000	0.000	0.000	0.000	0.000	1400.39	
18	0.7240	1169.0	1189.7	1189.4	1.171	3.639	70.280	21.133	3.294	0.134	0.304	0.021	0.024	0.000	0.000	0.000	0.000	0.000	1398.15	
19	0.7255	1171.0	1191.8	1191.5	1.174	3.641	70.377	20.736	3.519	0.149	0.347	0.026	0.030	0.000	0.000	0.000	0.000	0.000	1399.23	
20	0.7249	1170.6	1191.3	1191.1	1.180	3.609	70.505	20.613	3.543	0.150	0.347	0.025	0.028	0.000	0.000	0.000	0.000	0.000	1399.21	
21	0.7251	1169.4	1190.1	1189.9	1.193	3.680	70.369	20.752	3.473	0.143	0.336	0.024	0.029	0.000	0.000	0.000	0.000	0.000	1397.62	
22	0.7261	1170.6	1191.3	1191.0	1.191	3.702	70.158	20.946	3.477	0.143	0.332	0.023	0.028	0.000	0.000	0.000	0.000	0.000	1398.09	
23	0.7256	1169.2	1189.9	1189.6	1.190	3.739	70.247	20.823	3.474	0.145	0.333	0.023	0.027	0.000	0.000	0.000	0.000	0.000	1396.95	
24	0.7263	1169.4	1190.1	1189.8	1.188	3.795	70.206	20.725	3.536	0.150	0.348	0.024	0.028	0.000	0.000	0.000	0.000	0.000	1396.50	
25	0.7249	1167.4	1188.1	1187.8	1.189	3.786	70.430	20.577	3.466	0.148	0.347	0.026	0.030	0.000	0.000	0.000	0.000	0.000	1395.44	
26	0.7290	1172.8	1193.6	1193.3	1.176	3.863	69.933	20.695	3.733	0.161	0.378	0.028	0.033	0.000	0.000	0.000	0.000	0.000	1397.92	
27	0.7314	1176.5	1197.3	1197.0	1.171	3.865	69.932	20.274	4.111	0.170	0.407	0.031	0.038	0.000	0.000	0.000	0.000	0.000	1400.04	
28	0.7163	1159.1	1179.7	1179.3	1.185	3.493	71.333	20.661	2.961	0.098	0.226	0.018	0.023	0.000	0.000	0.000	0.000	0.000	1393.84	
29	0.7143	1156.1	1176.5	1176.2	1.194	3.481	71.861	20.030	3.057	0.103	0.236	0.017	0.021	0.000	0.000	0.000	0.000	0.000	1392.06	
30	0.7096	1146.5	1166.8	1166.5	1.209	3.604	72.450	19.640	2.758	0.093	0.212	0.016	0.019	0.000	0.000	0.000	0.000	0.000	1385.06	
31	0.7081	1140.5	1160.7	1160.4	1.185	3.860	72.553	19.443	2.605	0.098	0.223	0.015	0.018	0.000	0.000	0.000	0.000	0.000	1379.37	
Avg	0.7227	1167.0	1187.6	1187.3	1.162	3.651	70.767	20.483	3.403	0.142	0.334	0.025	0.030	0.004	0.000	0.000	0.000	0.000	1396.96	

Source Daily Summary

May 2026

Attachment B

Page 11 of 25

Source #: 043

Name: BISMARCK STN-CLEVELAND STN

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7551	1186.1	1207.1	1206.1	0.948	5.845	66.358	20.410	5.635	0.205	0.515	0.035	0.037	0.012	0.000	0.000	0.000	0.000	1389.12	
2	0.7479	1173.0	1193.8	1192.8	0.951	5.964	67.120	20.057	5.241	0.177	0.430	0.025	0.027	0.008	0.000	0.000	0.000	0.000	1380.40	
3	0.7479	1174.4	1195.2	1194.2	0.949	5.882	67.173	20.065	5.248	0.180	0.439	0.027	0.028	0.009	0.000	0.000	0.000	0.000	1382.03	
4	0.7448	1174.4	1195.2	1194.3	0.948	5.587	67.585	20.211	5.001	0.174	0.429	0.027	0.029	0.009	0.000	0.000	0.000	0.000	1385.03	
5	0.7500	1177.5	1198.4	1197.5	0.949	5.886	66.838	20.326	5.304	0.184	0.448	0.027	0.029	0.009	0.000	0.000	0.000	0.000	1383.78	
6	0.7491	1176.3	1197.1	1196.2	0.952	5.874	66.940	20.300	5.250	0.181	0.440	0.027	0.028	0.008	0.000	0.000	0.000	0.000	1383.14	
7	0.7598	1187.2	1208.2	1207.2	1.021	6.105	65.922	20.081	6.005	0.226	0.559	0.034	0.036	0.009	0.000	0.000	0.000	0.000	1386.07	
8	0.7588	1185.6	1206.6	1205.7	0.979	6.170	65.955	20.122	5.936	0.215	0.539	0.035	0.038	0.011	0.000	0.000	0.000	0.000	1385.19	
9	0.7583	1182.7	1203.6	1202.6	0.953	6.341	65.777	20.301	5.870	0.198	0.488	0.030	0.032	0.010	0.000	0.000	0.000	0.000	1382.23	
10	0.7582	1182.2	1203.2	1202.2	0.951	6.367	65.762	20.287	5.893	0.195	0.478	0.029	0.031	0.009	0.000	0.000	0.000	0.000	1381.75	
11	0.7586	1183.1	1204.1	1203.0	0.949	6.353	65.751	20.268	5.920	0.198	0.490	0.030	0.032	0.009	0.000	0.000	0.000	0.000	1382.42	
12	0.7586	1183.8	1204.7	1203.7	0.946	6.313	65.883	20.102	5.957	0.208	0.515	0.032	0.034	0.010	0.000	0.000	0.000	0.000	1383.20	
13	0.7562	1184.3	1205.2	1204.2	0.957	6.045	66.287	20.094	5.810	0.209	0.519	0.033	0.035	0.011	0.000	0.000	0.000	0.000	1385.95	
14	0.7577	1181.8	1202.8	1201.7	0.954	6.341	65.982	20.063	5.847	0.210	0.523	0.034	0.036	0.012	0.000	0.000	0.000	0.000	1381.70	
15	0.7572	1181.3	1202.2	1201.2	0.955	6.329	65.866	20.333	5.769	0.195	0.482	0.030	0.032	0.010	0.000	0.000	0.000	0.000	1381.50	
16	0.7588	1183.6	1204.6	1203.7	0.953	6.330	65.669	20.430	5.855	0.198	0.492	0.031	0.033	0.010	0.000	0.000	0.000	0.000	1382.89	
17	0.7579	1182.8	1203.7	1202.8	0.955	6.298	65.793	20.384	5.818	0.196	0.484	0.030	0.032	0.010	0.000	0.000	0.000	0.000	1382.68	
18	0.7509	1178.7	1199.5	1198.6	0.951	5.904	66.609	20.533	5.337	0.176	0.430	0.026	0.027	0.008	0.000	0.000	0.000	0.000	1384.23	
19	0.7489	1176.0	1196.8	1195.9	0.955	5.872	66.904	20.365	5.258	0.172	0.416	0.024	0.026	0.008	0.000	0.000	0.000	0.000	1382.96	
20	0.7533	1178.7	1199.6	1198.6	0.958	6.113	66.383	20.293	5.553	0.184	0.451	0.027	0.029	0.008	0.000	0.000	0.000	0.000	1382.08	
21	0.7553	1181.2	1202.1	1201.1	0.959	6.147	66.148	20.353	5.665	0.191	0.470	0.029	0.030	0.009	0.000	0.000	0.000	0.000	1383.17	
22	0.7517	1174.8	1195.6	1194.6	0.956	6.205	66.503	20.230	5.442	0.177	0.429	0.025	0.026	0.007	0.000	0.000	0.000	0.000	1378.96	
23	0.7536	1177.9	1198.8	1197.8	0.963	6.181	66.344	20.235	5.567	0.187	0.458	0.027	0.029	0.008	0.000	0.000	0.000	0.000	1380.91	
24	0.7566	1180.9	1201.8	1200.7	0.967	6.271	66.312	19.751	5.850	0.218	0.547	0.035	0.038	0.011	0.000	0.000	0.000	0.000	1381.64	
25	0.7548	1177.0	1197.9	1196.7	0.965	6.335	66.890	18.997	5.877	0.239	0.602	0.040	0.043	0.013	0.000	0.000	0.000	0.000	1378.78	
26	0.7553	1179.0	1199.9	1198.7	0.964	6.267	66.761	19.202	5.880	0.236	0.594	0.039	0.043	0.013	0.000	0.000	0.000	0.000	1380.61	
27	0.7580	1182.5	1203.4	1202.2	0.963	6.310	66.206	19.685	5.945	0.227	0.570	0.038	0.042	0.013	0.000	0.000	0.000	0.000	1382.23	
28	0.7566	1179.5	1200.4	1199.2	0.961	6.361	66.345	19.609	5.860	0.221	0.554	0.037	0.040	0.012	0.000	0.000	0.000	0.000	1380.07	
29	0.7584	1184.0	1204.9	1203.9	0.963	6.262	65.816	20.316	5.853	0.205	0.509	0.032	0.035	0.010	0.000	0.000	0.000	0.000	1383.59	
30	0.7566	1180.6	1201.5	1200.4	0.967	6.294	65.940	20.338	5.727	0.193	0.474	0.029	0.030	0.009	0.000	0.000	0.000	0.000	1381.27	
31	0.7584	1183.9	1204.9	1203.8	0.965	6.262	65.746	20.429	5.830	0.200	0.495	0.031	0.033	0.010	0.000	0.000	0.000	0.000	1383.53	
Avg	0.7549	1180.0	1201.4	1200.4	0.959	6.155	66.309	20.134	5.678	0.199	0.493	0.031	0.033	0.010	0.000	0.000	0.000	0.000	1382.68	

Source Daily Summary

May 2026

Attachment B

Page 12 of 25

Source #: 063

Name: CLEVELAND STN-MAPLETON

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7475	1172.4	1193.2	1192.2	0.982	5.910	67.108	20.231	5.130	0.175	0.411	0.026	0.028	0.000	0.000	0.000	0.000	0.000	1380.12	
2	0.7555	1183.9	1204.9	1203.9	0.993	5.942	66.171	20.582	5.555	0.201	0.485	0.033	0.038	0.000	0.000	0.000	0.000	0.000	1386.21	
3	0.7489	1172.3	1193.1	1192.0	0.996	6.030	66.863	20.282	5.188	0.176	0.411	0.025	0.028	0.000	0.000	0.000	0.000	0.000	1378.66	
4	0.7501	1175.4	1196.2	1195.3	0.994	5.957	66.756	20.372	5.256	0.182	0.427	0.027	0.030	0.000	0.000	0.000	0.000	0.000	1381.19	
5	0.7417	1171.4	1192.2	1191.3	0.994	5.408	67.970	20.258	4.751	0.166	0.397	0.026	0.030	0.000	0.000	0.000	0.000	0.000	1384.54	
6	0.7537	1179.1	1200.0	1199.0	0.997	6.061	66.242	20.598	5.404	0.190	0.448	0.028	0.032	0.000	0.000	0.000	0.000	0.000	1382.24	
7	0.7510	1176.1	1196.9	1196.0	0.995	5.999	66.565	20.520	5.255	0.182	0.428	0.027	0.030	0.000	0.000	0.000	0.000	0.000	1381.17	
8	0.7582	1183.2	1204.1	1203.1	1.047	6.160	65.882	20.359	5.771	0.213	0.502	0.032	0.035	0.000	0.000	0.000	0.000	0.000	1382.85	
9	0.7619	1188.4	1209.4	1208.4	1.042	6.201	65.495	20.407	6.011	0.225	0.541	0.037	0.042	0.000	0.000	0.000	0.000	0.000	1385.52	
10	0.7593	1181.9	1202.8	1201.8	1.001	6.407	65.603	20.392	5.848	0.202	0.481	0.031	0.035	0.000	0.000	0.000	0.000	0.000	1380.40	
11	0.7599	1181.9	1202.8	1201.7	0.994	6.477	65.441	20.472	5.892	0.196	0.465	0.029	0.033	0.000	0.000	0.000	0.000	0.000	1379.82	
12	0.7585	1178.4	1199.3	1198.1	0.997	6.553	65.737	20.123	5.829	0.204	0.487	0.033	0.036	0.000	0.000	0.000	0.000	0.000	1377.05	
13	0.7587	1181.1	1202.0	1200.9	0.993	6.413	65.717	20.285	5.835	0.204	0.486	0.032	0.036	0.000	0.000	0.000	0.000	0.000	1380.03	
14	0.7619	1191.0	1212.1	1210.9	1.000	6.105	65.413	20.656	6.010	0.216	0.523	0.036	0.041	0.000	0.000	0.000	0.000	0.000	1388.57	
15	0.7576	1178.4	1199.3	1198.2	0.998	6.466	65.985	19.962	5.793	0.213	0.510	0.034	0.039	0.000	0.000	0.000	0.000	0.000	1377.85	
16	0.7603	1183.7	1204.7	1203.7	1.000	6.395	65.411	20.592	5.848	0.202	0.483	0.032	0.036	0.000	0.000	0.000	0.000	0.000	1381.58	
17	0.7602	1183.0	1203.9	1203.1	0.998	6.431	65.395	20.583	5.852	0.200	0.475	0.031	0.035	0.000	0.000	0.000	0.000	0.000	1380.85	
18	0.7601	1183.0	1204.0	1203.1	1.001	6.416	65.417	20.574	5.852	0.199	0.475	0.031	0.035	0.000	0.000	0.000	0.000	0.000	1380.97	
19	0.7574	1182.3	1203.2	1202.3	0.996	6.215	65.745	20.661	5.677	0.192	0.454	0.029	0.032	0.000	0.000	0.000	0.000	0.000	1382.60	
20	0.7495	1175.1	1195.9	1194.9	0.993	5.918	66.756	20.494	5.217	0.172	0.400	0.024	0.027	0.000	0.000	0.000	0.000	0.000	1381.41	
21	0.7530	1176.8	1197.7	1196.7	1.002	6.128	66.291	20.503	5.417	0.180	0.423	0.026	0.029	0.000	0.000	0.000	0.000	0.000	1380.22	
22	0.7565	1179.9	1200.7	1199.8	1.004	6.269	65.885	20.487	5.657	0.190	0.449	0.028	0.031	0.000	0.000	0.000	0.000	0.000	1380.55	
23	0.7536	1175.6	1196.4	1195.5	1.001	6.257	66.182	20.451	5.452	0.180	0.422	0.026	0.028	0.000	0.000	0.000	0.000	0.000	1378.27	
24	0.7535	1175.7	1196.6	1195.4	1.003	6.244	66.204	20.438	5.449	0.182	0.426	0.026	0.029	0.000	0.000	0.000	0.000	0.000	1378.43	
25	0.7578	1180.6	1201.5	1200.3	1.012	6.334	65.784	20.383	5.748	0.200	0.475	0.030	0.033	0.000	0.000	0.000	0.000	0.000	1380.21	
26	0.7563	1176.3	1197.1	1195.7	1.010	6.450	66.505	19.310	5.838	0.235	0.570	0.039	0.044	0.000	0.000	0.000	0.000	0.000	1376.58	
27	0.7550	1175.1	1195.9	1194.4	1.008	6.405	66.774	19.105	5.805	0.238	0.579	0.040	0.046	0.000	0.000	0.000	0.000	0.000	1376.33	
28	0.7592	1181.5	1202.4	1201.0	1.007	6.408	65.985	19.793	5.937	0.229	0.557	0.039	0.045	0.000	0.000	0.000	0.000	0.000	1380.05	
29	0.7584	1179.7	1200.6	1199.2	1.005	6.454	66.009	19.811	5.880	0.223	0.539	0.037	0.043	0.000	0.000	0.000	0.000	0.000	1378.60	
30	0.7599	1183.4	1204.3	1203.0	1.006	6.371	65.572	20.400	5.869	0.209	0.501	0.034	0.038	0.000	0.000	0.000	0.000	0.000	1381.51	
31	0.7587	1180.9	1201.8	1200.6	1.012	6.399	65.578	20.523	5.768	0.196	0.463	0.029	0.033	0.000	0.000	0.000	0.000	0.000	1379.79	
Avg	0.7559	1180.0	1200.5	1199.4	1.003	6.232	66.079	20.310	5.639	0.199	0.474	0.031	0.035	0.000	0.000	0.000	0.000	0.000	1380.78	

Source Daily Summary

May 2026

Attachment B

Page 13 of 25

Source #: 061

Name: CLEVELAND STN-GRAFTON BDR

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7479	1173.5	1194.2	1193.6	0.988	5.882	67.022	20.341	5.127	0.176	0.411	0.026	0.028	0.000	0.000	0.000	0.000	0.000	1380.89	
2	0.7533	1179.3	1200.2	1199.5	0.994	6.016	66.390	20.446	5.439	0.192	0.458	0.030	0.034	0.000	0.000	0.000	0.000	0.000	1382.83	
3	0.7489	1172.8	1193.6	1192.8	0.996	6.001	66.870	20.303	5.186	0.177	0.413	0.026	0.028	0.000	0.000	0.000	0.000	0.000	1379.24	
4	0.7503	1175.9	1196.7	1196.1	0.994	5.951	66.721	20.400	5.268	0.183	0.427	0.027	0.030	0.000	0.000	0.000	0.000	0.000	1381.52	
5	0.7479	1179.3	1200.2	1199.6	0.994	5.522	67.177	20.500	5.126	0.183	0.435	0.029	0.033	0.000	0.000	0.000	0.000	0.000	1387.89	
6	0.7559	1183.5	1204.4	1203.9	0.995	6.011	66.155	20.633	5.496	0.193	0.456	0.029	0.032	0.000	0.000	0.000	0.000	0.000	1385.25	
7	0.7521	1177.6	1198.5	1197.9	0.995	6.005	66.496	20.549	5.286	0.183	0.431	0.027	0.030	0.000	0.000	0.000	0.000	0.000	1381.98	
8	0.7594	1184.8	1205.8	1205.2	1.053	6.163	65.772	20.359	5.852	0.218	0.516	0.033	0.036	0.000	0.000	0.000	0.000	0.000	1383.68	
9	0.7621	1188.6	1209.7	1209.1	1.040	6.203	65.473	20.418	6.021	0.225	0.542	0.037	0.042	0.000	0.000	0.000	0.000	0.000	1385.66	
10	0.7596	1182.4	1203.4	1202.8	1.001	6.406	65.550	20.428	5.864	0.202	0.481	0.031	0.035	0.000	0.000	0.000	0.000	0.000	1380.74	
11	0.7599	1182.0	1202.9	1202.1	0.995	6.477	65.439	20.468	5.898	0.197	0.465	0.029	0.033	0.000	0.000	0.000	0.000	0.000	1379.87	
12	0.7592	1179.0	1199.9	1199.1	0.998	6.580	65.606	20.210	5.849	0.205	0.484	0.032	0.036	0.000	0.000	0.000	0.000	0.000	1377.09	
13	0.7594	1182.1	1203.1	1202.2	0.993	6.416	65.639	20.309	5.872	0.207	0.494	0.032	0.037	0.000	0.000	0.000	0.000	0.000	1380.56	
14	0.7619	1191.2	1212.3	1211.4	0.999	6.085	65.424	20.669	6.006	0.216	0.524	0.036	0.041	0.000	0.000	0.000	0.000	0.000	1388.92	
15	0.7569	1177.2	1198.0	1197.3	0.999	6.473	66.051	19.949	5.746	0.209	0.500	0.034	0.038	0.000	0.000	0.000	0.000	0.000	1377.05	
16	0.7600	1183.1	1204.1	1203.4	1.000	6.403	65.447	20.568	5.831	0.201	0.482	0.032	0.036	0.000	0.000	0.000	0.000	0.000	1381.17	
17	0.7594	1181.6	1202.6	1202.1	0.999	6.444	65.476	20.545	5.806	0.197	0.468	0.030	0.034	0.000	0.000	0.000	0.000	0.000	1379.94	
18	0.7602	1183.0	1203.9	1203.4	1.000	6.426	65.401	20.573	5.860	0.200	0.474	0.031	0.034	0.000	0.000	0.000	0.000	0.000	1380.87	
19	0.7572	1181.8	1202.7	1202.1	0.996	6.228	65.764	20.641	5.667	0.191	0.452	0.029	0.032	0.000	0.000	0.000	0.000	0.000	1382.16	
20	0.7500	1175.7	1196.6	1195.9	0.994	5.924	66.683	20.536	5.235	0.173	0.403	0.024	0.027	0.000	0.000	0.000	0.000	0.000	1381.70	
21	0.7537	1177.6	1198.5	1197.8	1.003	6.146	66.207	20.519	5.460	0.182	0.427	0.026	0.029	0.000	0.000	0.000	0.000	0.000	1380.47	
22	0.7573	1181.0	1201.9	1201.3	1.004	6.274	65.786	20.519	5.708	0.192	0.455	0.029	0.032	0.000	0.000	0.000	0.000	0.000	1381.16	
23	0.7552	1177.6	1198.5	1197.8	1.002	6.286	66.004	20.473	5.557	0.186	0.437	0.027	0.030	0.000	0.000	0.000	0.000	0.000	1379.13	
24	0.7538	1176.1	1196.9	1196.0	1.004	6.248	66.168	20.448	5.466	0.183	0.428	0.026	0.029	0.000	0.000	0.000	0.000	0.000	1378.61	
25	0.7582	1181.1	1202.0	1201.0	1.012	6.336	65.744	20.397	5.768	0.201	0.478	0.030	0.034	0.000	0.000	0.000	0.000	0.000	1380.49	
26	0.7570	1177.7	1198.6	1197.5	1.010	6.434	66.411	19.369	5.879	0.237	0.575	0.040	0.045	0.000	0.000	0.000	0.000	0.000	1377.57	
27	0.7554	1175.9	1196.7	1195.5	1.008	6.396	66.698	19.178	5.821	0.238	0.577	0.040	0.045	0.000	0.000	0.000	0.000	0.000	1376.89	
28	0.7572	1178.0	1198.8	1197.7	1.008	6.441	66.217	19.661	5.826	0.224	0.542	0.038	0.043	0.000	0.000	0.000	0.000	0.000	1377.66	
29	0.7576	1178.2	1199.1	1198.1	1.005	6.470	66.099	19.760	5.836	0.220	0.531	0.036	0.042	0.000	0.000	0.000	0.000	0.000	1377.58	
30	0.7582	1180.3	1201.2	1200.5	1.008	6.395	65.795	20.253	5.783	0.206	0.491	0.033	0.037	0.000	0.000	0.000	0.000	0.000	1379.52	
31	0.7573	1178.0	1198.8	1198.3	1.014	6.442	65.767	20.383	5.684	0.192	0.456	0.029	0.033	0.000	0.000	0.000	0.000	0.000	1377.62	
Avg	0.7562	1180.0	1200.8	1200.0	1.003	6.241	66.047	20.316	5.652	0.200	0.475	0.031	0.035	0.000	0.000	0.000	0.000	0.000	1380.83	

Source Daily Summary

May 2026

Attachment B

Page 14 of 25

Source #: 662

Name: MAPLETON-WAHPETON

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.5897	1030.2	1048.4	1048.2	0.582	0.370	93.473	5.461	0.107	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.21	-89.58
2	0.5899	1031.3	1049.5	1049.3	0.558	0.351	93.423	5.551	0.108	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.51	-89.24
3	0.5902	1031.8	1050.1	1049.9	0.559	0.349	93.358	5.612	0.113	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.85	-88.89
4	0.5913	1032.1	1050.4	1050.1	0.604	0.368	93.176	5.731	0.113	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.94	-88.22
5	0.5908	1031.3	1049.5	1049.3	0.605	0.369	93.280	5.624	0.112	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.42	-88.67
6	0.5915	1032.8	1051.1	1050.9	0.589	0.364	93.229	5.606	0.191	0.010	0.009	0.002	0.001	0.000	0.000	0.000	0.000	0.000	1366.68	-87.13
7	0.5916	1033.1	1051.4	1051.2	0.582	0.370	93.192	5.644	0.196	0.008	0.007	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1366.88	-87.12
8	0.5923	1033.6	1051.9	1051.7	0.599	0.375	93.074	5.740	0.196	0.008	0.006	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.77	-86.68
9	0.5915	1032.4	1050.7	1050.5	0.594	0.376	93.214	5.626	0.175	0.008	0.006	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.21	-87.53
10	0.5918	1033.2	1051.5	1051.3	0.586	0.374	93.073	5.834	0.122	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.80	-87.61
11	0.5902	1030.9	1049.2	1049.0	0.577	0.378	93.378	5.541	0.116	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.63	-89.05
12	0.5904	1031.3	1049.6	1049.4	0.569	0.380	93.333	5.599	0.110	0.005	0.003	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1365.98	-88.97
13	0.5903	1030.9	1049.2	1048.9	0.574	0.389	93.365	5.542	0.120	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.53	-89.02
14	0.5902	1030.7	1048.9	1048.7	0.578	0.391	93.385	5.512	0.124	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.31	-89.10
15	0.5902	1030.6	1048.8	1048.5	0.579	0.391	93.395	5.501	0.124	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.23	-89.13
16	0.5908	1031.3	1049.5	1049.3	0.594	0.383	93.294	5.589	0.130	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.45	-88.60
17	0.5919	1032.7	1051.0	1050.7	0.599	0.390	93.080	5.785	0.137	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.10	-87.64
18	0.5907	1029.9	1048.2	1047.9	0.615	0.424	93.307	5.534	0.111	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1363.78	-89.11
19	0.5914	1031.0	1049.2	1049.0	0.631	0.399	93.192	5.658	0.113	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1364.40	-88.49
20	0.5917	1032.1	1050.4	1050.1	0.617	0.384	93.116	5.757	0.118	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.48	-88.01
21	0.5919	1032.9	1051.2	1050.9	0.602	0.378	93.063	5.829	0.119	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1366.29	-87.67
22	0.5927	1033.2	1051.5	1051.3	0.624	0.402	92.917	5.924	0.124	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.80	-87.11
23	0.5930	1033.3	1051.6	1051.4	0.630	0.411	92.867	5.964	0.119	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.62	-86.98
24	0.5927	1032.8	1051.1	1050.8	0.638	0.407	92.926	5.903	0.119	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.22	-87.28
25	0.5908	1030.0	1048.2	1048.0	0.638	0.396	93.316	5.528	0.113	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1363.72	-88.98
26	0.5921	1031.5	1049.8	1049.5	0.645	0.418	93.053	5.758	0.117	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1364.20	-87.87
27	0.5914	1029.9	1048.1	1047.8	0.664	0.420	93.216	5.576	0.114	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1362.88	-88.63
28	0.5903	1028.5	1046.7	1046.4	0.643	0.430	93.416	5.396	0.106	0.004	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1362.33	-89.68
29	0.5908	1029.4	1047.6	1047.4	0.625	0.446	93.302	5.505	0.112	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1363.02	-89.16
30	0.5923	1031.5	1049.7	1049.5	0.631	0.457	93.007	5.768	0.128	0.005	0.003	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1363.98	-87.77
31	0.5935	1033.4	1051.7	1051.3	0.639	0.440	92.781	6.001	0.129	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.13	-86.67
Avg	0.5913	1032.0	1049.9	1049.6	0.606	0.393	93.200	5.664	0.127	0.005	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000	1365.30	-88.24

Source Daily Summary

May 2026

Attachment B

Page 15 of 25

Source #: 041

Name: BISMARCK STN-GLEN ULLIN STN

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.7094	1136.6	1156.7	1156.3	0.969	4.544	73.282	17.056	3.653	0.129	0.317	0.021	0.023	0.007	0.000	0.000	0.000	0.000	1373.60	
2	0.7178	1142.0	1162.3	1161.8	0.964	5.007	71.812	17.744	3.982	0.132	0.316	0.019	0.019	0.006	0.000	0.000	0.000	0.000	1372.11	
3	0.7471	1173.1	1193.8	1193.3	0.950	5.885	67.275	20.017	5.201	0.178	0.432	0.026	0.028	0.009	0.000	0.000	0.000	0.000	1381.21	
4	0.6701	1095.0	1114.4	1114.0	0.989	3.359	79.232	14.264	1.935	0.062	0.138	0.008	0.008	0.004	0.000	0.000	0.000	0.000	1361.63	
5	0.6597	1086.2	1105.5	1105.1	1.050	2.836	80.080	15.120	0.846	0.022	0.040	0.002	0.002	0.002	0.000	0.000	0.000	0.000	1361.02	
6	0.6733	1098.2	1117.6	1117.3	1.157	3.228	77.256	17.525	0.774	0.019	0.035	0.002	0.002	0.002	0.000	0.000	0.000	0.000	1361.97	
7	0.7167	1139.7	1159.9	1159.4	1.090	4.862	71.783	18.175	3.607	0.129	0.310	0.019	0.019	0.006	0.000	0.000	0.000	0.000	1370.19	
8	0.7238	1148.2	1168.5	1168.0	1.020	5.114	70.932	18.225	4.151	0.145	0.356	0.023	0.025	0.008	0.000	0.000	0.000	0.000	1373.67	
9	0.7285	1151.8	1172.2	1171.7	1.005	5.358	70.142	18.549	4.392	0.146	0.354	0.022	0.024	0.008	0.000	0.000	0.000	0.000	1373.46	
10	0.7165	1139.5	1159.7	1159.2	0.970	5.026	72.147	17.323	4.047	0.130	0.314	0.019	0.020	0.006	0.000	0.000	0.000	0.000	1370.48	
11	0.7284	1151.6	1172.0	1171.4	0.967	5.409	70.331	18.158	4.569	0.150	0.364	0.022	0.023	0.007	0.000	0.000	0.000	0.000	1373.56	
12	0.7259	1149.0	1169.4	1168.9	0.963	5.343	70.835	17.758	4.505	0.156	0.383	0.023	0.025	0.008	0.000	0.000	0.000	0.000	1372.84	
13	0.7138	1138.6	1158.8	1158.1	0.988	4.804	72.561	17.292	3.865	0.130	0.314	0.019	0.020	0.006	0.000	0.000	0.000	0.000	1371.79	
14	0.7546	1175.8	1196.6	1196.0	0.953	6.419	66.484	19.604	5.730	0.209	0.522	0.033	0.036	0.011	0.000	0.000	0.000	0.000	1377.47	
15	0.7583	1183.5	1204.5	1203.9	0.956	6.289	65.774	20.374	5.835	0.199	0.497	0.031	0.034	0.011	0.000	0.000	0.000	0.000	1383.16	
16	0.7298	1153.6	1174.1	1173.6	0.984	5.392	70.120	18.339	4.579	0.153	0.376	0.023	0.025	0.008	0.000	0.000	0.000	0.000	1374.57	
17	0.7006	1122.8	1142.7	1142.3	1.002	4.508	74.619	16.131	3.333	0.109	0.260	0.016	0.017	0.006	0.000	0.000	0.000	0.000	1365.44	
18	0.6435	1061.4	1080.2	1079.8	1.041	2.834	83.338	11.912	0.822	0.017	0.031	0.001	0.001	0.002	0.000	0.000	0.000	0.000	1346.56	
19	0.6640	1083.1	1102.3	1101.9	1.039	3.443	80.083	13.631	1.644	0.045	0.101	0.006	0.006	0.003	0.000	0.000	0.000	0.000	1352.76	
20	0.6691	1088.7	1108.0	1107.5	1.029	3.587	79.358	13.927	1.908	0.054	0.122	0.007	0.007	0.003	0.000	0.000	0.000	0.000	1354.70	
21	0.7051	1127.3	1147.2	1146.7	1.002	4.655	73.801	16.685	3.445	0.111	0.264	0.016	0.016	0.005	0.000	0.000	0.000	0.000	1366.51	
22	0.7300	1153.8	1174.3	1173.9	0.976	5.416	69.938	18.589	4.522	0.148	0.360	0.021	0.022	0.007	0.000	0.000	0.000	0.000	1374.44	
23	0.7281	1150.7	1171.0	1170.5	0.980	5.426	70.213	18.400	4.437	0.145	0.350	0.021	0.021	0.007	0.000	0.000	0.000	0.000	1372.49	
24	0.7566	1181.2	1202.2	1201.5	0.970	6.242	66.106	20.118	5.787	0.202	0.501	0.031	0.033	0.009	0.000	0.000	0.000	0.000	1382.10	
25	0.7535	1173.9	1194.7	1193.8	0.964	6.403	67.102	18.760	5.834	0.239	0.603	0.040	0.043	0.012	0.000	0.000	0.000	0.000	1376.34	
26	0.7528	1174.0	1194.7	1193.8	0.963	6.338	67.257	18.681	5.808	0.243	0.611	0.041	0.045	0.013	0.000	0.000	0.000	0.000	1377.00	
27	0.7559	1179.0	1199.9	1199.0	0.964	6.318	66.592	19.353	5.872	0.229	0.577	0.039	0.043	0.013	0.000	0.000	0.000	0.000	1380.14	
28	0.7564	1179.2	1200.1	1199.1	0.961	6.361	66.378	19.585	5.850	0.221	0.554	0.037	0.040	0.013	0.000	0.000	0.000	0.000	1379.86	
29	0.7571	1181.1	1202.0	1201.2	0.961	6.317	66.111	19.963	5.829	0.211	0.527	0.034	0.037	0.011	0.000	0.000	0.000	0.000	1381.42	
30	0.7562	1179.7	1200.6	1199.7	0.968	6.307	65.988	20.304	5.704	0.192	0.470	0.028	0.030	0.009	0.000	0.000	0.000	0.000	1380.63	
31	0.7576	1182.6	1203.5	1202.6	0.966	6.271	65.834	20.386	5.788	0.197	0.487	0.030	0.032	0.009	0.000	0.000	0.000	0.000	1382.65	
Avg	0.7213	1145.0	1164.8	1164.2	0.992	5.139	71.379	17.805	4.137	0.144	0.351	0.022	0.023	0.007	0.000	0.000	0.000	0.000	1371.80	

Source Daily Summary

May 2026

Attachment B

Page 16 of 25

Source #: 271

Name: DCKSN BRD-BLFD TSF-G.U. STN

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6868	1114.9	1134.6	1134.3	1.227	3.377	74.389	20.303	0.663	0.015	0.025	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1369.03	
2	0.6941	1129.6	1149.6	1149.2	1.201	3.210	72.716	22.330	0.521	0.009	0.014	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1379.81	
3	0.6967	1135.4	1155.6	1155.1	1.191	3.116	72.111	23.103	0.463	0.007	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1384.37	
4	0.6956	1132.8	1152.9	1152.6	1.199	3.156	72.372	22.759	0.494	0.008	0.011	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1382.27	
5	0.6764	1094.0	1113.4	1113.1	1.296	3.557	76.812	17.398	0.875	0.022	0.039	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1353.81	
6	0.6808	1103.8	1123.4	1123.0	1.331	3.321	76.068	18.262	0.954	0.024	0.040	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1361.51	
7	0.6907	1121.4	1141.3	1141.0	1.281	3.258	73.536	21.338	0.561	0.010	0.015	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1373.28	
8	0.6933	1127.9	1147.9	1147.5	1.241	3.169	72.889	22.198	0.485	0.008	0.011	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1378.65	
9	0.6943	1130.4	1150.4	1150.0	1.220	3.148	72.655	22.483	0.477	0.007	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1380.62	
10	0.6635	1086.3	1105.5	1105.1	1.186	2.985	79.376	15.553	0.842	0.021	0.036	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1357.21	
11	0.6471	1068.4	1087.4	1086.9	1.060	2.717	82.711	12.556	0.894	0.023	0.038	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1351.69	
12	0.6820	1115.5	1135.2	1134.8	1.147	3.004	75.286	19.925	0.607	0.012	0.018	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1374.63	
13	0.6961	1134.1	1154.2	1153.6	1.196	3.124	72.312	22.838	0.510	0.008	0.011	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1383.43	
14	0.6963	1134.3	1154.3	1153.8	1.204	3.129	72.208	22.982	0.462	0.007	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1383.34	
15	0.6963	1134.9	1155.0	1154.5	1.195	3.106	72.189	23.046	0.449	0.007	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1384.07	
16	0.6647	1090.5	1109.8	1109.4	1.133	2.925	79.023	16.080	0.789	0.019	0.031	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1361.11	
17	0.6464	1064.9	1083.8	1083.5	1.109	2.787	82.928	12.195	0.920	0.023	0.037	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1348.03	
18	0.6661	1092.9	1112.2	1111.9	1.142	2.897	78.696	16.477	0.744	0.017	0.027	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1362.65	
19	0.6478	1064.7	1083.5	1083.2	1.124	2.916	82.516	12.563	0.834	0.018	0.029	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1346.21	
20	0.6485	1065.8	1084.7	1084.4	1.127	2.900	82.521	12.456	0.935	0.023	0.038	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1347.02	
21	0.6468	1064.2	1083.0	1082.7	1.111	2.868	82.728	12.409	0.833	0.019	0.032	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1346.65	
22	0.6465	1063.3	1082.1	1081.8	1.116	2.889	82.767	12.364	0.814	0.018	0.031	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1345.80	
23	0.6454	1062.4	1081.2	1080.9	1.101	2.864	82.984	12.184	0.817	0.019	0.032	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1345.83	
24	0.6473	1065.8	1084.6	1084.3	1.103	2.830	82.701	12.412	0.897	0.021	0.036	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1348.15	
25	0.6476	1065.6	1084.5	1084.1	1.103	2.870	82.552	12.590	0.832	0.019	0.033	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1347.62	
26	0.6505	1070.8	1089.7	1089.0	1.097	2.831	82.120	12.944	0.932	0.026	0.048	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1351.19	
27	0.6470	1066.0	1084.9	1084.1	1.099	2.794	82.700	12.524	0.815	0.023	0.042	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1348.76	
28	0.6463	1064.3	1083.1	1082.2	1.100	2.836	82.831	12.351	0.821	0.022	0.038	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1347.25	
29	0.6480	1064.8	1083.7	1082.8	1.122	2.925	82.530	12.505	0.857	0.022	0.039	0.001	0.001	0.000	0.000	0.000	0.000	0.000	1346.24	
30	0.6485	1065.3	1084.2	1083.4	1.117	2.951	82.444	12.541	0.882	0.023	0.042	0.000	0.001	0.000	0.000	0.000	0.000	0.000	1346.33	
31	0.6513	1068.3	1087.2	1086.3	1.132	3.006	81.967	12.886	0.935	0.025	0.046	0.002	0.001	0.000	0.000	0.000	0.000	0.000	1347.20	
Avg	0.6674	1092.0	1111.7	1111.2	1.162	3.015	78.440	16.599	0.739	0.017	0.028	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1360.77	

Source Daily Summary

May 2026

Attachment B

Page 17 of 25

Source #: 051

Name: CABIN CRK STN-BELFIELD TRSFR

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6677	1091.9	1111.2	1111.1	0.682	3.789	79.053	14.548	1.776	0.054	0.091	0.005	0.002	0.000	0.000	0.000	0.000	0.000	1359.95	
2	0.6648	1086.0	1105.2	1105.0	0.684	3.880	79.481	14.156	1.662	0.049	0.082	0.004	0.002	0.000	0.000	0.000	0.000	0.000	1355.49	
3	0.6632	1081.2	1100.3	1100.1	0.850	3.768	79.865	13.837	1.550	0.046	0.077	0.004	0.002	0.000	0.000	0.000	0.000	0.000	1351.15	
4	0.6685	1095.0	1114.4	1114.3	0.626	3.762	78.871	14.775	1.818	0.053	0.088	0.004	0.002	0.000	0.000	0.000	0.000	0.000	1363.00	
5	0.6699	1100.2	1119.7	1119.7	0.564	3.676	78.530	15.240	1.854	0.050	0.081	0.004	0.002	0.000	0.000	0.000	0.000	0.000	1368.01	
6	0.6672	1096.0	1115.4	1115.3	0.579	3.659	78.651	15.532	1.478	0.036	0.060	0.003	0.002	0.000	0.000	0.000	0.000	0.000	1365.48	
7	0.6754	1087.4	1106.6	1106.5	1.336	3.811	77.420	16.109	1.241	0.029	0.048	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1346.51	
8	0.6697	1082.3	1101.5	1101.3	1.305	3.621	78.589	15.176	1.220	0.030	0.053	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1346.05	
9	0.6599	1081.8	1101.0	1100.7	1.192	2.900	80.648	13.930	1.218	0.037	0.068	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1355.34	
10	0.6556	1080.6	1099.7	1099.4	1.135	2.655	81.490	13.412	1.192	0.038	0.070	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1358.24	
11	0.6550	1079.9	1099.0	1098.7	1.124	2.662	81.578	13.333	1.193	0.037	0.066	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1357.93	
12	0.6623	1075.7	1094.8	1094.5	1.256	3.403	79.989	14.144	1.123	0.029	0.051	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1345.26	
13	0.6570	1072.2	1091.2	1091.0	1.228	3.163	81.034	13.403	1.085	0.030	0.053	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1346.23	
14	0.6569	1070.4	1089.3	1089.0	1.240	3.246	81.075	13.260	1.085	0.032	0.056	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1344.02	
15	0.6531	1064.5	1083.3	1083.0	1.207	3.298	81.675	12.765	0.975	0.027	0.048	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1340.53	
16	0.6539	1067.7	1086.6	1086.2	1.213	3.164	81.649	12.830	1.049	0.032	0.056	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1343.76	
17	0.6513	1068.5	1087.5	1087.1	1.159	2.953	82.103	12.678	1.021	0.029	0.051	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1347.48	
18	0.6501	1065.8	1084.7	1084.4	1.171	2.989	82.228	12.619	0.920	0.025	0.043	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1345.30	
19	0.6516	1067.4	1086.3	1085.9	1.176	3.030	81.973	12.771	0.974	0.026	0.045	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1345.68	
20	0.6531	1067.2	1086.1	1085.7	1.189	3.163	81.728	12.815	1.020	0.029	0.051	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1343.87	
21	0.6534	1069.1	1088.0	1087.6	1.183	3.077	81.661	12.995	1.002	0.028	0.049	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1346.05	
22	0.6532	1068.0	1086.9	1086.5	1.193	3.110	81.665	12.984	0.968	0.026	0.047	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1344.89	
23	0.6534	1063.8	1082.7	1082.2	1.234	3.330	81.542	12.916	0.904	0.024	0.044	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1339.35	
24	0.6535	1064.5	1083.3	1082.9	1.235	3.299	81.576	12.866	0.947	0.026	0.046	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1340.03	
25	0.6539	1066.0	1084.9	1084.5	1.220	3.257	81.495	13.013	0.938	0.025	0.046	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1341.65	
26	0.6566	1071.5	1090.5	1090.1	1.217	3.178	81.054	13.450	1.010	0.029	0.054	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1345.84	
27	0.6544	1069.9	1088.8	1088.4	1.196	3.110	81.473	13.131	0.994	0.030	0.058	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1345.94	
28	0.6488	1063.7	1082.5	1082.0	1.123	3.071	82.492	12.289	0.932	0.030	0.055	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1343.89	
29	0.6619	1086.2	1105.5	1104.9	1.215	2.788	80.338	14.276	1.257	0.040	0.075	0.005	0.005	0.000	0.000	0.000	0.000	0.000	1358.75	
30	0.6580	1076.3	1095.3	1094.8	1.203	3.047	80.820	13.779	1.052	0.032	0.059	0.004	0.004	0.000	0.000	0.000	0.000	0.000	1350.28	
31	0.6561	1069.1	1088.0	1087.4	1.222	3.275	81.130	13.278	1.003	0.029	0.055	0.003	0.004	0.000	0.000	0.000	0.000	0.000	1343.25	
Avg	0.6584	1076.0	1094.9	1094.5	1.102	3.262	80.738	13.623	1.176	0.033	0.059	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1349.33	

Source Daily Summary

May 2026

Attachment B

Page 18 of 25

Source #: 111

Name: LITTLE KNIFE PLANT

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6970	1135.1	1155.2	1153.7	1.188	3.164	72.036	23.143	0.452	0.006	0.009	0.000	0.000	0.001	0.000	0.000	0.000	0.000	1383.72	-25.46
2	0.6970	1135.2	1155.3	1153.8	1.182	3.167	72.052	23.122	0.461	0.006	0.009	0.000	0.000	0.001	0.000	0.000	0.000	0.000	1383.81	-25.47
3	0.6971	1135.3	1155.4	1153.5	1.186	3.169	72.040	23.114	0.475	0.006	0.009	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1383.77	-25.28
4	0.6966	1134.8	1154.9	1153.5	1.181	3.162	72.087	23.121	0.434	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1383.67	-25.77
5	0.6963	1134.0	1154.1	1152.4	1.187	3.171	72.164	23.026	0.438	0.006	0.009	0.000	0.000	0.001	0.000	0.000	0.000	0.000	1383.02	-25.91
6	0.6966	1134.3	1154.4	1152.7	1.195	3.164	72.111	23.081	0.433	0.006	0.009	0.000	0.000	0.001	0.000	0.000	0.000	0.000	1383.14	-25.78
7	0.6959	1133.1	1153.2	1151.3	1.199	3.163	72.268	22.915	0.439	0.006	0.008	0.000	0.000	0.001	0.000	0.000	0.000	0.000	1382.39	-26.11
8	0.6955	1132.7	1152.7	1150.7	1.206	3.148	72.355	22.833	0.442	0.006	0.008	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1382.18	-26.20
9	0.6954	1132.8	1152.8	1150.7	1.198	3.141	72.370	22.838	0.438	0.006	0.008	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1382.45	-26.23
10	0.6959	1133.2	1153.3	1151.5	1.205	3.150	72.291	22.888	0.449	0.006	0.009	0.000	0.000	0.003	0.000	0.000	0.000	0.000	1382.48	-25.94
11	0.6970	1135.2	1155.3	1153.8	1.189	3.161	72.053	23.115	0.463	0.006	0.009	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1383.76	-25.32
12	0.6972	1135.4	1155.5	1153.9	1.176	3.179	72.022	23.129	0.476	0.006	0.010	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1383.92	-25.24
13	0.6968	1134.5	1154.6	1152.9	1.184	3.187	72.117	23.011	0.482	0.006	0.010	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1383.18	-25.39
14	0.6968	1134.7	1154.8	1153.4	1.186	3.179	72.076	23.087	0.456	0.006	0.009	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1383.35	-25.50
15	0.6968	1134.9	1155.0	1153.6	1.185	3.163	72.076	23.109	0.451	0.006	0.009	0.000	0.000	0.001	0.000	0.000	0.000	0.000	1383.64	-25.58
16	0.6965	1134.4	1154.5	1153.1	1.194	3.155	72.124	23.080	0.432	0.006	0.009	0.000	0.000	0.001	0.000	0.000	0.000	0.000	1383.29	-25.83
17	0.6964	1134.5	1154.6	1152.7	1.186	3.144	72.144	23.081	0.430	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1383.62	-25.92
18	0.6963	1135.5	1155.6	1153.6	1.166	3.110	72.133	23.149	0.426	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1384.86	-25.81
19	0.6966	1135.9	1156.0	1154.1	1.163	3.120	72.094	23.159	0.449	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1385.03	-25.60
20	0.6971	1136.2	1156.4	1154.8	1.170	3.133	72.011	23.206	0.463	0.006	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1384.97	-25.32
21	0.6969	1135.4	1155.5	1153.7	1.177	3.151	72.061	23.136	0.460	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1384.20	-25.54
22	0.6966	1135.0	1155.1	1153.6	1.176	3.148	72.106	23.109	0.446	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1384.05	-25.72
23	0.6968	1136.0	1156.1	1154.3	1.167	3.127	72.077	23.145	0.469	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1384.94	-25.45
24	0.6975	1137.1	1157.2	1155.6	1.172	3.109	71.969	23.252	0.482	0.006	0.009	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1385.70	-25.01
25	0.6976	1137.5	1157.6	1155.8	1.170	3.101	71.974	23.232	0.506	0.006	0.009	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1386.02	-24.74
26	0.6976	1137.7	1157.9	1156.2	1.174	3.085	71.975	23.236	0.511	0.006	0.010	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1386.28	-24.59
27	0.6975	1137.6	1157.7	1156.0	1.168	3.087	71.990	23.239	0.499	0.006	0.009	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1386.28	-24.72
28	0.6972	1136.7	1156.9	1155.2	1.181	3.097	72.052	23.150	0.501	0.006	0.010	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1385.46	-24.87
29	0.6974	1137.5	1157.7	1156.3	1.176	3.071	72.016	23.228	0.492	0.006	0.009	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1386.27	-24.77
30	0.6970	1136.7	1156.8	1155.6	1.173	3.092	72.062	23.179	0.476	0.006	0.009	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1385.62	-25.04
31	0.6970	1136.9	1157.1	1155.7	1.179	3.065	72.069	23.207	0.464	0.006	0.009	0.000	0.000	0.002	0.000	0.000	0.000	0.000	1385.96	-25.12
Avg	0.6968	1135.0	1155.5	1153.8	1.182	3.138	72.096	23.107	0.461	0.006	0.009	0.000	0.000	0.001	0.000	0.000	0.000	0.000	1384.23	-25.46

Source Daily Summary

May 2026

Attachment B

Page 19 of 25

Source #: 011

Name: BAKER STN-MARM/BOWMAN TRANSFER

Pressure Base: 14.730

Contract Day: 1

Temperature Base: 60

Contract Hour: 9

Day	Relative Density	Heating Value Wet	Heating Value Dry	Heating Value As Del	CO2	N2	C1	C2	C3	IC4	NC4	IC5	NC5	C6	C7	C8	C9	C10	Wobbe	CCT
1	0.6257	1042.2	1060.6	1058.0	0.872	2.585	86.701	9.136	0.642	0.024	0.035	0.002	0.002	0.000	0.000	0.000	0.000	0.000	1340.84	-63.85
2	0.6369	1048.9	1067.5	1063.9	1.059	2.946	84.578	10.682	0.660	0.026	0.041	0.003	0.003	0.001	0.000	0.000	0.000	0.000	1337.60	-57.29
3	0.6385	1055.3	1074.0	1069.8	1.080	2.670	84.417	11.006	0.749	0.027	0.043	0.003	0.003	0.001	0.000	0.000	0.000	0.000	1344.10	-54.82
4	0.6295	1047.4	1066.0	1064.1	0.880	2.607	86.073	9.601	0.767	0.026	0.041	0.003	0.003	0.001	0.000	0.000	0.000	0.000	1343.57	-59.98
5	0.6268	1049.7	1068.3	1067.0	0.784	2.363	86.651	9.283	0.838	0.028	0.047	0.003	0.003	0.001	0.000	0.000	0.000	0.000	1349.35	-59.87
6	0.6265	1045.9	1064.4	1062.6	0.796	2.545	86.619	9.202	0.767	0.025	0.041	0.003	0.003	0.001	0.000	0.000	0.000	0.000	1344.80	-61.36
7	0.6385	1046.4	1064.9	1062.1	1.132	3.136	84.390	10.515	0.751	0.026	0.042	0.003	0.003	0.001	0.000	0.000	0.000	0.000	1332.74	-56.35
8	0.6461	1055.3	1074.0	1070.4	1.198	3.213	83.019	11.607	0.880	0.028	0.046	0.004	0.003	0.001	0.000	0.000	0.000	0.000	1336.10	-50.87
9	0.6458	1054.9	1073.5	1070.4	1.181	3.236	83.056	11.572	0.875	0.027	0.045	0.004	0.003	0.001	0.000	0.000	0.000	0.000	1335.87	-51.20
10	0.6421	1054.4	1073.1	1068.9	1.023	3.154	83.601	11.330	0.821	0.025	0.040	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1339.16	-53.43
11	0.6403	1054.3	1073.0	1068.2	0.989	3.042	83.920	11.188	0.796	0.024	0.037	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1340.92	-54.62
12	0.6449	1062.8	1081.6	1077.4	1.048	2.865	83.276	11.750	0.980	0.029	0.045	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1346.89	-49.89
13	0.6493	1070.1	1089.0	1083.0	1.142	2.694	82.430	12.728	0.934	0.027	0.041	0.003	0.002	0.000	0.000	0.000	0.000	0.000	1351.52	-47.66
14	0.6488	1068.8	1087.7	1083.4	1.157	2.710	82.395	12.867	0.805	0.024	0.037	0.003	0.002	0.000	0.000	0.000	0.000	0.000	1350.33	-48.85
15	0.6465	1068.2	1087.2	1083.3	1.066	2.658	82.840	12.516	0.855	0.024	0.036	0.002	0.002	0.000	0.000	0.000	0.000	0.000	1352.12	-49.63
16	0.6373	1056.9	1075.6	1071.6	1.000	2.581	84.575	11.027	0.751	0.024	0.037	0.003	0.002	0.000	0.000	0.000	0.000	0.000	1347.41	-55.66
17	0.6352	1058.0	1076.7	1074.7	1.008	2.306	85.046	10.845	0.715	0.028	0.045	0.003	0.003	0.001	0.000	0.000	0.000	0.000	1350.99	-55.97
18	0.6409	1063.3	1082.1	1080.6	1.059	2.441	84.199	11.229	0.974	0.033	0.058	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1351.73	-50.68
19	0.6408	1056.9	1075.6	1072.7	1.147	2.698	84.062	11.191	0.827	0.026	0.044	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1343.58	-53.45
20	0.6281	1043.6	1062.1	1058.4	0.966	2.575	86.438	9.198	0.752	0.026	0.040	0.003	0.002	0.000	0.000	0.000	0.000	0.000	1340.18	-61.40
21	0.6322	1050.9	1069.5	1067.2	1.012	2.452	85.675	10.004	0.788	0.024	0.038	0.003	0.002	0.000	0.000	0.000	0.000	0.000	1345.11	-58.29
22	0.6292	1050.6	1069.2	1066.2	0.852	2.427	86.054	9.896	0.710	0.022	0.034	0.002	0.002	0.000	0.000	0.000	0.000	0.000	1347.98	-60.41
23	0.6313	1052.9	1071.6	1066.7	0.859	2.475	85.684	10.157	0.762	0.023	0.036	0.002	0.002	0.000	0.000	0.000	0.000	0.000	1348.66	-58.65
24	0.6314	1052.6	1071.3	1064.9	0.849	2.521	85.656	10.134	0.770	0.025	0.039	0.003	0.002	0.000	0.000	0.000	0.000	0.000	1348.13	-58.39
25	0.6368	1060.3	1079.1	1071.2	0.910	2.463	84.709	11.006	0.842	0.025	0.040	0.003	0.003	0.000	0.000	0.000	0.000	0.000	1352.25	-54.49
26	0.6370	1057.2	1075.9	1067.9	0.952	2.613	84.591	11.003	0.774	0.023	0.038	0.003	0.002	0.000	0.000	0.000	0.000	0.000	1348.05	-55.44
27	0.6363	1056.0	1074.7	1067.1	0.959	2.608	84.764	10.815	0.787	0.024	0.038	0.002	0.002	0.000	0.000	0.000	0.000	0.000	1347.23	-55.96
28	0.6360	1058.1	1076.8	1069.8	1.075	2.276	85.061	10.665	0.852	0.025	0.043	0.002	0.001	0.000	0.000	0.000	0.000	0.000	1350.24	-55.12
29	0.6353	1055.2	1073.9	1066.8	1.085	2.370	85.088	10.647	0.742	0.023	0.040	0.002	0.002	0.000	0.000	0.000	0.000	0.000	1347.30	-56.66
30	0.6371	1057.2	1076.0	1070.2	1.115	2.365	84.766	10.938	0.746	0.024	0.041	0.002	0.002	0.000	0.000	0.000	0.000	0.000	1348.06	-55.42
31	0.6388	1061.0	1079.8	1076.2	1.020	2.442	84.517	10.993	0.958	0.024	0.039	0.003	0.002	0.000	0.000	0.000	0.000	0.000	1351.02	-52.83
Avg	0.6371	1055.0	1074.0	1069.8	1.009	2.646	84.673	10.798	0.802	0.025	0.041	0.003	0.002	0.000	0.000	0.000	0.000	0.000	1345.61	-55.44

Gas Composition and Properties

Effective May 1, 2026

Source #: 2702230
Name: WATFORD CITY EAST BORDER

Component	Mole %	Liquid Content	Mass %
Carbon Dioxide (CO2)	1.2285		3.0004
Nitrogen (N2)	2.5678		3.9919
Methane (C1)	87.2479		77.6744
Ethane (C2)	8.4954	2.2715	14.1760
Propane (C3)	0.4210	0.1160	1.0302
Isobutane (IC4)	0.0155	0.0051	0.0500
n-Butane (NC4)	0.0239	0.0075	0.0771
Isopentane (IC5)			
n-Pentane (NC5)			
Hexanes Plus (C6+)			
Argon (Ar)			
Carbon Monoxide (CO)			
Hydrogen (H2)			
Oxygen (O2)			
Helium (He)			
Water (H2O)			
Hydrogen Sulfide (H2S)			
Totals	100.0000	2.4010	100.0000

Property	Total Sample
Pressure Base	14.73
Temperature Base	60
HCDP @ Sample Pressure	-73.447
Cricondentherm	-69.689
HV, Dry @ Base P, T	1048.31
HV, Sat @ Base P, T	1030.07
HV, Sat @ Sample P, T	1048.31
Relative Density	0.6234

C6+: 100

Sample

Date: 05/01/2026 Type:
Tech: Joshua Tipton
Pressure: 570.0 psi Temp.: °F
Gauge: Gauge H2O:
Atm. Pressure: H2S:

Remarks:

Analysis

Date: Instrument:
Cylinder: 348
Tech:

Remarks:

May-26

ZONE 550

MANDAN BORDER

NBPL - St Anthony

WBI - Mandan Border

Weighted

Start Date	End Date	MCF	DK	BTU	MCF	DK	BTU Zone 28	AVG BTU	
5/1/2026	5/2/2026	11,412	12,299	1,081	2,089	2,403	1156.7	1092.375	5/1/2026
5/2/2026	5/3/2026	0	0	0	1,650	1,915	1162.3	1162.300	5/2/2026
5/3/2026	5/4/2026	0	0	0	1,491	1,781	1193.8	1193.800	5/3/2026
5/4/2026	5/5/2026	0	0	0	2,901	3,218	1114.4	1114.400	5/4/2026
5/5/2026	5/6/2026	36	38	1,087	3,549	3,932	1105.5	1105.313	5/5/2026
5/6/2026	5/7/2026	9,071	9,870	1,089	2,862	3,192	1117.6	1096.087	5/6/2026
5/7/2026	5/8/2026	0	0	0	1,919	2,221	1159.9	1159.900	5/7/2026
5/8/2026	5/9/2026	0	0	0	1,495	1,752	1168.5	1168.500	5/8/2026
5/9/2026	5/10/2026	0	0	0	1,820	2,143	1172.2	1172.200	5/9/2026
5/10/2026	5/11/2026	0	0	0	1,527	1,775	1159.7	1159.700	5/10/2026
5/11/2026	5/12/2026	0	0	0	1,260	1,481	1172	1172.000	5/11/2026
5/12/2026	5/13/2026	0	0	0	1,391	1,617	1169.4	1169.400	5/12/2026
5/13/2026	5/14/2026	0	0	0	1,153	1,335	1158.8	1158.800	5/13/2026
5/14/2026	5/15/2026	0	0	0	1,116	1,336	1196.6	1196.600	5/14/2026
5/15/2026	5/16/2026	0	0	0	1,172	1,412	1204.5	1204.500	5/15/2026
5/16/2026	5/17/2026	0	0	0	1,325	1,560	1174.1	1174.100	5/16/2026
5/17/2026	5/18/2026	0	0	0	2,472	2,825	1142.7	1142.700	5/17/2026
5/18/2026	5/19/2026	0	0	0	2,927	3,161	1080.2	1080.200	5/18/2026
5/19/2026	5/20/2026	0	0	0	3,113	3,413	1102.3	1102.300	5/19/2026
5/20/2026	5/21/2026	0	0	0	1,455	1,617	1108	1108.000	5/20/2026
5/21/2026	5/22/2026	0	0	0	1,271	1,461	1147.2	1147.200	5/21/2026
5/22/2026	5/23/2026	0	0	0	1,874	2,200	1174.3	1174.300	5/22/2026
5/23/2026	5/24/2026	0	0	0	1,196	1,397	1171	1171.000	5/23/2026
5/24/2026	5/25/2026	0	0	0	930	1,118	1202.2	1202.200	5/24/2026
5/25/2026	5/26/2026	0	0	0	905	1,082	1194.7	1194.700	5/25/2026
5/26/2026	5/27/2026	0	0	0	946	1,130	1194.7	1194.700	5/26/2026
5/27/2026	5/28/2026	6,172	6,720	1,086	979	1,174	1199.9	1101.939	5/27/2026
5/28/2026	5/29/2026	0	0	0	992	1,190	1200.1	1200.100	5/28/2026
5/29/2026	5/30/2026	0	0	0	1,012	1,217	1202	1202.000	5/29/2026
5/30/2026	5/31/2026	0	0	0	968	1,162	1200.6	1200.600	5/30/2026
5/31/2026	6/1/2026	0	0	0	975	1,174	1203.5	1203.500	5/31/2026
		26,691	28,927	140.1032	50,735	58,394	1164.8194	1158.8843	



Alliance Pipeline
 DAILY ANALYSIS --- USA
 ND07MD1 --- Hankinson Sales
 May 2026

DAY	Heating Value (BTU/ft3)	Relative Density	C1 Mol%	C2 Mol%	C3 Mol%	IC4 Mol%	NC4 Mol%	IC5 Mol%	NC5 Mol%	C6+ Mol%	N2 Mol%	CO2 Mol%	Hel Mol%
1	1,147.767	0.6566	84.5475	9.9997	3.1386	0.3147	0.5280	0.0538	0.0405	0.0152	0.9334	0.4178	0.0107
2	1,149.254	0.6578	84.6515	9.6621	3.2609	0.3463	0.5747	0.0617	0.0465	0.0195	0.9366	0.4300	0.0101
3	1,148.879	0.6576	84.6765	9.6614	3.2453	0.3425	0.5739	0.0604	0.0465	0.0192	0.9203	0.4427	0.0112
4	1,152.403	0.6594	84.4469	9.8438	3.3196	0.3511	0.5811	0.0613	0.0483	0.0210	0.8780	0.4383	0.0107
5	1,147.806	0.6568	84.6139	9.8730	3.1636	0.3220	0.5416	0.0553	0.0434	0.0178	0.9252	0.4347	0.0095
6	1,151.309	0.6599	84.2240	9.9891	3.3023	0.3379	0.5738	0.0586	0.0458	0.0189	1.0139	0.4252	0.0104
7	1,150.317	0.6589	84.4115	9.9016	3.2551	0.3368	0.5627	0.0609	0.0464	0.0220	0.9443	0.4479	0.0107
8	1,150.248	0.6578	84.5501	9.8803	3.2559	0.3294	0.5408	0.0593	0.0458	0.0207	0.8899	0.4171	0.0107
9	1,151.152	0.6582	84.5571	9.8294	3.2728	0.3389	0.5641	0.0614	0.0482	0.0217	0.8798	0.4164	0.0102
10	1,149.199	0.6568	84.7415	9.7453	3.2163	0.3345	0.5484	0.0583	0.0456	0.0218	0.8661	0.4121	0.0102
11	1,148.503	0.6563	84.7494	9.7866	3.1859	0.3267	0.5380	0.0568	0.0449	0.0206	0.8681	0.4121	0.0107
12	1,147.891	0.6553	84.9513	9.6752	3.1523	0.3298	0.5371	0.0577	0.0455	0.0215	0.7971	0.4216	0.0107
13	1,153.322	0.6587	84.5948	9.8168	3.3112	0.3532	0.5850	0.0598	0.0462	0.0221	0.7678	0.4325	0.0106
14	1,152.415	0.6581	84.6529	9.8022	3.2871	0.3460	0.5803	0.0568	0.0446	0.0211	0.7639	0.4347	0.0104
15	1,148.885	0.6557	84.9404	9.6883	3.1609	0.3355	0.5566	0.0551	0.0439	0.0215	0.7516	0.4362	0.0101
16	1,149.524	0.6569	84.7327	9.7661	3.2067	0.3381	0.5520	0.0581	0.0458	0.0228	0.8391	0.4282	0.0104
17	1,151.375	0.6590	84.4661	9.8647	3.2914	0.3464	0.5575	0.0609	0.0471	0.0233	0.8775	0.4546	0.0105
18	1,152.001	0.6591	84.4349	9.9276	3.2910	0.3448	0.5537	0.0606	0.0473	0.0236	0.8577	0.4493	0.0095
19	1,150.400	0.6580	84.5889	9.8328	3.2367	0.3405	0.5518	0.0630	0.0481	0.0233	0.8525	0.4527	0.0098
20	1,151.594	0.6595	84.3804	9.9054	3.2981	0.3410	0.5646	0.0630	0.0487	0.0232	0.9029	0.4630	0.0099
21	1,154.816	0.6631	83.7575	10.2816	3.3872	0.3426	0.5867	0.0603	0.0467	0.0226	1.0287	0.4760	0.0099
22	1,151.159	0.6586	84.4622	9.9700	3.2101	0.3383	0.5595	0.0619	0.0489	0.0253	0.8566	0.4570	0.0100
23	1,153.191	0.6605	84.2263	10.0364	3.2740	0.3466	0.5914	0.0668	0.0530	0.0240	0.9310	0.4417	0.0089
24	1,152.441	0.6598	84.3079	10.0040	3.2612	0.3427	0.5884	0.0640	0.0503	0.0193	0.9094	0.4435	0.0095
25	1,146.576	0.6558	84.8090	9.7526	3.1025	0.3250	0.5459	0.0586	0.0456	0.0184	0.8866	0.4456	0.0103
26	1,145.026	0.6546	84.9560	9.6894	3.0824	0.3154	0.5250	0.0537	0.0415	0.0175	0.8627	0.4456	0.0107
27	1,147.351	0.6568	84.5723	9.9084	3.1634	0.3145	0.5363	0.0528	0.0415	0.0166	0.9447	0.4391	0.0104
28	1,152.610	0.6603	84.0633	10.2264	3.3090	0.3223	0.5620	0.0523	0.0410	0.0164	0.9677	0.4292	0.0105
29	1,152.748	0.6599	84.1451	10.1919	3.3062	0.3214	0.5582	0.0534	0.0423	0.0174	0.9200	0.4333	0.0107
30	1,150.664	0.6586	84.3466	10.0684	3.2329	0.3210	0.5460	0.0561	0.0452	0.0200	0.9191	0.4344	0.0102
31	1,152.783	0.6601	84.2282	10.0778	3.2932	0.3352	0.5633	0.0616	0.0501	0.0233	0.9046	0.4516	0.0111
Volume	1,150.443	0.6582	84.5094	9.8915	3.2413	0.3350	0.5591	0.0589	0.0460	0.0207	0.8903	0.4375	0.0103
Weight Avg Energy	1,150.448	0.6582	84.5090	9.8917	3.2415	0.3350	0.5591	0.0589	0.0460	0.0207	0.8904	0.4375	0.0103



Alliance Pipeline

DAILY ANALYSIS --- USA
ND14MD1 --- Milnor Sales
May 2026

Attachment B
Page 23 of 25

DAY	Heating Value (BTU/ft3)	Relative Density	C1 Mol%	C2 Mol%	C3 Mol%	IC4 Mol%	NC4 Mol%	IC5 Mol%	NC5 Mol%	C6+ Mol%	N2 Mol%	CO2 Mol%	Hel Mol%
1	1,148.086	0.6567	84.5426	9.9981	3.1503	0.3162	0.5293	0.0536	0.0409	0.0152	0.9316	0.4115	0.0106
2	1,149.848	0.6583	84.5964	9.6882	3.2788	0.3483	0.5786	0.0621	0.0469	0.0197	0.9379	0.4329	0.0102
3	1,149.352	0.6579	84.6409	9.6880	3.2546	0.3446	0.5751	0.0606	0.0467	0.0191	0.9163	0.4428	0.0112
4	1,151.968	0.6591	84.4718	9.8438	3.3058	0.3475	0.5764	0.0608	0.0477	0.0205	0.8790	0.4362	0.0106
5	1,148.143	0.6573	84.5561	9.8857	3.1779	0.3244	0.5477	0.0556	0.0439	0.0183	0.9429	0.4378	0.0097
6	1,151.285	0.6598	84.2403	9.9805	3.2984	0.3390	0.5729	0.0592	0.0461	0.0194	1.0092	0.4246	0.0104
7	1,150.041	0.6586	84.4499	9.8743	3.2527	0.3358	0.5607	0.0608	0.0462	0.0219	0.9384	0.4486	0.0108
8	1,150.614	0.6580	84.5078	9.9151	3.2617	0.3297	0.5417	0.0591	0.0458	0.0207	0.8936	0.4143	0.0106
9	1,150.860	0.6580	84.5905	9.8095	3.2626	0.3390	0.5630	0.0615	0.0482	0.0220	0.8756	0.4181	0.0101
10	1,149.231	0.6567	84.7312	9.7615	3.2160	0.3332	0.5461	0.0581	0.0454	0.0215	0.8670	0.4097	0.0103
11	1,148.361	0.6562	84.7712	9.7757	3.1795	0.3268	0.5374	0.0569	0.0449	0.0208	0.8638	0.4123	0.0107
12	1,148.543	0.6557	84.9176	9.6785	3.1727	0.3334	0.5453	0.0583	0.0457	0.0215	0.7937	0.4225	0.0107
13	1,152.994	0.6584	84.6289	9.8139	3.2986	0.3511	0.5787	0.0592	0.0461	0.0221	0.7578	0.4330	0.0105
14	1,152.332	0.6581	84.6466	9.8008	3.2861	0.3457	0.5822	0.0565	0.0444	0.0211	0.7691	0.4372	0.0103
15	1,149.286	0.6559	84.9272	9.6977	3.1694	0.3367	0.5599	0.0550	0.0438	0.0216	0.7448	0.4338	0.0101
16	1,149.446	0.6570	84.7222	9.7645	3.2099	0.3385	0.5501	0.0582	0.0459	0.0231	0.8498	0.4274	0.0103
17	1,152.087	0.6594	84.4114	9.8996	3.3105	0.3475	0.5600	0.0616	0.0476	0.0232	0.8763	0.4520	0.0103
18	1,151.585	0.6588	84.4684	9.9119	3.2770	0.3434	0.5519	0.0606	0.0471	0.0234	0.8546	0.4520	0.0095
19	1,150.464	0.6581	84.5886	9.8157	3.2462	0.3412	0.5542	0.0632	0.0484	0.0234	0.8557	0.4537	0.0097
20	1,152.033	0.6600	84.2814	9.9696	3.3089	0.3404	0.5659	0.0631	0.0486	0.0231	0.9225	0.4666	0.0100
21	1,154.604	0.6629	83.7847	10.2805	3.3763	0.3419	0.5828	0.0597	0.0465	0.0225	1.0200	0.4753	0.0099
22	1,151.553	0.6589	84.4158	10.0019	3.2219	0.3388	0.5596	0.0617	0.0488	0.0252	0.8595	0.4570	0.0100
23	1,152.805	0.6603	84.2391	10.0365	3.2640	0.3443	0.5887	0.0661	0.0525	0.0229	0.9363	0.4406	0.0089
24	1,152.266	0.6596	84.3509	9.9765	3.2566	0.3431	0.5873	0.0642	0.0504	0.0194	0.8997	0.4425	0.0095
25	1,145.518	0.6553	84.8690	9.7221	3.0819	0.3205	0.5379	0.0564	0.0437	0.0179	0.8904	0.4496	0.0105
26	1,145.483	0.6548	84.9092	9.7274	3.0939	0.3146	0.5251	0.0535	0.0415	0.0174	0.8651	0.4417	0.0106
27	1,147.863	0.6573	84.5054	9.9476	3.1776	0.3154	0.5388	0.0529	0.0417	0.0167	0.9523	0.4410	0.0105
28	1,152.584	0.6602	84.0695	10.2282	3.3065	0.3218	0.5608	0.0523	0.0410	0.0164	0.9643	0.4288	0.0104
29	1,152.791	0.6600	84.1257	10.2151	3.3036	0.3205	0.5555	0.0532	0.0425	0.0176	0.9217	0.4339	0.0106
30	1,151.054	0.6588	84.3170	10.0860	3.2417	0.3224	0.5481	0.0563	0.0456	0.0203	0.9196	0.4329	0.0102
31	1,152.027	0.6597	84.2548	10.0901	3.2640	0.3292	0.5558	0.0607	0.0496	0.0234	0.9045	0.4569	0.0111
Volume	1,150.415	0.6582	84.4997	9.8995	3.2424	0.3344	0.5579	0.0585	0.0456	0.0205	0.8935	0.4378	0.0103
Weight Avg Energy	1,150.417	0.6582	84.4998	9.8993	3.2425	0.3344	0.5579	0.0585	0.0456	0.0205	0.8933	0.4379	0.0103

May-26

ZONE 610

Watford City

Watford City West Border

Watford City East Border

Weighted

Start Date	End Date	MCF	DK	BTU Zone 25	MCF	DK	BTU Zone 43	AVG BTU	
5/1/2026	5/2/2026	187	224	1192.9	136	143	1048.3	1132.016	5/1/2026
5/2/2026	5/3/2026	186	222	1192.9	150	157	1048.3	1128.346	5/2/2026
5/3/2026	5/4/2026	163	194	1192.9	122	128	1048.3	1131.001	5/3/2026
5/4/2026	5/5/2026	287	342	1192.9	415	435	1048.3	1107.417	5/4/2026
5/5/2026	5/6/2026	325	387	1192.9	526	552	1048.3	1103.523	5/5/2026
5/6/2026	5/7/2026	283	338	1192.9	368	385	1048.3	1111.160	5/6/2026
5/7/2026	5/8/2026	220	262	1192.9	259	272	1048.3	1114.713	5/7/2026
5/8/2026	5/9/2026	181	216	1192.9	152	160	1048.3	1126.896	5/8/2026
5/9/2026	5/10/2026	204	244	1192.9	183	192	1048.3	1124.523	5/9/2026
5/10/2026	5/11/2026	162	193	1192.9	138	144	1048.3	1126.384	5/10/2026
5/11/2026	5/12/2026	141	168	1192.9	167	175	1048.3	1114.497	5/11/2026
5/12/2026	5/13/2026	151	180	1192.9	169	177	1048.3	1116.533	5/12/2026
5/13/2026	5/14/2026	111	133	1192.9	122	128	1048.3	1117.187	5/13/2026
5/14/2026	5/15/2026	138	165	1192.9	95	100	1048.3	1133.943	5/14/2026
5/15/2026	5/16/2026	165	197	1192.9	230	241	1048.3	1108.703	5/15/2026
5/16/2026	5/17/2026	174	208	1192.9	240	252	1048.3	1109.074	5/16/2026
5/17/2026	5/18/2026	237	283	1192.9	339	356	1048.3	1107.797	5/17/2026
5/18/2026	5/19/2026	274	327	1192.9	456	478	1048.3	1102.575	5/18/2026
5/19/2026	5/20/2026	216	258	1192.9	188	197	1048.3	1125.611	5/19/2026
5/20/2026	5/21/2026	190	227	1192.9	157	165	1048.3	1127.476	5/20/2026
5/21/2026	5/22/2026	186	222	1192.9	229	240	1048.3	1113.109	5/21/2026
5/22/2026	5/23/2026	200	238	1192.9	194	203	1048.3	1121.701	5/22/2026
5/23/2026	5/24/2026	130	155	1192.9	157	164	1048.3	1113.798	5/23/2026
5/24/2026	5/25/2026	111	132	1192.9	73	77	1048.3	1135.532	5/24/2026
5/25/2026	5/26/2026	105	125	1192.9	67	70	1048.3	1136.573	5/25/2026
5/26/2026	5/27/2026	101	120	1192.9	58	60	1048.3	1140.153	5/26/2026
5/27/2026	5/28/2026	96	115	1192.9	71	74	1048.3	1131.423	5/27/2026
5/28/2026	5/29/2026	107	128	1192.9	71	74	1048.3	1135.222	5/28/2026
5/29/2026	5/30/2026	121	144	1192.9	102	107	1048.3	1126.760	5/29/2026
5/30/2026	5/31/2026	96	115	1192.9	81	85	1048.3	1126.727	5/30/2026
5/31/2026	6/1/2026	115	137	1192.9	99	104	1048.3	1126.006	5/31/2026
		5,363	6,399	1192.9000	5,814	6,095	1048.3000	1121.8187	

Tsp	EffDate	EndDate	Device	GasDay	EndDt	BTU	SpecGrav	CriconTherm	WobbeIndex	CO2	N2	Methane	Ethane	Propane	lButane	NButane	iPentane	nPentane	NeoPentane	C6Plus	Hydrogen	Helium	WaterVapor	TotalSulfur	HydrogenSulfur	Oxygen
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/1/2026	5/2/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0834	0.0535	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/2/2026	5/3/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0834	0.0501	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/3/2026	5/4/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0834	0.0523	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/4/2026	5/5/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0834	0.0444	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/5/2026	5/6/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0459	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/6/2026	5/7/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0515	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/7/2026	5/8/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0504	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/8/2026	5/9/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0537	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/9/2026	5/10/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0498	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/10/2026	5/11/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0834	0.0476	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/11/2026	5/12/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0465	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/12/2026	5/13/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0501	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/13/2026	5/14/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0834	0.0554	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/14/2026	5/15/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0532	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/15/2026	5/16/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0541	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/16/2026	5/17/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0594	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/17/2026	5/18/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0834	0.0483	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/18/2026	5/19/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	161.2944	0.0557	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/19/2026	5/20/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0834	0.0523	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/20/2026	5/21/2026	1104	0.6537	-44.4	1365.462668	0.9491	2.5125	80.8579	14.5931	0.8578	0.016	0.0284	0	0.0027	0	0	0.1606	0.0219	N/A	10.0834	0.0571	N/A
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/21/2026	5/22/2026	1085	0.6487	-42.9	1347.124669	1.0196	3.054	82.0996	12.8825	0.8035	0.0257	0.0325	0.0005	0.0017	0	0.0078	0.0473	0.0254	0.4183	161.2944	0.0753	0.0062
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/22/2026	5/23/2026	1082	0.6463	-51.1	1345.891911	1.0512	2.9408	82.6601	12.4449	0.8084	0.0177	0.0313	0.0012	0.001	0	0	0.0173	0.0262	0.3521	161.2944	0.1083	0.0062
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/23/2026	5/24/2026	1081	0.6451	-51.7	1345.898078	1.035	2.8923	82.8872	12.2771	0.8158	0.0176	0.0307	0.0011	0.0003	0	0	0.0172	0.0259	0.3624	161.2944	0.0832	0.0061
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/24/2026	5/25/2026	1087	0.6484	-49	1349.920029	1.0395	2.888	82.3287	12.7412	0.9026	0.0204	0.0347	0.0013	0.0006	0	0	0.0174	0.0259	0.3554	10.0834	0.0758	0.0062
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/25/2026	5/26/2026	1085	0.6481	-49.8	1347.748098	1.0496	2.9219	82.2941	12.8263	0.8088	0.0185	0.0344	0.0015	0.0013	0	0	0.0174	0.0263	0.3675	161.2944	0.0569	0.0062
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/26/2026	5/27/2026	1090	0.6506	-46.8	1351.355049	1.0405	2.8747	81.9601	13.0661	0.9358	0.0254	0.047	0.0023	0.0024	0	0	0.0176	0.0284	0.3713	10.0834	0.0743	0.0062
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/27/2026	5/28/2026	1085	0.6467	-50.2	1349.206136	1.0383	2.8235	82.5694	12.6729	0.7812	0.0203	0.0392	0.0021	0.0022	0	0	0.0238	0.0271	0.385	161.2944	0.0581	0.0062
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/28/2026	5/29/2026	1085	0.6477	-49.6	1348.164198	1.0591	2.8953	82.421	12.6654	0.8491	0.0196	0.0364	0.0019	0.0019	0	0	0.0224	0.0281	0.3822	161.2944	0.043	0.0062
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/29/2026	5/30/2026	1085	0.6488	-49	1347.020849	1.0591	2.9819	82.2142	12.772	0.8624	0.0205	0.0386	0.002	0.0019	0	0	0.0191	0.0285	0.3544	161.2944	0.0344	0.0062
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/30/2026	5/31/2026	1085	0.6494	-48.6	1346.398428	1.0729	3.011	82.138	12.7841	0.8791	0.0218	0.0415	0.0021	0.0021	0	0	0.0193	0.0283	0.3577	161.2944	0.0362	0.0061
NBPL	4/27/2026 0:00	7/9/2026 0:00	GLNU1 - GLEN ULLIN	5/31/2026	6/1/2026	1089	0.6527	-46.1	1347.94159	1.0798	3.0516	81.5248	13.2876	0.9333	0.0238	0.0456	0.0025	0.0026	0	0.0002	0.0196	0.0289	0.3507	10.0834	0.0417	0.0062

NORTH DAKOTA HEATING VALUE ZONES		
ZONES	MEASURING DEVICE	LOCATION
211	Chromatograph	Sidney Border
24	Chromatograph	Williston Border
241	Accumulated Sample	Fairview Border
25	Accumulated Sample	Watford City West Border
260	Chromatograph	North Tioga Transfer
261	Chromatograph	Tioga Comp Station – Robinson Lake Plant
262	Chromatograph	Minot Border
263	Accumulated Sample	Lignite Plant
264	Accumulated Sample	Epping Border
265	Chromatograph	Tioga Comp Station – County Line Plant
271	Chromatograph	Bismarck – Cleveland
272	Chromatograph	Cleveland – Mapleton
273	Chromatograph	Cleveland – Grafton
274	Chromatograph	Kindred – Wahpeton
28	Chromatograph	Bismarck Station
31	Chromatograph	Dickinson Border
32	Chromatograph	Cabin Creek Station
33	Chromatograph	Little Knife Plant
34	Chromatograph	Bowman Border
43	Accumulated Sample	Watford City East Border
550	Accumulated Sample & Chromatograph	Mandan Border
600	Chromatograph	Hankinson Area
601	Chromatograph	Milnor Area
610	Accumulated Sample & Chromatograph	Watford City
802	Chromatograph	Linton

MONTANA DAKOTA UTILITIES CO
NORTH DAKOTA
HEATING VALUE DATA

STATE	ZONE	ZONE BOUNDARY	12 MONTH AVERAGE	MAY26	APR26	MAR26	FEB26	JAN26	DEC25	NOV25	OCT25	SEP25	AUG25	JUL25	JUN25
MT/ND	211	Sidney Border - MonDak Tfr - Sidney Plt	1188	1188	1186	1186	1186	1185	1187	1191	1192	1190	1193	1186	1185
ND	24	Williston Border - Charbonneau Station	1195	1199	1203	1198	1194	1193	1188	1193	1197	1194	1202	1193	1191
ND	25	Watford City West Border	1199	1193	1192	1191	1193	1196	1198	1205	1190	1209	1206	1209	1202
ND	28	Bismarck Station - Glen Ullin Station	1159	1165	1108	1118	1122	1126	1135	1127	1195	1197	1208	1207	1205
ND	31	Dickinson Brd - Belfield Trf - G Ullin Stn	1123	1112	1112	1134	1133	1132	1130	1135	1149	1106	1087	1135	1110
ND/MT	32	Cabin Creek Station - Belfied Transfer	1117	1095	1087	1123	1126	1119	1112	1134	1115	1103	1130	1129	1136
ND	33	Little Knife Plant	1159	1156	1158	1158	1159	1158	1158	1157	1160	1161	1161	1160	1161
ND	34	Badlands Plant/Bowman Border	1090	1074	1072	1096	1115	1112	1113	1136	1087	1073	1071	1066	1065
ND	43	Watford City East Border	1046	1048	1042	1042	1048	1045	1037	1048	1044	1050	1052	1057	1044
ND/MT	241	Fairview Border	1187	1190	1183	1180	1179	1185	1188	1192	1181	1192	1199	1194	1186
ND	267	North Tioga Transfer - Nesson Plant	1173	1173	1164	1169	1176	1172	1168	1169	1173	1171	1171	1188	1183
ND	261	Tioga Comp Station - Robinson Lake Plant	1186	1171	1163	1169	1198	1171	1174	1187	1189	1204	1206	1206	1198
ND	262	Minot Bdr - Palermo Bdr - Bismarck Stn	1204	1200	1196	1201	1205	1207	1206	1206	1204	1205	1206	1206	1204
ND	263	Lignite Plant	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131	1131
ND	264	Epping Border	1185	1194	1177	1181	1189	1183	1180	1183	1180	1191	1193	1192	1180
ND	265	Tioga Comp Station - County Line Plant	1198	1188	1195	1200	1196	1198	1199	1203	1203	1203	1201	1204	1183
ND	266	County Line Plant	1200	1191	1201	1201	1198	1199	1189	1203	1207	1207	1210	1211	1186
ND	271	Bismarck Station - Cleveland Station	1188	1201	1192	1188	1176	1173	1175	1201	1173	1161	1208	1207	1205
ND	272	Cleveland Station - Mapleton	1186	1201	1191	1184	1175	1172	1175	1201	1173	1149	1207	1205	1204
ND	273	Cleveland Station - Grafton Border	1186	1201	1191	1185	1175	1172	1175	1201	1163	1149	1208	1205	1205
ND	274	Felton(Viking) - Kindred-Wahpeton	1048	1050	1047	1048	1048	1050	1050	1049	1043	1044	1043	1054	1047
ND	550	Mandan Border / NBPL-St Anthony	1139	1159	1105	1115	1117	1119	1134	1124	1194	1154	1147	1140	1155
ND	610	MDU-Watford City BTU	1096	1122	1104	1097	1097	1094	1090	1105	1105	1102	1113	1067	1055
ND	802	NBPL - Linton	1082	1084	1079	1083	1084	1083	1078	1084	1084	1082	1083	1086	1077
ND	903	Hettinger Propane	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549	2549
ND	600	Alliance Pipeline - Hankinson	1152	1150	1149	1146	1148	1149	1151	1156	1158	1155	1155	1153	1151
ND	601	Alliance Pipeline - Milnor	1152	1150	1149	1147	1148	1149	1151	1156	1159	1155	1155	1153	1151

THERMAL ZONE VARIANCE DOCUMENTATION		
May 2026		
ZONE	<i>BTU VARIANCE</i>	<i>REASON</i>
28	57	Blend
550	54	Operational