




Bauske, Shelly A.

From: Crockford, Konrad S.
Sent: Friday, August 7, 2026 10:16 AM
To: Bauske, Shelly A.
Subject: FW: BEK Complaint
Attachments: Dickinson Gas outage area map.pdf

Shelly,

Please docket this email along with the attachment in case no. DM-26-238.

Konrad Crockford
Director, Compliance Division

*Weights & Measures • Railroad Safety • Pipeline Safety
Damage Prevention & Enforcement • Risk Management*

701.328.4097 • kcrockford@nd.gov • www.psc.nd.gov



From: Pingel, Brent <brent.pingel@mdu.com>
Sent: Thursday, August 6, 2026 3:40 PM
To: Crockford, Konrad S. <kcrockford@nd.gov>
Subject: RE: BEK Complaint

***** **CAUTION:** This email originated from an outside source. Do not click links or open attachments unless you know they are safe. *****

Konrad,

Kim Obritsch, Dickinson District Manager, provided this map. The solid red line is the area affected.

Thanks,
Brent

D. Brent Pingel

Manager Leak Management and Damage Prevention

Montana-Dakota Utilities Co.

701-339-3712

brent.pingel@mdu.com

www.montana-dakota.com | www.gpng.com

www.intgas.com | www.cngc.com

107 10th Ave. SW

Watford City, ND 58854



From: Crockford, Konrad S. <kcrockford@nd.gov>

Sent: Wednesday, August 5, 2026 1:24 PM

To: Pingel, Brent <brent.pingel@mdu.com>

Subject: RE: BEK Complaint

**** WARNING: EXTERNAL SENDER. NEVER click links or open attachments without positive sender verification of purpose. DO NOT provide your user ID or password on sites or forms linked from this email. ****

Brent,

When MDU had to shut the gas off to this area due to the damage, can you give me an idea of the geographical area this affected? I'm trying to overlay this on a map of Dickinson.

Thanks,

Konrad Crockford
Director, Compliance Division

*Weights & Measures • Railroad Safety • Pipeline Safety
Damage Prevention & Enforcement • Risk Management*

701.328.4097 • kcrockford@nd.gov • www.psc.nd.gov

N O R T H
Dakota | Public Service Commission
Be Legendary.™

From: Crockford, Konrad S.

Sent: Monday, June 29, 2026 8:01 AM

To: Pingel, Brent <brent.pingel@mdu.com>

Subject: RE: BEK Complaint

Thank you, Brent. We'll update this information on our end.

Konrad Crockford

Director, Compliance Division

*Weights & Measures • Railroad Safety • Pipeline Safety
Damage Prevention & Enforcement • Risk Management*

701.328.4097 • kcrockford@nd.gov • www.psc.nd.gov



From: -Info-Public Service Commission <ndpsc@nd.gov>

Sent: Monday, June 29, 2026 7:37 AM

To: Crockford, Konrad S. <kcrockford@nd.gov>

Subject: FW: BEK Complaint

From: Pingel, Brent <Brent.Pingel@mdu.com>

Sent: Sunday, June 28, 2026 6:36 PM

To: -Info-Public Service Commission <ndpsc@nd.gov>

Cc: Schoepp, Michael <Michael.Schoepp@mdu.com>; Hansen, Melissa <Melissa.Hansen@mdu.com>

Subject: Re: BEK Complaint

You don't often get email from brent.pingel@mdu.com. [Learn why this is important](#)

***** **CAUTION:** This email originated from an outside source. Do not click links or open attachments unless you know they are safe. *****

Konrad,

MDU has adjusted the customers affected to 1791 total customers.

Thank you,
Brent

Get [Outlook for iOS](#)

From: Pingel, Brent

Sent: Friday, 26 June 2026 13:29:43

To: ndpsc@nd.gov <ndpsc@nd.gov>

Cc: Schoepp, Michael <Michael.Schoepp@mdu.com>; Hansen, Melissa <Melissa.Hansen@mdu.com>

Subject: BEK Complaint

Konrad,

Attached is the complaint form and some pictures for the BEK damage in Dickinson, ND on 6/24/2026. I will update you when we have the completed estimated value of damage.

Please let me know if you need any more information.

Thanks,
Brent

D. Brent Pingel
Manager Leak Management and Damage Prevention
Montana-Dakota Utilities Co.
701-339-3712
brent.pingel@mdu.com
www.montana-dakota.com | www.gpng.com
www.intgas.com | www.cngc.com
107 10th Ave. SW
Watford City, ND 58854



This transmission, email and any files transmitted with it, may be: (1) subject to the Attorney-Client Privilege, (2) an attorney work product, or (3) strictly confidential under federal or state law. If you are not the intended recipient of this message, you may not use, disclose, print, copy or disseminate this information. If you have received this transmission in error, notify the sender (only) and delete the message. This message may also be subject to disclosure under the North Dakota Open Records Laws.